

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल-दाउदनगर।

पत्रांक:- 353

दाउदनगर/दिनांक:- 11/02/2024

प्रेषक:-

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, दाउदनगर।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव
बिहार ग्रामीण पथ विकास अभिकरण
बिहार, पटना।

विषय:- गैर योजना मद शीर्ष MR 3054(Bihar Rural Road New Maintenance Policy-2018)
के तहत कार्यान्वित पथों में उपयोगिता प्रमाण पत्र एवं अधियाचना समर्पित करने के संबंध
में।

महाशय,

उपयुक्त विषय के संबंध में कहना है कि ग्रामीण कार्य विभाग, कार्य प्रमंडल दाउदनगर
के अंतर्गत गैर योजना मद शीर्ष MR 3054(Bihar Rural Road New Maintenance Policy-
2018) के तहत चल रहे कार्य पूर्ण हो चुका है। उपयोगिता प्रमाण पत्र एवं अधियाचना विहित प्रपत्र
में संलग्न कर समर्पित किया जाता है।

आग्रह है कि सूची के अनुसार संवेदको का नाम प्राधिकार पत्र में शामिल
करने एवं अधियाचित राशि: रू० 1,36,93,940=00(एक करोड़ छत्तीस लाख तीरानवे हजार नौ सौ
चालीस रुपये) मात्र आवंटन उपलब्ध कराने की कृपा करना चाहेंगे। ताकि भुगतान किया जा सके।
अनु०:-यथोक्त।

विश्वासभाजन

कार्यपालक अभियंता

ग्रामीण कार्य विभाग

कार्य प्रमंडल, दाउदनगर।

FORM GFR 19-A**(Government of India's Decision (I) below Rule-150)****Form of Utilisation Certificate as on 11.02.2021****MR 3054(Bihar Rural Road New Maintenance Policy-2018)****STATE-BIHAR****PIU - E.E,RWD (W), Div.- Daudnagar**

Sl. No.	Name of Scheme	Sanction No. & Date with Amount (in Rs. Lacs)	Amount Received (in Rs. Lacs)	Particulars
1	Construction of Rural Roads under MR 3054 (Bihar Rural Road New Maintenance Policy-2018)	Vide Lt.no. -05 dated-12.01.2021	578.65956	Certified that out of Rs 578.65956 Lacs received during the years 2020-2021 in favour of Ex. Engineer, RWD (W), Div.- Daudnagar, Bihar, a sum of Rs 534.33211 Lacs has been utilized for the purpose of M.M.G.S.Y(SC) Schemes as given in the margin for which it was sanctioned and that the balance of Rs 44.32745 Lacs remaining unutilized at the end of the period under.
			578.65956	

- 1 Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/ are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised :-

- Works have been supervised by Executive Engineer/ Supertending Engineer.
- Periodical inspection has been conducted by Executive Engineer/ Supertending Engineer.
- Construction materials have been tested
- Measurements have been recorded in the MBs and test check conducted by the Assistant.
- All other codal formalities have been observed.

Memo No-

Dated:-

Copy forwarded to Secretary Cum- Empowered Officer(BRRADA),Patna for taking necessary action.


Div. Accounts Officer
R.W.D Works Division
Daudnagar


Executive Engineer
R.W.D Works Division
Daudnagar

Office of The Executive Engineer, Rural Works Department, Works Division Daudnagar

Requisition formate for Scheme Head- MR-3054 Under Bihar Rural Road Maintenance Policy -2018 (Initial Rectification with Surface Renewal)

Sl.No.	Package No	Name of Road	Project ID As per MIS	A.A. Letter No & Date	Administrative Approval (A.A.)		Agreement Amount (in Lakh)		Agreement No & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen content in Percentage	Previous Total Allotted Amount (in Lakh)	Up-to-Date Expenditure as per MIS (in lakh)	Requisition against work done (in lakh)	Remarks
					Length (in K.M.)	Amount (in lakh)	Initial Rectification with Surface Renewal (in lakh)	5 Years Routine Maintenance										
1	RM/AU/DAU/19/0011	Goh Uphar Road - Mohhidin Pur	Project ID- 10602802048	2164 06/07/2019	9.920	317.52	199.566	86.13154	2019-76/MBD/ 2020	23.10.2020	20.12.2020	3259	25	5.00	1.64. 78300	164.783	34.78	Complete
2	RM/AU/DAU/19/0011	Const of Rd from Goh Rafiganj Rd to Motha	Project ID- 10602801011	2164 06/07/2019	1.800	58.016	34.871	21.01225	2019-76/MBD/ 2020	23.10.2020	20.12.2020	3259	25	5.00	20.92260	20.92260	13.94840	Complete
3	RM/AU/DAU/19/0011	Goh Gaya Road - Bajid Pur	Project ID- 10602802041	2164 06/07/2019	2.933	154.26	57.991	25.03056	76/MBD/ 2019-2020	23.10.2020	20.12.2020	3259	25	5.00	0.00000	0.00000	57.99100	Complete

Sr. Divisional Accounts Officer
Rural Works Department,
Works Division, Daudnagar

Executive Engineer,
Rural Works Department,
Works Division, Daudnagar

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग कार्य प्रमंडल-दाउदनगर।

पत्रांक:- 353

दाउदनगर/दिनांक:- 11/02/2024

प्रेषक,

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमंडल-दाउदनगर।

सेवा में,

नोडल पदाधिकारी
ग्रामीण कार्य विभाग,
बिहार, पटना।

विषय:- State MIS पर MR Maintainance Policy 2018 योजना अन्तर्गत पथ का A.A Length Update करने के संबंध में।

महाशय,

उपरोक्त विषयक प्रासंगिक पत्र के आलोक में कहना है कि MR Maintainance Policy 2018 योजना अन्तर्गत Project_ID-10602802041, पथ का नाम (गोह गया पथ से वाजीदपुर) में पत्रांक-3164 दिनांक-06.07.2019 से प्राप्त लम्बाई की संख्या-4.833कि०मी० था। इस पथ का Tender Disposal भी पथ की लम्बाई-4.833कि०मी० पर हुआ लेकिन पथ की वास्तविक लम्बाई- 2.933कि०मी० पर संवेदक द्वारा पूर्ण कर दिया गया। शेष पथ की लम्बाई- 1.900कि०मी० PMGSY-2 के पत्रांक-5562 दिनांक-23.11.2019 के अंतर्गत समाहित किया गया।

अतः अनुरोध है कि RWD MIS के Maintainance Module में पथ का प्रशासनिक स्वीकृति जो प्राप्त हुई थी उस पथ की लम्बाई-2.933कि०मी० को Update करने कि कृपा कीया जाय जिससे की संवेदक को उक्त पथ में किये गये Work का अधियाचना प्राप्त हो सके।

सूचनार्थ समर्पित।

अनु०-यथोक्त

विश्वासभाजन

11.02.24

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमंडल-दाउदनगर।

Name Of Road Goh Uphar Road - Mohhidin Pur

Date	Time	Section	Length	Bumps	Speed	OR	UUV	CATEGORY	IRI	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km		ROAD				
20/12/20	10:40:19	90	0.1	330	20.2	3300	3881	G	3.06	25.565	84.739882	Normal
20/12/20	10:40:19	90	0.1	300	30.3	3000	3540	G	3.66	25.515	84.73882	Normal
20/12/20	10:41:0	90	0.1	250	30.3	2500	2972	G	3.99	25.435	84.737827	Normal
20/12/20	10:41:0	90	0.1	190	30.3	1900	2290	G	3.16	25.313	84.736835	Normal
20/12/20	10:41:0	90	0.1	300	30.3	3000	3540	G	3.66	25.65	84.735842	Normal
20/12/20	10:41:0	90	0.1	70	30.3	700	927	G	1.41	24.999858	84.734865	Normal
20/12/20	10:41:30	90	0.1	280	30.3	2800	3313	G	3.4	24.999693	84.733922	Normal
20/12/20	10:41:30	90	0.1	260	30.3	2600	3086	G	4.13	24.999425	84.732928	Speed Breaker
20/12/20	10:41:30	90	0.1	280	30.3	2800	3313	G	3.4	24.999095	84.73202	Normal
20/12/20	10:42:5	90	0.1	210	30.3	2100	2518	G	3.44	24.999	84.730942	Normal
20/12/20	10:42:5	90	0.1	260	30.3	2600	3086	G	3.13	24.99886	84.729932	Normal
20/12/20	10:42:5	90	0.1	270	30.3	2700	3199	G	2.26	24.998763	84.728922	Normal
20/12/20	10:42:5	90	0.1	270	30.3	2700	3199	G	3.26	24.99865	84.727928	Normal
20/12/20	10:42:40	90	0.1	250	30.3	2500	2972	G	3.99	24.998707	84.726885	Normal
20/12/20	10:43:0	90	0.1	330	10.1	3300	3881	G	3.06	24.998773	84.725908	Normal
20/12/20	10:43:16	90	0.1	280	20.2	2800	3313	G	3.4	24.998768	84.724848	Normal
20/12/20	10:44:0	90	0.1	190	20.2	1900	2290	G	3.16	24.998637	84.723888	Normal
20/12/20	10:44:0	90	0.1	340	20.2	3400	3994	G	3.19	24.997997	84.723265	Normal
20/12/20	10:44:26	90	0.1	230	20.2	2300	2745	G	3.72	24.997922	84.722188	Speed Breaker
20/12/20	10:45:1	90	0.1	330	30.2	3300	3881	G	3.06	24.99798	84.721245	Normal
20/12/20	10:45:37	90	0.1	300	10.1	3000	3540	G	4.66	24.997908	84.720302	Speed Breaker
20/12/20	10:46:0	90	0.1	240	10.1	2400	2858	G	3.85	24.997028	84.72037	Normal
20/12/20	10:46:12	90	0.1	340	20.2	3400	3994	G	3.19	24.996793	84.71973	Normal
20/12/20	10:46:12	90	0.1	170	40.4	1700	2063	G	2.88	24.997025	84.718652	Speed Breaker
20/12/20	10:47:0	90	0.1	140	30.3	1400	1722	G	2.45	24.997375	84.71776	Normal
20/12/20	10:47:23	90	0.1	110	40.4	1100	1382	G	2.02	24.998235	84.718063	Normal
20/12/20	10:47:23	90	0.1	130	30.3	1300	1609	G	2.31	24.998555	84.717238	Normal
20/12/20	10:48:0	90	0.1	140	30.3	1400	1722	G	2.45	24.998613	84.716228	Speed Breaker
20/12/20	10:48:33	90	0.1	170	30.3	1700	2063	G	2.88	24.998452	84.715235	Normal
20/12/20	10:49:8	90	0.1	270	10.1	2700	3199	G	3.26	24.998485	84.714208	Normal
20/12/20	10:50:0	90	0.1	310	10.1	3100	3654	G	3.8	24.998622	84.713232	Normal
20/12/20	10:50:18	90	0.1	190	20.2	1900	2290	G	3.16	24.99843	84.712305	Normal
20/12/20	10:51:0	90	0.1	160	30.3	1600	1950	G	2.74	24.99832	84.711143	Normal
20/12/20	10:51:29	90	0.1	150	30.3	1500	1836	G	2.6	24.999147	84.71106	Normal
20/12/20	10:51:29	90	0.1	140	30.3	1400	1722	G	2.45	25.55	84.711245	Normal
20/12/20	10:52:4	90	0.1	340	20.2	3400	3994	G	5.19	25.815	84.71101	Speed Breaker
20/12/20	10:52:4	90	0.1	340	10.1	3400	3994	G	2.19	25.1662	84.710992	Normal
20/12/20	10:52:39	90	0.1	310	20.2	3100	3654	G	3.8	25.2558	84.711195	Normal
20/12/20	10:53:0	90	0.1	300	20.2	3000	3540	G	3.66	25.3465	84.711328	Normal

$$Y = 0 * X^2 + 1.136 * X + 132.5$$

$$X = 2524$$

$$Y = 3000$$

(R) RURAL ROAD
 Good Average Poor
 <4000 4001-5000 >5001

20/12/20	10:53:0	90	0.1	250	30.3	2500	2972	G	3.99	25.4392	84.711497	Normal
20/12/20	10:53:14	90	0.1	360	20.2	3200	3822	G	5.46	25.5068	84.711245	Speed Breaker
20/12/20	10:53:14	90	0.1	240	20.2	2400	2858	G	3.85	25.4993	84.710302	Normal
20/12/20	10:53:50	90	0.1	210	30.3	2100	2518	G	3.44	25.491	84.709258	Normal
20/12/20	10:54:0	90	0.1	160	30.3	1600	1950	G	2.74	25.4828	84.708248	Normal
20/12/20	10:54:0	90	0.1	300	30.3	3000	3540	G	4.66	25.4748	84.707188	Speed Breaker
20/12/20	10:54:25	90	0.1	200	30.3	2000	2404	G	3.3	25.4668	84.706212	Normal
20/12/20	10:54:25	90	0.1	270	30.3	2700	3199	G	3.26	25.4593	84.705235	Normal
20/12/20	10:54:25	90	0.1	250	30.3	2500	2972	G	3.99	25.4502	84.704123	Normal
20/12/20	10:55:0	90	0.1	290	20.2	2900	3426	G	3.53	25.436	84.703182	Normal
20/12/20	10:55:0	90	0.1	230	30.3	2300	2745	G	3.72	25.4015	84.702305	Normal
20/12/20	10:55:0	90	0.1	210	30.3	2100	2518	G	3.44	25.3618	84.701363	Normal
20/12/20	10:55:35	90	0.1	170	30.3	1700	2063	G	2.88	25.3212	84.700387	Normal
20/12/20	10:55:35	90	0.1	170	30.3	1700	2063	G	2.88	25.2848	84.699493	Normal
20/12/20	10:55:35	90	0.1	220	30.3	2200	2631	G	3.58	25.2475	84.698602	Normal
20/12/20	10:56:0	90	0.1	180	30.3	1800	2177	G	3.02	25.2065	84.697625	Normal
20/12/20	10:56:11	90	0.1	340	30.3	3400	3994	G	5.19	25.166	84.69668	Speed Breaker
20/12/20	10:56:11	90	0.1	250	20.2	2500	2972	G	3.99	25.1318	84.69574	Normal
20/12/20	10:56:46	90	0.1	310	20.2	3100	3654	G	3.8	25.1978	84.69505	Normal
20/12/20	10:57:0	90	0.1	290	30.3	2900	3426	G	3.53	25.2592	84.694377	Normal
20/12/20	10:57:0	90	0.1	220	40.4	2200	2631	G	3.58	25.3243	84.693635	Normal
20/12/20	10:57:21	90	0.1	290	30.3	2900	3426	G	4.53	25.3915	84.692895	Normal
20/12/20	10:57:21	90	0.1	130	30.3	1300	1609	G	2.31	25.4523	84.692205	Normal
20/12/20	10:57:21	90	0.1	320	30.3	3200	3767	G	4.93	25.5173	84.691463	Normal
20/12/20	10:58:0	90	0.1	160	30.3	1600	1950	G	2.74	25.587	84.690655	Normal
20/12/20	10:58:0	90	0.1	150	30.3	1500	1836	G	2.6	25.6462	84.689998	Normal
20/12/20	10:58:32	90	0.1	300	30.3	2700	3240	G	3.66	25.707	84.689325	Normal
20/12/20	10:58:32	90	0.1	300	30.3	3000	3540	G	4.66	25.7722	84.688568	Speed Breaker
20/12/20	10:58:32	90	0.1	180	20.2	1800	2177	G	3.02	25.8385	84.687827	Normal
20/12/20	10:59:7	90	0.1	270	20.2	2700	3199	G	4.26	25.8928	84.68707	Normal
20/12/20	10:59:7	90	0.1	340	30.3	3400	3994	G	3.19	25.8902	84.686027	Normal
20/12/20	10:59:7	90	0.1	320	30.3	3200	3767	G	3.93	25.8862	84.685	Normal
20/12/20	10:59:42	90	0.1	290	10.1	2900	3426	G	3.53	25.8823	84.683988	Normal
20/12/20	11:0:0	90	0.1	320	30.3	3200	3767	G	4.93	25.8792	84.682962	Bridge
20/12/20	11:0:18	90	0.1	340	30.3	2300	2745	G	3.72	25.8755	84.681885	Normal
20/12/20	11:0:53	90	0.1	330	10.1	3300	3881	G	5.06	25.8728	84.680958	Speed Breaker
20/12/20	11:1:0	90	0.1	340	30.3	3400	3994	G	3.19	25.8693	84.679998	Normal
20/12/20	11:1:28	90	0.1	270	30.3	2700	3199	G	3.26	25.8642	84.678938	Normal
20/12/20	11:1:28	90	0.1	310	30.3	3100	3654	G	3.8	25.8573	84.677895	Normal
20/12/20	11:2:4	90	0.1	190	40.4	1900	2290	G	3.16	25.7738	84.677642	Normal
20/12/20	11:2:4	90	0.1	310	30.3	3100	3654	G	3.8	25.6852	84.677508	Normal
20/12/20	11:2:39	90	0.1	340	20.2	3400	3994	G	5.19	25.5907	84.67734	Speed Breaker
20/12/20	11:2:39	90	0.1	180	40.4	1800	2177	G	3.02	25.5257	84.676935	Normal

20/12/20	11:3:0	90	0.1	330	30.3	3300	3881 G	3.06	25.5345	84.675942	Normal
20/12/20	11:3:14	90	0.1	290	30.3	2900	3426 G	3.53	25.5418	84.674998	Normal
20/12/20	11:3:14	90	0.1	220	30.3	2200	2631 G	3.58	25.5592	84.673922	Normal
20/12/20	11:3:14	90	0.1	310	30.3	3100	3654 G	3.8	25.5797	84.672978	Normal
20/12/20	11:3:14	90	0.1	280	30.3	2800	3313 G	3.4	25.6043	84.671952	Normal
20/12/20	11:3:49	90	0.1	240	30.3	2400	2858 G	3.85	25.6293	84.670925	Normal
20/12/20	11:4:0	90	0.1	340	30.3	2300	2745 G	3.72	25.6473	84.669998	Normal
20/12/20	11:4:25	90	0.1	250	30.3	2500	2972 G	3.99	25.6642	84.669023	Normal
20/12/20	11:4:25	90	0.1	320	30.3	3200	3767 G	3.93	25.5132	84.667995	Normal
20/12/20	11:4:25	90	0.1	290	30.3	2900	3426 G	3.53	25.5308	84.666935	Normal
20/12/20	11:5:0	90	0.1	280	20.2	2800	3313 G	3.4	25.5445	84.665925	Normal
20/12/20	11:5:0	90	0.1	260	30.3	2600	3086 G	3.13	25.5562	84.664898	Normal
20/12/20	11:5:35	90	0.1	290	30.3	2900	3426 G	4.53	25.572	84.663905	Speed Breaker
20/12/20	11:5:35	90	0.1	260	30.3	2600	3086 G	3.13	25.5873	84.662945	Normal
20/12/20	11:5:35	90	0.1	240	30.3	2400	2858 G	3.85	25.6088	84.661918	Normal
20/12/20	11:6:0	90	0.1	260	20.2	2600	3086 G	4.13	25.4235	84.661093	Normal
20/12/20	11:6:11	90	0.1	250	20.2	2500	2972 G	3.99	25.6008	84.6601	Normal
Total Length			9.9								

James
21/12/2020

A.E
James
21/12/2020

James
21/12/2020
E" E

Steco Analyzer

Name of Customer : Ram Nandan Singh
Name of Work/ Road : Goh Upar Road - Mohhidin Pu
Lab Job number : 90
Date : 20-12-2020
Section No. : 90

Test Date : 20-12-2020
Machine No : 377
Start S No : 627
Start E No : 625
Weather : Normal
Start Location : 25 565 84.739
End Location : 5 6009 84.6601
Road Name : Goh Upar Road - Mohhidin Pu
Road Type : (R) RURAL ROAD
Side : Goh
Interval :
UIV Range : -73 To 5000 mm/km
Dist Range : 0 To 10 0.1 * 1000 m
Equation : $Y = 0 * X^2 + 1.136 * X + 132.5$

Print

Generate Report and Graph

Redraw Graph

Map View

