

**Schedule XLV-Form No. 134** *Part I*

*Muesy World*

*Lo22 Muesy Road to Baghnouche.*

**DIVISION**

**SUB-DIVISION**

**MEASUREMENT BOOK**

*489*  
*1593/00*

*21215-4418-91815*

# ABSTRACT

13

Sch. XLV—Form No. 134

| Particulars | Details of actual measurement |    |    |    | Contents area |
|-------------|-------------------------------|----|----|----|---------------|
|             | No.                           | L. | B. | D. |               |
| (1/71)      | P/H/F setting out pillars     |    |    |    |               |
|             | Benchmark pillars—do.         |    |    |    |               |
| 9.0 cu.     | B.V.T.M.B. p- 1/1             |    |    |    |               |
|             | @ 2050=00/m — RS              |    |    |    | 18450=0       |
| (2/72)      | Clearing & Graveling          |    |    |    |               |
|             | road lined —do—               |    |    |    |               |
| 1.12 cu.    | B.V.T.M.B. p- 1/2             |    |    |    |               |
|             | @ 49800=00/m — RS             |    |    |    | 55776=00      |
| (3/73)      | Dismantling structure         |    |    |    |               |
|             | like Culvert —do—             |    |    |    |               |
| 5.568 cu    | B.V.T.M.B. p- 2/3             |    |    |    |               |
|             | @ 400=00/m <sup>3</sup> — RS  |    |    |    | 2227=20       |
| (4/74)      | Electric Box cutting          |    |    |    |               |
|             | by manual means               |    |    |    |               |
|             | —do—                          |    |    |    |               |
| 77.76 cu    | B.V.T.M.B. p- 4/1             |    |    |    |               |
|             | @ 12=00/cu <sup>3</sup> — RS  |    |    |    | 9408=96       |
| (5/75)      | Cost of embankment            |    |    |    |               |
|             | for road way culvert          |    |    |    |               |
|             | —do—                          |    |    |    |               |
| 46.656 cu   | B.V.T.M.B. p- 5/2             |    |    |    |               |
|             | @ 50=00/cu <sup>3</sup> — RS  |    |    |    | 2332=80       |
| (6/76)      | Cost of Embankment            |    |    |    |               |
|             | with borrow pit—do.           |    |    |    |               |
| 194.624 cu  | B.V.T.M.B. p- 5/1(1)          |    |    |    |               |
|             | @ 145=00/cu <sup>3</sup> — RS |    |    |    | 278635=48     |

Continuation RS-366830=44

| Particulars            | Details of actual measurement                                         |    |    |    | Contents of area |
|------------------------|-----------------------------------------------------------------------|----|----|----|------------------|
|                        | No.                                                                   | L. | B. | D. |                  |
| (4)<br>77              | Cost of Embankment<br>for 1000 ft. — 1000                             |    |    |    |                  |
| 1281.08 m <sup>3</sup> | Q.V.T.H.B — p. 5/11                                                   |    |    |    |                  |
|                        | @ 190000/m <sup>3</sup> — M                                           |    |    |    | 243405:20        |
| (8)<br>78              | Cost of Subgrade &<br>earthen shoulder                                |    |    |    |                  |
| 693.0 m <sup>2</sup>   | Q.V.T.H.B — p. 7/1                                                    |    |    |    |                  |
| 334.96 m <sup>2</sup>  | — — — p. 10/2                                                         |    |    |    |                  |
| 113.76 m <sup>2</sup>  | — — — p. 11/2                                                         |    |    |    |                  |
| 1141.72 m <sup>3</sup> | @ 205000/m <sup>3</sup> — M                                           |    |    |    | 234052:60        |
| (9)<br>79              | Pl. Gravel sub base<br>Gr. 2 with well<br>road material               |    |    |    |                  |
| 120.62 m <sup>3</sup>  | Q.V.T.H.B — p. 8/2                                                    |    |    |    |                  |
| 377.46 m <sup>3</sup>  | — — — p. 9/1                                                          |    |    |    |                  |
| 498.08 m <sup>3</sup>  | @ 367000/m <sup>3</sup> — M                                           |    |    |    | 1827953:60       |
| (10)<br>80             | Pl. H.B.M. Gr. 13 with<br>well graded material                        |    |    |    |                  |
| 338.06 m <sup>3</sup>  | Q.V.T.H.B — p. 10/1                                                   |    |    |    |                  |
|                        | @ 475000/m <sup>3</sup> — M                                           |    |    |    | 1605789:75       |
| (11)<br>85             | Cost of Curbs & Interference<br>General concrete<br>pavement 430 mm — |    |    |    |                  |
| 345.62 m <sup>3</sup>  | Q.V.T.H.B — p. 11/1                                                   |    |    |    |                  |
|                        | @ 835000/m <sup>3</sup> — M                                           |    |    |    | 2885993:80       |
| (12)<br>96             | Pl. H.B. typical 44654<br>sign Board —                                |    |    |    |                  |

Continuation

M-7164075:39

## Sch. XLV—Form No. 134

| Particulars                                       | Details of actual measurement |    |    |    | Contents of area |
|---------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                   | No.                           | L. | B. | D. |                  |
| 2 MS. 8 V T M B - P - 1 1/2                       |                               |    |    |    |                  |
| (13/97)                                           | @ 13500 = 00/m <sup>2</sup>   |    |    | MS | 26000 = 00       |
| PTFA Chizze Ditch                                 |                               |    |    |    |                  |
| Spn Board - do -                                  |                               |    |    |    |                  |
| 2 NO. 8 V T M B - P - 1 1/3                       |                               |    |    |    |                  |
| (14/110)                                          | @ 10500 = 00/m <sup>2</sup>   |    |    | MS | 21500 = 00       |
| EW in excavation                                  |                               |    |    |    |                  |
| for fence - do -                                  |                               |    |    |    |                  |
| 119.142 M <sup>3</sup> 8 V T M B - P - 2 1/1      |                               |    |    |    |                  |
| (15/111)                                          | @ 260 = 00/m <sup>2</sup>     |    |    | MS | 30989.92         |
| PTV RCC M in level                                |                               |    |    |    |                  |
| course - do -                                     |                               |    |    |    |                  |
| 18.38 M <sup>3</sup> 8 V T M B - P - 2 1/2        |                               |    |    |    |                  |
| (16/112)                                          | @ 6800 = 00/m <sup>3</sup>    |    |    | MS | 124984 = 00      |
| PTV RCC M in sub                                  |                               |    |    |    |                  |
| structure - do -                                  |                               |    |    |    |                  |
| 95.56 M <sup>3</sup> 8 V T M B - P - 3 1/3        |                               |    |    |    |                  |
| 11.808 M <sup>3</sup> - P - 2 1/5                 |                               |    |    |    |                  |
| 107.368 M <sup>3</sup> @ 7525 = 00/m <sup>3</sup> |                               |    |    | MS | 807944 = 20      |
| (17/113)                                          | PTFA RCC M P M D 3            |    |    |    |                  |
| For call out - do -                               |                               |    |    |    |                  |
| 30.0 M 8 V T M B - P - 2 1/4                      |                               |    |    |    |                  |
| (18/115)                                          | @ 5590 = 00/m <sup>3</sup>    |    |    | MS | 167700 = 00      |
| PTV Back filling - do -                           |                               |    |    |    |                  |
| 14.11 M <sup>3</sup> 8 V T M B - P - 4 1/6        |                               |    |    |    |                  |
| @ 450 = 00/m <sup>3</sup>                         |                               |    |    | MS | 6349 = 50        |

Continuation

MS-8348993=01

## Material Statement

B/N - 4344.42443 @ 23.65

|         |          |    |     |    |
|---------|----------|----|-----|----|
| 8/10    |          |    |     |    |
| 8/1084- | 298.8484 | 32 | 527 | 20 |
|         |          |    |     |    |

119.54732 419.88

179, 8043 @ 19/1-78

81.1343 @ 35.99

311.07 @ 539 = 80

Send - 155.53 @ 16280

Cement - 2470 Bag

~~11/03/22~~

9/2/22