

**कार्यपालक अभियन्ता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, हथुआ।**

पत्रांक- 337

दिनांक- 28-3-2022

प्रेषक,

कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, हथुआ।

सेवा में,

सचिव,
बिहार, ग्रामीण पथ विकास अभिरण,
बिहार, पटना।

विषय :- बिहार ग्रामीण पथ नई अनुरक्षण नीति-2018 के तहत क्रियान्वित पथ मरम्मत कार्य हेतु राशि उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषयक बिहार ग्रामीण पथ नई अनुरक्षण नीति-2018 के तहत क्रियान्वित पथ मरम्मत कार्य हेतु राशि की अधियाचना विहित प्रपत्र में की जा रही है।

अतः भवदीय से अनुरोध है कि कॉलम 18 में अंकित राशि उपलब्ध कराने की कृपा की जाय।

अनु०- यथोक्त।

विश्वासभाजन,

कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, हथुआ।

Requisition Format for Scheme Head- MR (3054) under Bihar Rural Road Maintenance Policy- 2018 (Initial Rectification and Surface Renewal)

Name of Works Division :- Rural Works Department, Works Division Hathua.																		
Sl No.	Package No.	Name of Road	Project ID as Per MIS	Administrative Approval (AA) Letter No & Date.	Administrative Approval (AA)		Agreement Amount (in Lakh)		Agreement No & Date	Date & Completion as per Agreement.	Actual Date of Completion	Value of RI (in MM/KM)	Thickness of Bitumen layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Amount Allotted (in Lakh)	Up-to date expenditure as per MIS (in Lakh)	Requisition against work done. (in Lakh)	Remarks
					Length (in Lakh)	Amount (in Lakh)	Initial Rectification with surface Renewal (in Lakh)	5 Year Routine Maintenance (in Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N-20-21/Hathua-01	Fatehpur Aijalmore se Digha path	314711037238	Dr-31-08-2021	3.290	139.944	99.78343	34.77240	12/MBD(3054-NM)2021-22 dt-02.11.2021	01.08.2022	-	Good	25	5.00	0.00000	0.00000	99.54745	Surface Completed.
					3.290	139.944	99.78343	34.77240									99.54745	

(1) प्रमाणित किया जाता है कि पथ में कराये गये कार्य के सभी अवयववार 100 प्रतिशत कार्य का दर्ज मापी का सत्यापन संबंधित कनीय अभियंता 50 प्रतिशत मापी का सत्यापन संबंधित सहायक अभियंता एवं 10 प्रतिशत मापी का सत्यापन अधोहस्ताक्षरी यथा कार्यपालक अभियंता द्वारा किया जा चुका है। कराया गया कार्य मानक एवं विशिष्टियों के अनुरूप है।

J.E
25/3/22
R.W.D Works Division, Hathua.

J.E
25/3/22
R.W.D Works Division, Hathua.

D.A.O
R.W.D Works Division, Hathua.

Executive Engineer,
R.W.D Works Division, Hathua.

25/3/22

FORM GFR 19 - A

(See Government of India's Decision (1) below Rule - 150)
Form utilisation Certificate up to the month of Up to 15.03.2022

MR-3054 (New Maintenance Policy-2018)

RWD Works Division - HATHUA

1	Head	Amount Received		Expenditure		Balance	
		IN A/C-	0.00	IN A/C-	0.00	IN A/C-	0.00
		By CFMS-	594103157.00	By CFMS-	587413092.00	By CFMS-	6690065.00
		Total-	594103157.00	Total-	587413092.00	Total-	6690065.00
	MR-3054 (New Maintenance Policy-2018)					Certified that sum of Rs 5874.13 Lac has been utilized for the purpose of MR-3054 (New Maintenance Policy-2018) Schemes as given in the margin for which it was sanctioned and that the balance of Rs 66.90 Lac Lacs remaining untillized at the end of the period under.	

2. Certified that I have satisfied myself that the conditions on which the grants-in aid was sanctioned have been duly
Kind of Checks exercised :-

- (i) Works have been supervised by Executive Engineer/Superintending Engineer.
- (ii) Periodical inspection has been conducted by Executive Engineer/Superintending Engineer.
- (iii) Construction material have been tested.
- (iv) Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/Executive Engineer.
- (v) All other codal formalities have been observed.

3. Physical Progress achieved :-

- (i) Construction of Road Works.
- (ii) Construction of CD Works

D.A.O
Rural Works Department
Works Division Hathua


Executive Engineer
Rural Works Department
Works Division Hathua

Name of work : Fathepur Aftamre se Digpa path

Name of customer : Maa Ambey Construction

(R) Rural Road		
Good	Average	Poor
< 4000	4001 - 5000	> 5000

Date	Time	Test No	Distance(m)	Total Distance(m)	BUMF(cm)	Speed(Km/Hr)	Ultimate(Km)	Corrected UI (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks
27/03/22	18:12:27	2	0	0	0.0 cm	0.0 Km/Hr	0.0 mm/Km	245	0.43	Good	26.4041147	N	84.2608810	E	Normal
27/03/22	18:13:00	2	100	100	31.0 cm	13.1 Km/Hr	3100.0 mm/Km	3147	4.2	Good	26.4041586	N	84.2608857	E	Normal
27/03/22	18:13:16	2	100	200	33.0 cm	22.7 Km/Hr	3300.0 mm/Km	3334	4.43	Good	26.4048109	N	84.2609415	E	Normal
27/03/22	18:13:36	2	100	300	35.0 cm	18.3 Km/Hr	3500.0 mm/Km	3521	4.65	Good	26.4046431	N	84.2600794	E	Normal
27/03/22	18:13:58	2	100	400	32.0 cm	16.5 Km/Hr	3200.0 mm/Km	3241	4.32	Good	26.4038210	N	84.2601099	E	Normal
27/03/22	18:14:28	2	100	500	34.0 cm	11.7 Km/Hr	3400.0 mm/Km	3428	4.54	Good	26.4032640	N	84.2606134	E	Normal
27/03/22	18:15:10	2	100	600	33.0 cm	8.7 Km/Hr	3300.0 mm/Km	3334	4.43	Good	26.4024496	N	84.2606440	E	Normal
27/03/22	18:15:40	2	100	700	31.0 cm	11.7 Km/Hr	3100.0 mm/Km	3147	4.2	Good	26.4015722	N	84.2603235	E	Normal
27/03/22	18:16:03	2	100	800	35.0 cm	15.7 Km/Hr	3500.0 mm/Km	3521	4.65	Good	26.4006758	N	84.2599802	E	Normal
27/03/22	18:16:18	2	100	900	33.0 cm	23.8 Km/Hr	3300.0 mm/Km	3334	4.43	Good	26.4006758	N	84.2599802	E	Normal
27/03/22	18:16:43	2	100	1000	36.0 cm	13.9 Km/Hr	3600.0 mm/Km	3615	4.76	Good	26.3990164	N	84.2592096	E	Normal
27/03/22	18:16:54	2	100	1100	30.0 cm	31.3 Km/Hr	3000.0 mm/Km	3053	4.09	Good	26.3985071	N	84.2590799	E	Normal
27/03/22	18:17:10	2	100	1200	32.0 cm	24.2 Km/Hr	3200.0 mm/Km	3241	4.32	Good	26.3971507	N	84.2586756	E	Normal
27/03/22	18:17:36	2	100	1300	38.0 cm	13.2 Km/Hr	3800.0 mm/Km	3802	4.96	Good	26.3965750	N	84.2586451	E	Normal
27/03/22	18:17:51	2	100	1400	34.0 cm	26.4 Km/Hr	3400.0 mm/Km	3428	4.54	Good	26.3957453	N	84.2587748	E	Normal
27/03/22	18:18:11	2	100	1500	33.0 cm	16.7 Km/Hr	3300.0 mm/Km	3334	4.43	Good	26.3952208	N	84.2587748	E	Normal
27/03/22	18:18:40	2	100	1600	32.0 cm	13.4 Km/Hr	3200.0 mm/Km	3241	4.32	Good	26.3937826	N	84.2580494	E	Normal
27/03/22	18:18:58	2	100	1700	31.0 cm	18.4 Km/Hr	3100.0 mm/Km	3147	4.2	Good	26.3933802	N	84.2582783	E	Normal
27/03/22	18:19:13	2	100	1800	35.0 cm	24.4 Km/Hr	3500.0 mm/Km	3521	4.65	Good	26.3921194	N	84.2582325	E	Normal
27/03/22	18:19:26	2	100	1900	30.0 cm	29.1 Km/Hr	3000.0 mm/Km	3053	4.09	Good	26.3916273	N	84.2581944	E	Normal
27/03/22	18:19:40	2	100	2000	34.0 cm	25.2 Km/Hr	3400.0 mm/Km	3428	4.54	Good	26.3905401	N	84.2581486	E	Normal

22/03/2022

सहायक अभियन्ता
ग्रामीण कार्य विभाग
कार्य अवर प्रमंडल, हथुआ

कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल हथुआ (गोपालगंज)

Name of work : Fathepur Atfaimore se Digtha path

Name of customer : Maa Ambey Construction

(R)Rural Road

Good	Average	Poor
< 4000	4001 - 5000	> 5000

27/03/22	18-19:55	2	100	2100	37.0 cm	24.1 Km/Hr	3700.0 mm/Km	3709	4.87	Good	26.3901967	N	84.2603096	E	Normal
27/03/22	18-20:18	2	100	2200	38.0 cm	16.5 Km/Hr	3800.0 mm/Km	3802	4.98	Good	26.3894377	N	84.2601099	E	Normal
27/03/22	18-20:50	2	100	2300	33.0 cm	11.2 Km/Hr	3300.0 mm/Km	3334	4.43	Good	26.3884726	N	84.2597666	E	Normal
27/03/22	18-21:32	2	100	2400	31.0 cm	8.5 Km/Hr	3100.0 mm/Km	3147	4.2	Good	26.3876142	N	84.2596569	E	Normal
27/03/22	18-21:54	2	100	2500	34.0 cm	16.3 Km/Hr	3400.0 mm/Km	3428	4.54	Good	26.3869715	N	84.2595911	E	Normal
27/03/22	18-22:10	2	100	2600	31.0 cm	21.6 Km/Hr	3100.0 mm/Km	3147	4.2	Good	26.3860598	N	84.2594385	E	Normal
27/03/22	18-22:29	2	100	2700	37.0 cm	19.2 Km/Hr	3700.0 mm/Km	3709	4.87	Good	26.3849058	N	84.2592478	E	Normal
27/03/22	18-22:58	2	100	2800	36.0 cm	13.3 Km/Hr	3600.0 mm/Km	3615	4.76	Good	26.3841238	N	84.2593927	E	Normal
27/03/22	18-24:10	2	100	2900	33.0 cm	5.0 Km/Hr	3300.0 mm/Km	3334	4.43	Good	26.3834124	N	84.2592096	E	Normal
27/03/22	18-24:46	2	100	3000	37.0 cm	9.8 Km/Hr	3700.0 mm/Km	3709	4.87	Good	26.3826285	N	84.2591486	E	Normal
27/03/22	18-25:15	2	100	3100	34.0 cm	11.5 Km/Hr	3400.0 mm/Km	3428	4.54	Good	26.3817873	N	84.2590189	E	Normal
27/03/22	18-26:33	2	100	3200	33.0 cm	21.2 Km/Hr	3300.0 mm/Km	3334	4.43	Good	26.3809175	N	84.2588908	E	Normal
27/03/22	18-26:09	2	100	3300	34.0 cm	10.5 Km/Hr	3400.0 mm/Km	3428	4.54	Good	26.3800288	N	84.2583017	E	Normal


[Signature]
27/3/2022

[Signature]
27/03/22

सहायक अभियन्ता
ग्रामीण कार्य विभाग
कार्य प्रमंडल, इशुआ

[Signature]
27/03/22
कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल इशुआ (गोपालगंज)

Name of Customer: Man Ambe Construction, Machine no: 19193, Road: Fathapur Afalmore se Digla path, Date: 27/03/22, Section No: 02, Equation: $Y=0.936X+245.3$



[Signature]
23/03/2022

[Signature]
27/03/22
सहायक अभियन्ता
ग्रामीण कार्य विभाग
कार्य अवर प्रमंडल, हथुआ

[Signature]
28/03/22
कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल हथुआ (गोपालपंज)

AFJBL MORE SE DIGHA PATH

Schedule XLV-Form No. 134

M/S MHA AMDEY CONS. DIVISION

BLOCK. HATHUA SUB-DIVISION

M/R

MEASUREMENT BOOK

MB-No-543

Name of Work—
 Situation of Work—
 Agency by which work is executed—
 Date of Measurement—
 No. and date of agreement

(These four lines should be repeated at the commencement
 of the measurement relating to each work)

of the measurement relating to					Contents of area
Particulars	Details of actual measurement				
	No.	L.	B.	D.	
	<u>Record measurement</u>				
N/W-	Afzal more se Digha				
	Path.				3.29 km
N/Agency-	M/S Maa Ambay Constn				
Agr No.	12/MBO(3034-Medm Duly)				
	2021-22				
Agr Value-	B 13455583=				
	(9928343+3477240)				
Date of Commencement-	02.11.2021				
Date of Completion-	01.08.2022				
Date of measurement-	04.03.2022				
	/				

(1) Clean and grubbing

road land meadow

uprooting wild veg.

-- as per sp

$$2 \times 3290.0 \times 1.0 (ev) = 6580 m^2$$

$$= 0.66 Hec$$

(2) Cut of Sub-grade and

earth shoulder with

approved mat -- 1000M

lead as per sp

$$2 \times 5 \times 30.0 \times 1.50 \times 0.60 = 270.0 m^3$$

$$2 \times 10 \times 30.0 \times 1.50 \times 0.60 = 540.0$$

$$2 \times 30 \times 30.0 \times 1.10 \times 0.30 = 594.0$$

$$2 \times 20 \times 30.0 \times 1.125 \times 0.30 = 405.0$$

$$2 \times 16 \times 30.0 \times 1.50 \times 0.30 = 432.0$$

$$\text{limited } 2220.75 m^3$$

Continuation

Continuation