

PR-M/19-20 Chap 59-2/13

PT.B.NO 3454

## Schedule XLV-Form No. 134

TOB to Bal TO 3 to Bal

Ag.No.

Cont. Santoshi Singh.

DIVISION

Sgt. Ram Pukar Singh (A.E)

Ex 19.

SUB-DIVISION

MEASUREMENT BOOK

PT.B.NO. 3454

(These four lines should be repeated at the commencement of the measurement relating to each work)

[illegible]

| const. of granular sub-base by providing well graded material |      |   |       |                |
|---------------------------------------------------------------|------|---|-------|----------------|
| m                                                             | m    |   | m     | m <sup>3</sup> |
| 7.00 x                                                        | 3.25 | x | 0.175 | = 3.981        |
| 9.00 x                                                        | 2.00 | x | 0.175 | = 3.150        |
| 7.00 x                                                        | 2.35 | x | 0.175 | = 2.879        |
| 5.00 x                                                        | 2.25 | x | 0.175 | = 1.969        |
| 8.30 x                                                        | 2.50 | x | 0.175 | = 3.631        |
| 6.38 x                                                        | 3.50 | x | 0.175 | = 3.908        |
| 10.36 x                                                       | 3.00 | x | 0.175 | = 5.439        |
| 7.62 x                                                        | 2.50 | x | 0.175 | = 3.334        |
| 8.00 x                                                        | 2.45 | x | 0.175 | = 3.430        |
| 6.00 x                                                        | 1.50 | x | 0.175 | = 1.575        |
| 1.24 x                                                        | 3.05 | x | 0.175 | = 0.662        |
| 7.62 x                                                        | 3.00 | x | 0.175 | = 4.001        |

Continuation



| Particulars  | Details of actual measurement |       |       |       | Contents of area |
|--------------|-------------------------------|-------|-------|-------|------------------|
|              | No.                           | L.    | B.    | D.    |                  |
| 12.70 x 3.00 | x                             | 0.175 | =     | 6.668 |                  |
| 9.84 x 3.25  | x                             | 0.175 | =     | 5.597 |                  |
| 7.62 x 3.00  | x                             | 0.175 | =     | 4.001 |                  |
| 8.00 x 2.25  | x                             | 0.175 | =     | 3.150 |                  |
| 6.00 x 3.35  | x                             | 0.175 | =     | 3.978 |                  |
| 5.00 x 3.00  | x                             | 0.175 | =     | 2.625 |                  |
| 9.00 x 3.25  | x                             | 0.175 | =     | 5.119 |                  |
| 8.24 x 2.50  | x                             | 0.175 | =     | 3.605 |                  |
|              |                               |       | Total | =     | 72.239           |
|              |                               |       |       |       | m <sup>3</sup>   |

2. Providing, laying, spreading  
and compacting stone  
aggregates do

|              |   |       |   |       |
|--------------|---|-------|---|-------|
| 9.25 x 3.35  | x | 0.075 | = | 2.324 |
| 11.25 x 2.10 | x | 0.075 | = | 1.712 |
| 9.25 x 2.45  | x | 0.075 | = | 1.700 |
| 7.25 x 2.35  | x | 0.075 | = | 1.278 |
| 10.55 x 2.60 | x | 0.075 | = | 2.057 |
| 8.63 x 3.60  | x | 0.075 | = | 2.330 |
| 12.61 x 3.10 | x | 0.075 | = | 2.932 |
| 9.87 x 2.60  | x | 0.075 | = | 1.925 |
| 10.25 x 2.55 | x | 0.075 | = | 1.960 |
| 8.25 x 1.60  | x | 0.075 | = | 0.990 |
| 3.49 x 3.15  | x | 0.075 | = | 0.825 |
| 9.87 x 3.10  | x | 0.075 | = | 2.295 |
| 14.95 x 3.10 | x | 0.075 | = | 3.476 |
| 12.09 x 3.35 | x | 0.075 | = | 3.038 |

Continuation

| Particulars                                                           | Details of actual measurement |    |       |    | Contents of area |
|-----------------------------------------------------------------------|-------------------------------|----|-------|----|------------------|
|                                                                       | No.                           | L. | B.    | D. |                  |
| 9.87 x                                                                | 3.10                          | x  | 0.075 | =  | 2.295            |
| 10.25 x                                                               | 2.35                          | x  | 0.075 | =  | 1.807            |
| 8.25 x                                                                | 3.45                          | x  | 0.075 | =  | 2.135            |
| 7.25 x                                                                | 3.10                          | x  | 0.075 | =  | 1.686            |
| 11.25 x                                                               | 3.35                          | x  | 0.075 | =  | 2.827            |
| 10.49 x                                                               | 2.60                          | x  | 0.075 | =  | 2.046            |
| 10.25 x                                                               | 2.60                          | x  | 0.075 | =  | 1.999            |
| 7.25 x                                                                | 3.35                          | x  | 0.075 | =  | 1.822            |
| 15.98 x                                                               | 3.10                          | x  | 0.075 | =  | 3.715            |
| 11.25 x                                                               | 2.35                          | x  | 0.075 | =  | 1.923            |
| 9.25 x                                                                | 3.35                          | x  | 0.075 | =  | 2.324            |
| 7.25 x                                                                | 3.10                          | x  | 0.075 | =  | 1.686            |
| 8.74 x                                                                | 3.35                          | x  | 0.075 | =  | 2.196            |
| 10.25 x                                                               | 2.60                          | x  | 0.075 | =  | 1.999            |
| 13.92 x                                                               | 3.35                          | x  | 0.075 | =  | 3.497            |
|                                                                       |                               |    | Total | =  | 62.914           |
|                                                                       |                               |    |       |    | m <sup>3</sup>   |
| 1.18 m <sup>3</sup> - III Providing, laying, spreading and compacting |                               |    |       |    |                  |
| stone aggregates - do -                                               |                               |    |       |    |                  |
| m                                                                     | m                             |    | m     |    | m <sup>3</sup>   |
| 10.60 x                                                               | 3.45                          | x  | 0.075 | =  | 2.743            |
| 12.60 x                                                               | 2.20                          | x  | 0.075 | =  | 2.079            |
| 10.60 x                                                               | 2.55                          | x  | 0.075 | =  | 2.027            |
| 8.60 x                                                                | 2.45                          | x  | 0.075 | =  | 1.580            |
| 11.90 x                                                               | 2.70                          | x  | 0.075 | =  | 2.410            |
| 9.98 x                                                                | 3.70                          | x  | 0.075 | =  | 2.769            |
| 13.96 x                                                               | 3.20                          | x  | 0.075 | =  | 3.350            |
| 11.22 x                                                               | 2.70                          | x  | 0.075 | =  | 2.272            |

Continuation

Sch. XLV-Form No. 134

| Particulars  | Details of actual measurement |       |    |       | Contents of area |
|--------------|-------------------------------|-------|----|-------|------------------|
|              | No.                           | L.    | B. | D.    |                  |
| 11.60 x 2.65 | x                             | 0.075 | =  | 2.306 |                  |
| 9.60 x 1.70  | x                             | 0.075 | =  | 1.224 |                  |
| 4.84 x 3.25  | x                             | 0.075 | =  | 1.380 |                  |
| 11.22 x 3.20 | x                             | 0.075 | =  | 2.693 |                  |
| 16.30 x 3.20 | x                             | 0.075 | =  | 3.912 |                  |
| 13.44 x 3.45 | x                             | 0.075 | =  | 3.478 |                  |
| 11.22 x 3.20 | x                             | 0.075 | =  | 2.693 |                  |
| 11.60 x 2.45 | x                             | 0.075 | =  | 2.132 |                  |
| 9.60 x 3.35  | x                             | 0.075 | =  | 2.412 |                  |
| 8.60 x 3.00  | x                             | 0.075 | =  | 1.935 |                  |
| 12.60 x 3.25 | x                             | 0.075 | =  | 3.071 |                  |
| 11.84 x 2.50 | x                             | 0.075 | =  | 2.220 |                  |
| 11.60 x 2.50 | x                             | 0.075 | =  | 2.175 |                  |
| 8.60 x 3.25  | x                             | 0.075 | =  | 2.096 |                  |
| 17.33 x 3.00 | x                             | 0.075 | =  | 3.899 |                  |
| 12.60 x 2.25 | x                             | 0.075 | =  | 2.126 |                  |
| 10.60 x 3.25 | x                             | 0.075 | =  | 2.584 |                  |
| 8.60 x 3.00  | x                             | 0.075 | =  | 1.935 |                  |
| 10.09 x 3.25 | x                             | 0.075 | =  | 2.459 |                  |
| 11.60 x 2.50 | x                             | 0.075 | =  | 2.175 |                  |
| 15.27 x 3.25 | x                             | 0.075 | =  | 3.722 |                  |
| 7.34 x 2.50  | x                             | 0.075 | =  | 1.376 |                  |
| 11.60 x 2.50 | x                             | 0.075 | =  | 2.175 |                  |
| 20.11 x 3.25 | x                             | 0.075 | =  | 4.902 |                  |
| 7.60 x 3.00  | x                             | 0.075 | =  | 1.710 |                  |
| 16.30 x 2.25 | x                             | 0.075 | =  | 2.751 |                  |

Continuation



| Particulars        | Details of actual measurement |    |                  |    | Contents of area |
|--------------------|-------------------------------|----|------------------|----|------------------|
|                    | No.                           | L. | B.               | D. |                  |
| 15.99 x            | 3.25                          | x  | 0.075            | =  | 3.898            |
| 12.92 x            | 2.50                          | x  | 0.075            | =  | 2.348            |
| 13.66 x            | 3.65                          | x  | 0.075            | =  | 3.575            |
| 4.84 x             | 3.05                          | x  | 0.075            | =  | 1.107            |
| 11.22 x            | 3.00                          | x  | 0.075            | =  | 2.525            |
| 16.30 x            | 3.00                          | x  | 0.075            | =  | 3.668            |
| 13.44 x            | 3.75                          | x  | 0.075            | =  | 3.780            |
| 11.22 x            | 3.00                          | x  | 0.075            | =  | 2.525            |
| <del>21.33</del> x | <del>2.25</del>               | x  | <del>0.075</del> | =  | <del>3.599</del> |
| 17.47 x            | 3.35                          | x  | 0.075            | =  | 4.389            |
| Total              |                               |    |                  | =  | 115.983          |
|                    |                               |    |                  |    | m <sup>3</sup>   |

4. clearing & grubbing road  
Land - do -

$$\begin{aligned}
 & 2 \times 106 \times 25 \times 1.0 = 5300 \text{ m}^2 \\
 & 2 \times 14 \times 1.0 = 28 \text{ m}^2 \\
 & \text{Total } 5328 \text{ m}^2
 \end{aligned}$$

$$\therefore \text{ent} = \frac{5328 \text{ m}^2}{10000} = 0.53 = 0.53 \text{ hect}$$

5. const. of subgrade & earth  
shoulder - do -

$$\begin{aligned}
 & 2 \times 106 \times 25 \times 0.7 \times 0.30 = 1113 \text{ m}^3 \\
 & 2 \times 14 \times 0.7 \times 0.30 = 5.88 \text{ m}^3 \\
 & \text{Total } 1118.88 \text{ m}^3
 \end{aligned}$$

Continuation

| Particulars                                                           | Details of actual measurement |    |    |    | Contents of area       |
|-----------------------------------------------------------------------|-------------------------------|----|----|----|------------------------|
|                                                                       | No.                           | L. | B. | D. |                        |
| ⑥ Prime coat                                                          |                               |    |    |    |                        |
| Providing and applying                                                |                               |    |    |    |                        |
| primer coat with                                                      |                               |    |    |    |                        |
| bitumen emulsion (SS-1)                                               |                               |    |    |    |                        |
| do                                                                    |                               |    |    |    |                        |
| Area used for prime                                                   |                               |    |    |    |                        |
| coat is same as area                                                  |                               |    |    |    |                        |
| used for WBM gr - III                                                 |                               |    |    |    |                        |
| = 1546.44 P- ⑤                                                        |                               |    |    |    |                        |
| item - ③                                                              |                               |    |    |    |                        |
| $\left[ \begin{array}{l} \text{SS} \\ \text{R} \end{array} \right] =$ | 115.983 m <sup>3</sup>        |    |    |    | 1546.44 m <sup>2</sup> |
|                                                                       | 0.075 m                       |    |    |    |                        |
| ⑦ Tack coat                                                           |                               |    |    |    |                        |
| Providing and applying                                                |                               |    |    |    |                        |
| tack coat with bitumen                                                |                               |    |    |    |                        |
| emulsion (RS-1) - do                                                  |                               |    |    |    |                        |
| Area used for tack                                                    |                               |    |    |    |                        |
| coat = area used for                                                  |                               |    |    |    |                        |
| prime coat + 18 x 3.75                                                |                               |    |    |    |                        |
| = 1546.44 + 67.50 =                                                   |                               |    |    |    | 1613.94 m <sup>2</sup> |
| ⑧ Patch work over WBM                                                 |                               |    |    |    |                        |
| using MSS - do                                                        |                               |    |    |    |                        |
| Area used for MSS                                                     |                               |    |    |    |                        |
| = Area used for tack                                                  |                               |    |    |    |                        |
| coat P- ⑥ item - ⑦ =                                                  |                               |    |    |    | 1613.94 m <sup>2</sup> |

Continuation

Continuation



| Particulars                      | Details of actual measurement |    |    |       | Contents of area     |
|----------------------------------|-------------------------------|----|----|-------|----------------------|
|                                  | No.                           | L. | B. | D.    |                      |
| (ii) 200 mm stone - - do -       |                               |    |    |       |                      |
|                                  |                               |    |    | ent = | 10 No.               |
| (12) Direction and place         |                               |    |    |       |                      |
| identification sign              |                               |    |    |       |                      |
| — do —                           |                               |    |    |       |                      |
| 2 X 1.20 X 0.80 X                |                               |    |    | =     | 1.92 m <sup>2</sup>  |
| (13) Providing & fixing of       |                               |    |    |       |                      |
| retro-reflective                 |                               |    |    |       |                      |
| cautionary, mandatory            |                               |    |    |       |                      |
| — do —                           |                               |    |    |       |                      |
| i) 600 mm equilateral            |                               |    |    |       |                      |
| triangle - - do -                |                               |    |    |       |                      |
|                                  |                               |    |    | ent = | 20 No.               |
| ii) 600 mm circular board        |                               |    |    |       |                      |
| — do —                           |                               |    |    |       |                      |
|                                  |                               |    |    | ent = | 8 No.                |
| iii) 600 mm X 450 mm rectangular |                               |    |    |       |                      |
| board - - do -                   |                               |    |    | ent = | 8 No.                |
| (14) Boundary pillar             |                               |    |    |       |                      |
| — do —                           |                               |    |    | ent = | 48 No.               |
| (15) Planting of trees           |                               |    |    |       |                      |
| — do - -                         |                               |    |    | ent = | 133 No.              |
| (16) Road marking with hot       |                               |    |    |       |                      |
| applied Thermoplastic            |                               |    |    |       |                      |
| compound - - do -                |                               |    |    |       |                      |
| 2 X 106 X 25 X 0.1 =             |                               |    |    |       | 530 m <sup>2</sup>   |
| 2 X 14 X 0.1 =                   |                               |    |    |       | 2.8 m <sup>2</sup>   |
|                                  |                               |    |    | total | 532.8 m <sup>2</sup> |

| Particulars                                               | Details of actual measurement |                                               |       |              | Contents of area |
|-----------------------------------------------------------|-------------------------------|-----------------------------------------------|-------|--------------|------------------|
|                                                           | No.                           | L.                                            | B.    | D.           |                  |
| (17) Providing & fixing of typical masonry                |                               |                                               |       |              |                  |
| informative sign board                                    |                               |                                               |       |              |                  |
| — do —                                                    |                               |                                               |       |              |                  |
|                                                           |                               |                                               | ant = |              | 4 No.            |
| (18) Brick masonry work                                   |                               |                                               |       |              |                  |
| — do —                                                    |                               |                                               |       |              |                  |
|                                                           |                               | $2 \times 6.0 \times 0.40 \times 0.60 = 2.88$ |       |              |                  |
| for 4 culvert                                             |                               |                                               |       |              |                  |
| total ant =                                               |                               | $4 \times 2.88 =$                             |       |              | $11.52 m^3$      |
| (19) Plastering with cement mortar                        |                               |                                               |       |              |                  |
| on brick work                                             |                               |                                               |       |              |                  |
| — do —                                                    |                               |                                               |       |              |                  |
|                                                           |                               | $4 \times 6.0 \times 0.60 = 14.40$            |       |              |                  |
|                                                           |                               | $2 \times 6.0 \times 0.40 = 4.80$             |       |              |                  |
|                                                           |                               | $4 \times 0.40 \times 0.60 = 0.960$           |       |              |                  |
|                                                           |                               |                                               |       | $20.160 m^2$ |                  |
| for 4 culvert                                             |                               |                                               |       |              |                  |
| Total ant =                                               |                               | $4 \times 20.160 =$                           |       |              | $80.64 m^2$      |
| (20) Painting two coats on new concrete plastered surface |                               |                                               |       |              |                  |
|                                                           |                               | $4 \times 4 \times 0.60 = 9.60$               |       |              |                  |
|                                                           |                               | $2 \times 4 \times 6.0 = 48.0$                |       |              |                  |
|                                                           |                               | $4 \times 0.40 \times 0.60 = 0.960$           |       |              |                  |
|                                                           |                               |                                               |       | $58.560 m^2$ |                  |
| for 4 culvert Total ant =                                 |                               | $4 \times 58.560 =$                           |       |              | $234.24 m^2$     |

11/02/2022  
 JE  
 R.P.G.M.  
 11-2-2022  
 AE

Continuation

# Abstract of cont

10

Sch. XLV-Form No. 134

| Particulars                                            | Details of actual measurement |    |    |    | Contents of area |
|--------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                        | No.                           | L. | B. | D. |                  |
| 1. Const. of granular subbase                          |                               |    |    |    |                  |
| --- do ---                                             |                               |    |    |    |                  |
| cont = 72.239 m <sup>3</sup> P-(2)                     |                               |    |    |    |                  |
| item-(1) @ Rs 2290.90/m <sup>3</sup>                   |                               |    |    |    |                  |
|                                                        |                               |    |    | Rs | 165492 =         |
| 2. WBM gr-II                                           |                               |    |    |    |                  |
| (2) Providing & laying, spreading and compacting stone |                               |    |    |    |                  |
| --- do ---                                             |                               |    |    |    |                  |
| cont = 62.914 m <sup>3</sup> P-(3)                     |                               |    |    |    |                  |
| item-(2) @ Rs 4263.92                                  |                               |    |    |    |                  |
|                                                        |                               |    |    | Rs | 268260 =         |
| 3. WBM gr-III                                          |                               |    |    |    |                  |
| --- do ---                                             |                               |    |    |    |                  |
| cont = 115.983 m <sup>3</sup> P-(5)                    |                               |    |    |    |                  |
| item-(3) @ Rs 3810.61                                  |                               |    |    |    |                  |
|                                                        |                               |    |    | Rs | 441966 =         |
| 4. clearing & grubbing                                 |                               |    |    |    |                  |
| road Const. - do -                                     |                               |    |    |    |                  |
| cont = 0.53 hect P-(5)                                 |                               |    |    |    |                  |
| item-(4) @ Rs 49496.70                                 |                               |    |    |    |                  |
|                                                        |                               |    |    | Rs | 26233 =          |
| 5. const. of subgrade & earthen shoulder               |                               |    |    |    |                  |
| --- do ---                                             |                               |    |    |    |                  |
| cont = 1118.88 m <sup>2</sup> P-(5)                    |                               |    |    |    |                  |
| item-(5) @ Rs 176.96                                   |                               |    |    |    |                  |
|                                                        |                               |    |    | Rs | 197997 =         |
| 6. Prime coat                                          |                               |    |    |    |                  |
| --- do ---                                             |                               |    |    |    |                  |
| cont = 1546.44 m <sup>2</sup>                          |                               |    |    |    |                  |

Continuation



| Particulars                     | Details of actual measurement |    |    |    | Contents of area |
|---------------------------------|-------------------------------|----|----|----|------------------|
|                                 | No.                           | L. | B. | D. |                  |
| P- (6) itm - (6)                |                               |    |    |    |                  |
| @ Rs 41.56/m <sup>2</sup>       |                               |    |    |    | Rs 64270 =       |
| (7) Tack coat                   |                               |    |    |    |                  |
| — — do — —                      |                               |    |    |    |                  |
| ent = 1613.94 m <sup>2</sup>    |                               |    |    |    |                  |
| P- (6) itm - (7)                |                               |    |    |    |                  |
| @ Rs 14.09/m <sup>2</sup>       |                               |    |    |    | Rs 22740 =       |
| (8) Patch work over             |                               |    |    |    |                  |
| w 3m — — do — —                 |                               |    |    |    |                  |
| ent = 1613.94/m <sup>2</sup>    |                               |    |    |    |                  |
| P- (6) itm - (8) @ Rs 228.71    |                               |    |    |    |                  |
|                                 |                               |    |    |    | Rs 3691242       |
| (9) Tack coat                   |                               |    |    |    |                  |
| — — do — —                      |                               |    |    |    |                  |
| ent = 9990 m <sup>2</sup>       |                               |    |    |    |                  |
| P- (7) itm - (9) @ Rs 12.25     |                               |    |    |    |                  |
|                                 |                               |    |    |    | Rs 122378 =      |
| (10) SDBC                       |                               |    |    |    |                  |
| — — do — —                      |                               |    |    |    |                  |
| ent = 249.75 m <sup>3</sup>     |                               |    |    |    |                  |
| P- (7) itm - (10) @ Rs 11041.84 |                               |    |    |    |                  |
|                                 |                               |    |    |    | Rs 2757700 =     |
| (11) Kilometer stone            |                               |    |    |    |                  |
| — — do — —                      |                               |    |    |    |                  |
| (i) kilometer                   |                               |    |    |    |                  |
| ent = 4 No. P- (7)              |                               |    |    |    |                  |
| itm - 11 (i) @ Rs 2299.04       |                               |    |    |    |                  |
|                                 |                               |    |    |    | Rs 9196 =        |

Continuation

| Particulars                      | Details of actual measurement |    |    |    | Contents of area |
|----------------------------------|-------------------------------|----|----|----|------------------|
|                                  | No.                           | L. | B. | D. |                  |
| (ii) 200 mm stone                |                               |    |    |    |                  |
| — do —                           |                               |    |    |    |                  |
| amt = 10 No. P- (8)              |                               |    |    |    |                  |
| item - 11 (ii)                   |                               |    |    |    |                  |
| @ Rs 633.99 = Rs.                |                               |    |    |    | 6340 =           |
| (12) Direction & Place           |                               |    |    |    |                  |
| identification sign              |                               |    |    |    |                  |
| — do —                           |                               |    |    |    |                  |
| amt = 1.92 m <sup>2</sup> P- (8) |                               |    |    |    |                  |
| item - (12) @ Rs 12358.34        |                               |    |    |    |                  |
|                                  |                               |    |    |    | 2 Rs 23728 =     |
| (13) Providing & fixing of       |                               |    |    |    |                  |
| retro-reflectorised              |                               |    |    |    |                  |
| cautionary, mandatory            |                               |    |    |    |                  |
| — do —                           |                               |    |    |    |                  |
| (i) 600 mm equilateral           |                               |    |    |    |                  |
| triangle — do —                  |                               |    |    |    |                  |
| amt = 20 No. P- (8)              |                               |    |    |    |                  |
| item - 13 (i) @ Rs 3659.51       |                               |    |    |    |                  |
|                                  |                               |    |    |    | = Rs 73190 =     |
| (ii) 600 mm circular board       |                               |    |    |    |                  |
| — do —                           |                               |    |    |    |                  |
| amt = 8 No. P- (8)               |                               |    |    |    |                  |
| item - 13 (ii) @ Rs 3758.86      |                               |    |    |    |                  |
|                                  |                               |    |    |    | 2 Rs 30071 =     |

Continuation

| Particulars                                                | Details of actual measurement |    |    |    | Contents of area |
|------------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                            | No.                           | L. | B. | D. |                  |
| (13) 600mm x 450mm rectangular board                       |                               |    |    |    |                  |
| — do —                                                     |                               |    |    |    |                  |
| ent = 8 No. P- (8)                                         |                               |    |    |    |                  |
| itm - 13(ii)                                               |                               |    |    |    |                  |
| @ Rs 3629.74 = Rs 29038=                                   |                               |    |    |    |                  |
| (14) Boundary pillar                                       |                               |    |    |    |                  |
| — do —                                                     |                               |    |    |    |                  |
| ent = 48 No. P- (8)                                        |                               |    |    |    |                  |
| itm - (14) @ Rs 507.45                                     |                               |    |    |    |                  |
| = Rs 24358=                                                |                               |    |    |    |                  |
| (15) Planting of trees                                     |                               |    |    |    |                  |
| — do —                                                     |                               |    |    |    |                  |
| ent = 133 No. P- (8)                                       |                               |    |    |    |                  |
| itm - (15) @ Rs 800.30                                     |                               |    |    |    |                  |
| = Rs 106439=                                               |                               |    |    |    |                  |
| (16) Road marking with hot applied Thermo-plastic compound |                               |    |    |    |                  |
| — do —                                                     |                               |    |    |    |                  |
| ent = 532.80 m <sup>2</sup> P- (8)                         |                               |    |    |    |                  |
| itm - (16) @ Rs 735.10                                     |                               |    |    |    |                  |
| = Rs 391821=                                               |                               |    |    |    |                  |
| (17) Providing & fixing of typical mmsg single board       |                               |    |    |    |                  |
| — do —                                                     |                               |    |    |    |                  |
| ent = 4 No. P- (9)                                         |                               |    |    |    |                  |
| itm - (17) @ Rs 9347.34                                    |                               |    |    |    |                  |
| = Rs 37389=                                                |                               |    |    |    |                  |

Continuation



| Particulars                                             | Details of actual measurement |    |    |    | Contents of area |
|---------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                         | No.                           | L. | B. | D. |                  |
| (18) Brick masonry work — do —                          |                               |    |    |    |                  |
| ent = 11.52 m <sup>3</sup>                              |                               |    |    |    |                  |
| P- (9) item - (18)                                      |                               |    |    |    |                  |
| @ Rs 5102.55 = Rs 58780 =                               |                               |    |    |    |                  |
| (19) Plastering with cement mortar — do —               |                               |    |    |    |                  |
| ent = 80.64 m <sup>2</sup>                              |                               |    |    |    |                  |
| P- (9) item - (19)                                      |                               |    |    |    |                  |
| @ Rs 148.55 = Rs 119792                                 |                               |    |    |    |                  |
| (20) Painting two coats on new plastered surface — do — |                               |    |    |    |                  |
| ent = 234.24 m <sup>2</sup>                             |                               |    |    |    |                  |
| P- (9) item - (20)                                      |                               |    |    |    |                  |
| @ Rs 95.63 / m <sup>2</sup> = Rs 22400 =                |                               |    |    |    |                  |
| Total Rs 5260889 =                                      |                               |    |    |    |                  |
| Add GST - 12% (A) Rs 631307 =                           |                               |    |    |    |                  |
| Add Labourers 1% (B) Rs 52609 =                         |                               |    |    |    |                  |
| Total Rs 5944805 =                                      |                               |    |    |    |                  |
| By Singh 11/02/2022                                     | RPSM                          |    |    |    |                  |
| 11-2-2022                                               | AE                            |    |    |    |                  |
| 14-3-22                                                 | E.E.                          |    |    |    |                  |

Continuation