

4th on A/C bill.

13

Sch. XLV-Form No. 134

[illegible]

Attested

Executive Engineer
Rural Works Department
Works Division, Jhajha

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
4 5 - width of embankment					
V.M.R.N. (9) x 1m (3) = 237.84 m ³					
C.F. 135 = 12/m ³ R.L. 32137 = 00					
5 6-7 - Contn of sub grade & carbon shoulder d/d					
V.M.R.N. (1375) x 1m (2) of P.H. (8)					
= 7112.12 m ³					
C.F. 176 = 86/m ³ R.L. 1257850 = 00					
6 8-13 - Contn of L.S. & gradings I in RT & L.P. Portion -					
/					
V.M.R.N. (1375) x item (2) of P.H. (9)					
= 1913.45 m ³					
C.F. 2313 = 59/m ³ R.L. 4426939 = 00					
7 9 - P.W. works - do do					
V.M.R.N. (1375) x 1m (3) of P.H. (2)					
= 710.16 m ³					
C.F. 3070 = 74/m ³ R.L. 2180717 = 00					
8 10 - P.W. Portion in concrete					
V.M.R.N. (1375) x item (4) of P.H. (10)					
= 8332.50 m ²					
C.F. 45 = 90/m ² R.L. 382462 = 00					
9 11 - P.W. Trench work - do do					
V.M.R.N. (1375) x item (5) of P.H. (10)					
= 8332.50 m ²					
C.F. 15 = 59/m ² R.L. 129904 = 00					

Continuation

Continuation of

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
					R.C. for 1186.7265 = 00
16 21 - 600 mm Triangular					
V.M.A.H. (1375) + 1/2 of P.H. (1)					
					= 10 Nos.
					Ck. 3554 = 794 each ft. 35547 = 00
17 32 - 600 mm Circular					
V.M.A.H. (1375) + 1/2 of P.H. (1)					
					= 6 Nos.
					Ck. 4780 = 389 each ft. 28882 = 00
18 23 - 800 x 600 mm Rectangular					
V.M.A.H. (1375) + 1/2 of P.H. (1)					
					= 10 Nos.
					Ck. 6681 = 618 each ft. 66816 = 00
19 24 - 600 x 450 mm Rectangular					
V.M.A.H. (1375) + 1/2 of P.H. (1)					
					= 6 Nos.
					Ck. 4654 = 927 each ft. 27930 = 00
20 26 - Road marking over B.T. surface					
V.M.A.H. (1375) + 1/2 of P.H. (1)					
					= 440.00 m ²
					Ck. 735 = 44/m ² ft. 323594 = 00
21 27 - Road marking over C.C. Pavement side					
V.M.A.H. (1375) + 1/2 of P.H. (1)					
					= 60.00 m ²
					Ck. 835 = 34/m ² ft. 50120 = 00

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
		10.15	16.12	399	954 = 00
22 28 - Rec. grade m 75 boundary					
P/M No. 8					
v. m. n. d. (375) + 16 (18) + 12 (12)					
		32	Nos.		
cb. 484 = 52 each for					15505 = 00
23 29 - p/m and erecting direction					
and place identification					
v. m. n. d. (375) + 19 (19) of P.M. (12)					
		210	Nos.		
cb. 11757 = 88 each for					117579 = 00
24 30 - planting of trees					
v. m. n. d. (375) + 20 (20) of P.M. (12)					
		90	Nos.		
cb. 319 = 92 each for					73793 = 00
25 31 - Half brick curculade					
to be guard in 2nd class brick					
v. m. n. d. (375) + 21 (21) of P.M. (12)					
		90	Nos.		
cb. 1566 = 34 each for					140971 = 00
26 32 - p/m and lining masonry					
sign boards do do					
v. m. n. d. (375) + 22 (22) of P.M. (12)					
		5	Nos.		
cb. 9512 = 62 each for					47563 = 00

Continuation

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
					R. 12795365=00
27 33439 - 2/10-10 corrivation in found township d					
V.T.M.R.P.H. (10) $\times$ 1/10 (6) = 76.7800 ³					
Ch. 299 = 73/m ³ R. 22629=00					
28 34410 - p 2/10 p 100 1015 R					
town. d					
V.T.M.R.P.H. (10) $\times$ 1/10 (7) = 9.124m ³					
Ch. 5607 = 86/m ³ R. 51164=00					
29 35441 - 10/10 m 1/4 (1:4) d					
V.T.M.R.P.H. (10) $\times$ 1/10 (8) = 72.21m ³					
Ch. 6047 = 21/m ³ R. 479995=00					
30 36 - p 1/10 600mm dia HPC d					
V.T.M.R.P.H. (10) $\times$ 1/10 (9) = 22.50m ³					
Ch. 1215 = 77/m ³ R. 27355=00					
31 42 - p 1/10 1000mm dia HPC					
V.T.M.R.P.H. (10) $\times$ 1/10 (10) = 7.50m ³					
Ch. 3337 = 759/m ³ R. 25033=00					
32 37443 - plastering with Gm (1/4)					
V.T.M.R.P.H. (1375) $\times$ 1/10 (23) of R. (13)					
= 130.03m ²					
Ch. 388 = 80/m ² R. 50556=00					
R. 13452099=00					
Add. 12 y. for 0.5 T.C. / V. for					
L. C. as (7) R. 1748793=00					

