

27 To Kalkaji (GEN)

## Schedule XLV-Form No. 134

**DIVISION**

R.W.D WORKS

KISHANGANGI-1

**SUB-DIVISION**

R.W.D WORKS

KOCHADHAMANI

3261

**MEASUREMENT BOOK**

SHEKHAR KUMAR SANA.

'Continuation

| Particulars                           | Details of actual measurement |    |    |    | Contents of area |
|---------------------------------------|-------------------------------|----|----|----|------------------|
|                                       | No.                           | L. | B. | D. |                  |
| A 35121705 of 1005                    |                               |    |    |    |                  |
| (1/1) Com. of P. 1 working            |                               |    |    |    |                  |
| Remains - do - 5.14                   |                               |    |    |    |                  |
| 1.875 m [V. 1000 P-19]                |                               |    |    |    |                  |
| @ 113501.26 - 11                      |                               |    |    |    | 6,555.5          |
| (2/2) Com. of Return                  |                               |    |    |    |                  |
| Pillar - do - 5.14                    |                               |    |    |    |                  |
| 1.875 m [V. 1000 P-19]                |                               |    |    |    |                  |
| @ 11629.19 - 11                       |                               |    |    |    | 3,055.5          |
| (3/3) clearing and grubbing           |                               |    |    |    |                  |
| rock land - do - 5.14                 |                               |    |    |    |                  |
| 0.520 m [V. 1000 P-19]                |                               |    |    |    |                  |
| @ 11529.62 - 05 - 11                  |                               |    |    |    | 22,540.5         |
| (4/6) Com. of embankment              |                               |    |    |    |                  |
| Lead 4 ft to 100 ft - 5.14            |                               |    |    |    |                  |
| 1317.49 m <sup>3</sup> [V. 1000 P-19] |                               |    |    |    |                  |
| @ 1177.02 - 11                        |                               |    |    |    | 2,33,222.5       |
| (5/7) Com. of embankment              |                               |    |    |    |                  |
| Lead 4 ft to 100 ft - 5.14            |                               |    |    |    |                  |
| 878.32 m <sup>3</sup> [V. 1000 P-19]  |                               |    |    |    |                  |
| @ 1152.04 - 11                        |                               |    |    |    | 1,33,585.5       |
| (6/8) Com. of Substrate               |                               |    |    |    |                  |
| do 5 ft to 100 ft - 5.14              |                               |    |    |    |                  |
| 2744.24 m <sup>3</sup> [V. 1000 P-19] |                               |    |    |    |                  |
| 680.72 m <sup>3</sup> [V. 1000 P-25]  |                               |    |    |    |                  |
| 3424.96 m <sup>3</sup> @ 1190.07 - 11 |                               |    |    |    | 6,50,98          |

Continuation

11 10,54,85

| Particulars                                            | Details of actual measurement |    |    |    | Contents of area |
|--------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                        | No.                           | L. | B. | D. |                  |
|                                                        | 13                            | 5  | 1  | 10 | 54,859 =         |
| (7/9) concrete granular<br>Subbase - d - d - d.        |                               |    |    |    |                  |
| 1215.00 m <sup>3</sup> [v. m <sup>3</sup> p-20]        |                               |    |    |    |                  |
| 216.23 m <sup>3</sup> [v. m <sup>3</sup> p-25]         |                               |    |    |    |                  |
| 1431.23 m <sup>3</sup> @ 130.50 - M 43,65,323 =        |                               |    |    |    |                  |
| (8/17) E/W in excavation<br>for structure - d - d - d. |                               |    |    |    |                  |
| 326.26 m <sup>3</sup> [v. m <sup>3</sup> p-20]         |                               |    |    |    |                  |
| @ 130.50 - M 99,647 =                                  |                               |    |    |    |                  |
| (9/20) Plain p.w. M 10<br>in levelling cum.            |                               |    |    |    |                  |
| - d - d - d - d - d - d.                               |                               |    |    |    |                  |
| 23.862 m <sup>3</sup> [v. m <sup>3</sup> p-20]         |                               |    |    |    |                  |
| @ 6407.38 - M 1,52,893 =                               |                               |    |    |    |                  |
| (10/21) p.w. M 20 in Rec<br>p.c.c. in - d - d - d.     |                               |    |    |    |                  |
| 34.43 m <sup>3</sup> [v. m <sup>3</sup> p-20]          |                               |    |    |    |                  |
| @ 6828.56 - M 2,36,485 =                               |                               |    |    |    |                  |
| (11/22) p.w. in laying Rec<br>p.s.c. M 23 - d - d - d. |                               |    |    |    |                  |
| 7.500 m <sup>3</sup> [v. m <sup>3</sup> p-20]          |                               |    |    |    |                  |
| @ 3941.58 - M 29,562 =                                 |                               |    |    |    |                  |
| (12/23) Type B bedding<br>paving - d - d - d - d.      |                               |    |    |    |                  |
| 3.470 m <sup>3</sup> [v. m <sup>3</sup> p-20]          |                               |    |    |    |                  |
| @ 1861.89 - M 6,461 =                                  |                               |    |    |    |                  |

Continuation

M 59,45,230 =

Sch. XLV—Form No. 134

| Particulars                            | Details of actual measurement |         |    |    | Contents of area |
|----------------------------------------|-------------------------------|---------|----|----|------------------|
|                                        | No.                           | L.      | B. | D. |                  |
|                                        |                               | 13-6-11 | 54 |    | 45,230 =         |
| (13/24) 131w (1.4) in                  |                               |         |    |    |                  |
| form - d - F. 12.                      |                               |         |    |    |                  |
| 2.95 m <sup>3</sup> [v. turn, p - 20]  |                               |         |    |    |                  |
| @ 16581.92 - 1                         |                               |         |    |    | 19,417 =         |
| (14/25) plastering (1.4)               |                               |         |    |    |                  |
| in 131w - d - 2.511.                   |                               |         |    |    |                  |
| 51.16 m <sup>3</sup> [v. turn, p - 21] |                               |         |    |    |                  |
| @ 178.28 - 1                           |                               |         |    |    | 9,121 =          |
| (15/26) Backfilling in                 |                               |         |    |    |                  |
| form - d - F. 11.                      |                               |         |    |    |                  |
| (16/27) painting two                   |                               |         |    |    |                  |
| coats - d - F. 14                      |                               |         |    |    |                  |

|                                         |  |  |  |  |            |
|-----------------------------------------|--|--|--|--|------------|
| 51.16 m <sup>3</sup> [v. turn, p - 21]  |  |  |  |  |            |
| @ 160.76 - 1                            |  |  |  |  | 5,153 =    |
| (17/15) pm. concrete for                |  |  |  |  |            |
| plain Rec in open form                  |  |  |  |  |            |
| - - d - 2.12 11.                        |  |  |  |  |            |
| 110.06 m <sup>3</sup> [v. turn, p - 21] |  |  |  |  |            |
| 8.64 m <sup>3</sup> [v. turn, p - 18]   |  |  |  |  |            |
| 118.70 m <sup>3</sup> @ 6113.14 - 1     |  |  |  |  | 7,25,617 = |
| (18/34) 516-P 14mm bar                  |  |  |  |  |            |
| in sub - d - F. 11.                     |  |  |  |  |            |
| 2.276 m <sup>3</sup> [v. turn, p - 21]  |  |  |  |  |            |
| @ 53580.99 - 1                          |  |  |  |  | 1,21,950 = |
| (19/33) plain Rec in sub                |  |  |  |  |            |
| - - d - 2.12 11.                        |  |  |  |  |            |
| 27.23 m <sup>3</sup> [v. turn, p - 21]  |  |  |  |  |            |

Continuation

@ 75-13-31-1 2,04,557 =

170,31,047 =

| Particulars                    | Details of actual measurement |    |    |    | Contents of area |
|--------------------------------|-------------------------------|----|----|----|------------------|
|                                | No.                           | L. | B. | D. |                  |
| 85-5-11                        |                               |    |    |    | 1,04,42,808=     |
| (33/11) Pr. and opening        |                               |    |    |    |                  |
| Primer cut-d-511               |                               |    |    |    |                  |
| 65-5-5                         | 25.12                         |    |    |    | [V. Tm 3 P-27]   |
| @ 142.41                       |                               |    |    |    | 2,78,008=        |
| (34/12) Pr. and opening tank   |                               |    |    |    |                  |
| Cut-d-511                      |                               |    |    |    |                  |
| 65-5-5                         | 25.14                         |    |    |    | [V. Tm 3 P-27]   |
| @ 14.46                        |                               |    |    |    | 94,789=          |
| (35/13) Pr. lining and rolling |                               |    |    |    |                  |
| of open media profit           |                               |    |    |    |                  |
| Surface - d-511                |                               |    |    |    |                  |
| 65-5-5                         | 25.14                         |    |    |    | [V. Tm 3 P-28]   |
| @ 214.13                       |                               |    |    |    | 14,03,676=       |
| (36/38) Pr. lining and rolling |                               |    |    |    |                  |
| of open media profit           |                               |    |    |    |                  |
| - d-511                        |                               |    |    |    |                  |
| 33.0002                        |                               |    |    |    | [V. Tm 3 P-28]   |
| @ 170.33                       |                               |    |    |    | 5,621=           |
| (37/39) Pr. lining and rolling |                               |    |    |    |                  |
| Cut-d-511                      |                               |    |    |    |                  |
| 33.0002                        |                               |    |    |    | [V. Tm 3 P-28]   |
| @ 48.69                        |                               |    |    |    | 1,607=           |
| (38/28) Pr. lining and rolling |                               |    |    |    |                  |
| Surface - d-511                |                               |    |    |    |                  |
| 81.6003                        |                               |    |    |    | [V. Tm 3 P-28]   |
| @ 2905.86                      |                               |    |    |    | 2,37,118=        |

Continuation

14 1,24,63,627=

Sch. XLV—Form No. 134

| Particulars                                    | Details of actual measurement |           |       |     | Contents of area |
|------------------------------------------------|-------------------------------|-----------|-------|-----|------------------|
|                                                | No.                           | L.        | B.    | D.  |                  |
|                                                |                               | B. C. - h |       |     | 1,24,63,627=     |
| (39/41) Repairing of old<br>damaged slab cover |                               |           |       |     |                  |
|                                                |                               | - d -     | - d - | El. |                  |
| 3.00 hrs [v. m. P-28]                          |                               |           |       |     |                  |
| @ h 3096.96 - h                                |                               |           |       |     | 92,886=          |
| (40/42) ordinary 12.00 post                    |                               |           |       |     |                  |
|                                                |                               | - d -     | - d - | El. |                  |
| 3.00 hrs [v. m. P-29]                          |                               |           |       |     |                  |
| @ h 1807.96 - h                                |                               |           |       |     | 5,424=           |
| (41/43) 200 m post - El.                       |                               |           |       |     |                  |
| 8.00 hrs [v. m. P-29]                          |                               |           |       |     |                  |
| @ h 538.45 - h                                 |                               |           |       |     | 4,308=           |
| (42/44) Round pillar                           |                               |           |       |     |                  |
|                                                |                               | - d -     | - d - | El. |                  |
| 28.00 hrs [v. m. P-29]                         |                               |           |       |     |                  |
| @ h 492.17 - h                                 |                               |           |       |     | 13,781=          |
| (43/45) Heavy 2.00 beam                        |                               |           |       |     |                  |
|                                                |                               | - d -     | - d - | El. |                  |
| 2.00 hrs [v. m. P-29]                          |                               |           |       |     |                  |
| @ h 11116.51 - h                               |                               |           |       |     | 22,233=          |
| (44/47) Maintenance 8.00                       |                               |           |       |     |                  |
|                                                |                               | - d -     | - d - | El. |                  |
| 1.00 hr [v. m. P-29]                           |                               |           |       |     |                  |
| @ h 11116.51 - h                               |                               |           |       |     | 11,117=          |
| (45/46) 600 mm equivalent<br>triangle - El.    |                               |           |       |     |                  |

Continuation

15.00 hrs [v. m. P-29]

@ h 3221.33 - h 48,320=

h 1,26,61,6962=

| Particulars                          | Details of actual measurement |      |    |    | Contents of area |
|--------------------------------------|-------------------------------|------|----|----|------------------|
|                                      | No.                           | L.   | B. | D. |                  |
|                                      |                               | 13.6 | -  | -  | 126,61,696=      |
| (46/48) 900 mm side                  |                               |      |    |    |                  |
| 600 mm - d - 51                      |                               |      |    |    |                  |
| 5.0000 S [V. Tmz, P-29]              |                               |      |    |    |                  |
| @ 8106.03 -                          |                               |      |    |    | 40,530=          |
| (47/50) 600 mm circular              |                               |      |    |    |                  |
| - d - d - 51                         |                               |      |    |    |                  |
| 5.0000 S [V. Tmz, P-29]              |                               |      |    |    |                  |
| @ 8106.03 -                          |                               |      |    |    | 40,530=          |
| (48/51) Hectometer post              |                               |      |    |    |                  |
| - d - d - 51                         |                               |      |    |    |                  |
| 5.0000 S [V. Tmz, P-30]              |                               |      |    |    |                  |
| @ 5125.46 -                          |                               |      |    |    | 25,627=          |
| (49/52) 600 mm x 450 mm              |                               |      |    |    |                  |
| rectangle - d - 51                   |                               |      |    |    |                  |
| 8.0000 S [V. Tmz, P-30]              |                               |      |    |    |                  |
| @ 4343.06 -                          |                               |      |    |    | 34,744=          |
| (50/53) pr. an. lensing of           |                               |      |    |    |                  |
| hot applied thermoplastic            |                               |      |    |    |                  |
| Compound - d - 51                    |                               |      |    |    |                  |
| 375.00 m <sup>2</sup> [V. Tmz, P-30] |                               |      |    |    |                  |
| @ 721.85 -                           |                               |      |    |    | 2,70,694=        |
| (51/54) planning of tree             |                               |      |    |    |                  |
| - d - d - 51                         |                               |      |    |    |                  |
| 173 H.S. [V. Tmz, P-30]              |                               |      |    |    |                  |
| @ 799.08 -                           |                               |      |    |    | 1,38,241=        |

Continuation

H 1,32,12,062=

Continuation

Done  
62-03-022  
215