

भारतीय गैर-न्यायिक INDIA NON JUDICIAL

एक हजार रुपये
₹.1000

ONE THOUSAND RUPEES
Rs.1000

बिहार BIHAR

WORK Start Date - 30/01/2020
WORKS complete Date - 01/03/2021

AF 791858

प्रधान संसदीय विभाग
प्रधान संसदीय विभाग
प्रधान संसदीय विभाग
प्रधान संसदीय विभाग
प्रधान संसदीय विभाग

Base on this agreement made the 33 MBD day of 2020 - 2021.

Between EXECUTIVE ENGINEER, RWD WD ARERAJ [name and address of Employer]
(hereinafter called "the Employer") of the one part, and

M/S PARMAR ENTERPRISES

At - BALUA, PAHARPUR, E-champaran

[name and address of Contractor]

(hereinafter called "the Contractor" of the other part).

Whereas the Employer is desirous that the Contractor execute MR-N/19-20 ARERAJ/04

[no]

me and identification number of Contract] (hereinafter called "the Works") and the Employer has
accepted the

0.024 Bid by the Contractor for the execution and completion of such Works and the remedying of any defects
therein

at a cost of Rupees 37842338/-

NOW THIS AGREEMENT WITNESSETH as follows:

1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to
them

in the Conditions of Contract hereinafter referred to, and they shall be deemed to form and be read and
construed as part of this Agreement.

2. In consideration of the payments to be made by the Employer to the Contractor as hereinafter
mentioned, the

Contractor hereby covenants with the Employer to execute and complete the Works and remedy any
defects

therein in conformity in all aspects with the provisions of the Contract.

3. The Employer hereby covenants to pay the Contractor in consideration of the execution and
completion of

the Works and the remedying the defects wherein the Contract Price or such other sum as may become
payable

under the provisions of the Contract at the times and in the manner prescribed by the Contract.

4. The following documents shall be deemed to form and be read and construed as part of this
Agreement, viz:

i) Letter of Acceptance;

M/s Parmar Enterprises

Dinesh Parmar
Partner

EXECUTIVE ENGINEER
R.W.D. (W.D.)
ARERAJ
4/3/2020

Percentage 100

| Tender Issuing Authority: Engg-in-Chief RWD Palna | | | | | | |
|--|--|----------|--------|----------------|-------------------------|--|
| Name of Work: MR-N-15-20 Annapur | | | | | | |
| Contract No: Civil Works Name of the Bidder: Mr. Partner Enterprise | | | | | | |
| Building Firm / Company | | | | | | |
| PRICE SCHEDULE | | | | | | |
| (This BID template must not be modified/reduced by the bidder and the same should be submitted after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only.) | | | | | | |
| NUMBER # | TEXT # | NUMBER # | TEXT # | NUMBER # | NUMBER # | TEXT # |
| Sl. No | Item Description | Quantity | Units | Estimated Rate | TOTAL AMOUNT With Taxes | TOTAL AMOUNT In Words |
| 1 | | 4 | 5 | 8 | 64 | 65 |
| 7 | PWD Road To Marudipur | | | | | |
| 2 | Schedule 1 Initial Renovation including Surface Renewal. | | | | | |
| 3 | Cleaning and Grutting road land (by manual means) including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300mm. | 0.45 | Hect. | 49496.70 | 21283.58 | INR: Twenty One Thousand Two Hundred & Eighty Three and Paise Fifty Eight Only |
| 4 | Dismantling of existing structures like culverts, bridges, retaining walls and other structure comprising of masonry, cement concrete, wood work, steel work, insulation, T.E.R and all fittings where ever required. | 0.90 | Cum | 463.25 | 412.25 | INR: Four Hundred & Twelve and Paise Twenty Nine Only |
| 5 | Reinforced Cement Concrete | 0.54 | Cum | 1091.90 | 589.64 | INR: Five Hundred & Eighty Nine and Paise Sixty Four Only |
| 6 | Dismantling of existing structures like culverts, bridges, retaining walls and other structure comprising of masonry, cement concrete, wood work, steel work, insulation, T.E.R and all fittings where ever required. REMOVING ALL TYPES OF MHD pipe and breaking Within a lead of 1000 m including Earthwork and Dismantling of Masonry Works as per Technical Specification Clause 303 | 64.00 | Cum | 228.72 | 14556.38 | INR: Fourteen Thousand Six Hundred & Fifty Six and Paise Thirty Eight Only |

Mr. Partner Enterprise
Bidder Name

R.W.D.
Executive Engineer
Signature

| | | | | | | |
|----|--|----------|-----|----------|------------|--|
| 8 | Above 600 mm to 800 mm dia Hume pipe | 5.00 | Per | 226.88 | 1134.40 | INR One Thousand One Hundred & Forty Three and Paise Forty Only |
| 9 | Construction of subgrade and macadam shoulders with prepared material obtained from borrow pits with all lifts and loads, transporting to site. | 1290.00 | Cum | 176.75 | 228007.50 | INR Two Lakh Twenty Eight Thousand & Seven and Paise Fifty Only |
| 10 | For coating of materials transferred or granular sub-base by providing well graded material spreading in uniform layers with motor grader on prepared surface. | 211.72 | Cum | 1066.01 | 420083.80 | INR Four Lakh Twenty Thousand Five Hundred & Eighty Three and Paise Ninety Only |
| 11 | Water Curing of 100% Macadam material Providing laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification. | 185.03 | Cum | 8613.81 | 396601.91 | INR Three Lakh Ninety Thousand Six Hundred & One and Paise Ninety One Only |
| 12 | With Grading 100% Macadam Material - Water Curing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification. | 161.06 | Cum | 8250.36 | 490399.38 | INR Four Lakh Ninety Thousand Nine Hundred & Ninety Nine and Paise Thirty Eight Only |
| 13 | Priming Coat (CWD Binding) Providing and applying prime coat with Bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road. | 2634.27 | Sqm | 41.46 | 84340.83 | INR Eighty Four Thousand Three Hundred & Forty and Paise Eighty Three Only |
| 14 | Radar Work (WRF WSR) 100% CWD Surface for bituminous and Existing CG Pavement-Providing, laying and rolling of clover-graded premix surfacing. | 2634.27 | Sqm | 198.72 | 400184.89 | INR Four Lakh One Hundred & Eighty One and Paise Fifty Nine Only |
| 15 | Tack Coat- Providing and applying 200 kg per sqm with bitumen emulsion using emulsion pressure distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared CGP (General) Granular Concrete - providing and laying semi dense bituminous concrete with 100-120 TPH batch type HMP producing an average output of 75 m ³ /batch. | 10177.48 | Sqm | 11.06 | 143064.24 | INR One Lakh Forty Three Thousand & Ninety Four and Paise Twenty Four Only |
| 16 | Reinforced Cemented concrete M15 grade (Monolithic) local stone of standard design as per IRC-8 fixing in position including painting and printing, etc as per drawing and specification of classification clause 1205. | 203.58 | Cum | 9898.98 | 2013605.71 | INR Twenty Lakh Thirteen Thousand Six Hundred & Five and Paise Seventy One Only |
| 17 | ii) Km stone | 4.00 | No. | 2300.82 | 9239.28 | INR Nine Thousand Two Hundred & Thirty Nine and Paise Twenty Eight Only |
| 18 | iii) 200 m stone | 8.00 | No. | 629.72 | 5037.76 | INR Five Thousand & Thirty Seven and Paise Seventy Six Only |
| 20 | Direction and Place Identification signs with size more than 0.9 sqm size based- Retro-reflective Traffic Signs-Providing and erecting direction and place identification retro-reflective cautionary, mandatory and informative sign as per IRC-87 made of encapsulated lens type. | 5.76 | Sqm | 12365.40 | 71224.70 | INR Seventy One Thousand Two Hundred & Twenty Four and Paise Seventy Only |
| 21 | | | | | | |


MS Partner Enterprises
 Partner

EXECUTIVE BUSINESS
R.W.D. (W.D.)

| | | | | | | |
|----|---|--------|--------------|---------|-----------|---|
| 22 | 500 mm equilateral & triangle | 17.00 | No. | 3604.00 | 62501.00 | INR. Sixty Two Thousand Three Hundred & One and Paise Sixty Only |
| 23 | 500 mm circular | 1.00 | No. | 3764.15 | 7528.30 | INR. Seven Thousand Five Hundred & Twenty Eight and Paise Thirty Only |
| 24 | 500 mm x 400 mm rectangular | 4.00 | No. | 3600.00 | 14400.12 | INR. Fourteen Thousand Five Hundred & Forty and Paise Twelve Only |
| 25 | Boundary wall 2000 mm post reinforced cement concrete M15 grade boundary pillars at same of standard design as per ITC-28, fixed in position | 24.00 | No. | 3300.00 | 12720.92 | INR. Twelve Thousand Seven Hundred & Twenty Seven and Paise Ninety Two Only |
| 26 | Painting new outer and inner walls of all tanks with synthetic enamel paint black or any other approved colour to give an even shade as per drawings and | 320.00 | W height per | 0.00 | 264.00 | INR. Two Hundred & Sixty Four Only |
| 27 | Planting of trees along the road side Avenue trees in 0.60 m dia holes, 1 m deep dug in the ground, mixing the soil with decayed farm yardsludge manure, planting strong trees like Teak, Sal, Amla, etc. | 100.00 | Each. | 793.00 | 86200.64 | INR. Eighty Six Thousand Three Hundred and Paise Sixty Four Only |
| 28 | Compound with Reflectivizing Glass Boards Providing and laying of hot applied thermoplastic | | | | | |
| 29 | At Edge for BT Partion | 430.00 | Sqm | 755.40 | 316222.00 | INR. Three Lakh Sixteen Thousand Two Hundred & Twenty Two Only |
| 30 | Providing and fitting of typical M15+ST information sign board with Logo as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and bottom plate made in mild steel 3mm x 6mm x 6m | 5.00 | No. | 9404.00 | 47024.20 | INR. Forty Seven Thousand & Twenty Four and Paise Twenty Only |
| 31 | Earth work in excavation for foundation of structures upto 3.0 m depth as per drawing and technical specification clause 1104 | 58.60 | Cum | 255.17 | 16096.13 | INR. Sixteen Thousand Nine Hundred & Ninety Six and Paise Thirteen Only |
| 32 | Providing M15 PCC 1:2:4:1 as running course in foundation :- Providing PCC M 15 (1:2.5:5) concrete for plain concrete in open foundations complete as per dimensions and technical clauses (clause 802, 202) | 5.92 | Cum | 8716.86 | 33843.81 | INR. Thirty Three Thousand Eight Hundred & Forty Three and Paise Eighty One Only |
| 33 | Brick Masonary work in cm 1:4 in head wall complete as per drawing and technical specification clause 1109 in cement mortar 1:4 | 55.30 | Cum | 6258.77 | 346109.38 | INR. Three Lakh Forty Six Thousand One Hundred & Nine and Paise Ninety Eight Only |
| 34 | Providing and laying R.C.C pipe N.P. 330 CUNTS on first class bedding of PCC M10 material in single row including fixing collar with cement mortar 1:2 but excluding connection, non return valves, backfilling | 15.00 | Rm | 2200.04 | 48057.60 | INR. Forty Eight Thousand & Fifty Seven and Paise Sixty Only |
| 35 | Plastering with cement mortar (1:4) on brick work in sub-structure as per Technical Specifications | 111.78 | Sqm | 186.56 | 20651.07 | INR. Twenty Four Thousand Eight Hundred & Fifty One and Paise Seven Only |

| | | | | | | |
|----|--|-------|-----------|-----------|------------|--|
| 26 | Painting in Periperi wall brick & concrete surfaces Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on PWD brick and concrete surfaces including concrete pipe duct, 300 mm dia, across the road base construction, extending from drain to drain | 41.28 | Sqm | 98.43 | 3947.81 | INR. Three Thousand Nine Hundred & Forty Seven and Paise Sixty One Only |
| 37 | Brick masonry work in concrete muller 1.3 m periperi, excluding pointing and plastering as per drawing and technical specifications Clauses 600, 900 and 1205.4 | 30.00 | Rm | 887.54 | 26630.28 | INR. Twenty Six Thousand Six Hundred & Twenty and Paise Twenty Only |
| 38 | Plastering with cement mortar (1:4) on brick work in sub-structure as per Technical Specifications | 0.64 | Cum | 5719.69 | 49410.12 | INR. Forty Nine Thousand Four Hundred & Eighteen and Paise Twelve Only |
| 40 | Plastering with cement mortar (1:4) on brick work in sub-structure as per Technical Specifications | 00.48 | Sqm | 188.58 | 11405.32 | INR. Eleven Thousand Four Hundred & Five and Paise Thirty Two Only |
| 41 | Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new, plastered / concrete surfaces as per drawing and technical specifications | 20.16 | Sqm | 158.38 | 3201.77 | INR. Three Thousand Eight Hundred & One and Paise Seventy Seven Only |
| 42 | Labour cost @1% | 0.00 | Rs | 54146.74 | 54146.74 | INR. Fifty Four Thousand One Hundred & Forty Six and Paise Seventy Four Only |
| 43 | GST @12% | 1.00 | Rs | 640700.00 | 640700.00 | INR. Six Lakh Forty Nine Thousand Seven Hundred & Sixty and Paise Eighty Nine Only |
| 44 | TOTAL COST OF SCHEDULE - 1 | | | | | |
| 45 | Schedule - 2 :- | | | | | |
| 46 | Five Year Ordinary Maintenance in PWD Road To Murendpur | 20.00 | Quarterly | 97412.85 | 1948241.00 | INR. Nineteen Lakh Forty Eight Thousand Two Hundred & Forty One Only |
| 47 | Labour cost @1% | 1.00 | Rs | 19482.43 | 19482.43 | INR. Nineteen Thousand Four Hundred & Eighty Two and Paise Forty One Only |
| 48 | GST @12% | 1.00 | Rs | 233788.92 | 233788.92 | INR. Two Lakh Thirty Three Thousand Seven Hundred & Eighty Eight and Paise Ninety Two Only |
| 49 | TOTAL COST OF SCHEDULE - 2 | | | | | |

| | | | | | | |
|----|--|----------|-------|----------|------------|---|
| 50 | Chauran PWD Road To Seraiya | | | | | |
| 51 | Schedule-1 Initial Rectification including Surface Removal:- | | | | | |
| 52 | Cleaning and grubbing minor Land by manual means including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300mm. | 1.64 | Hect. | 48496.78 | 81174.08 | INR. Eighty One Thousand One Hundred & Seventy Four, and Paise Fifty Nine Only |
| 53 | Demolition of existing structures like Cottages, Bridges, retaining walls and other structure comprising of masonry, cement concrete, wood work, steel work. | 4.50 | Cum | 328.72 | 1097.66 | INR. One Thousand & Ninety Seven, and Paise Eighty Six Only |
| 54 | Construction of embankment and cutting embankment with appropriate material obtained from borrow pits with all lifts and loads, transporting to site, spreading, grading for creating a material content for granular base by providing well graded material, spreading in uniform layers with motor grader on prepared surface. | 4580.00 | Cum | 196.78 | 796375.00 | INR. Seven Lakh Ninety Five Thousand Three Hundred & Seventy Five Only |
| 55 | Water Grading 21 to 30 mechanical means:- Provision laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification (Water Graded 21 to 30 mechanical means) 7000kg/m ³ , laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification (Water Graded 21 to 30 mechanical means) 7000kg/m ³ . | 580.59 | Cum | 3073.27 | 1206042.15 | INR. Twelve Lakh Six Thousand & Forty Two and Paise Nineteen Only |
| 56 | Water Graded 21 to 30 mechanical means:- Provision laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification (Water Graded 21 to 30 mechanical means) 7000kg/m ³ . | 344.20 | Cum | 3002.65 | 1308872.13 | INR. Thirteen Lakh Eight Thousand Eight Hundred & Seventy Two, and Paise Thirteen Only |
| 57 | Water Graded 21 to 30 mechanical means:- Provision laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification (Water Graded 21 to 30 mechanical means) 7000kg/m ³ . | 578.61 | Cum | 3421.72 | 1962732.81 | INR. Nineteen Lakh Sixty Two Thousand Seven Hundred & Thirty Two, and Paise Eighty One Only |
| 58 | Primer coat with Bitumen emulsion (58-1) on prepared surface of granular base including cleaning of road, Pather work over width using M/C seat surface for bituminous and Existing CC Pavement-Providing, laying and rolling of close-graded premix surfacing Tack coat (1.00 mm) providing and applying M/C seat with bitumen emulsion using emulsion pressure distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared SMC surface. | 7724.81 | Sqm | 41.52 | 320725.81 | INR. Three Lakh Twenty Thousand Seven Hundred & Twenty Five, and Paise Eighty One Only |
| 59 | Primer coat with Bitumen emulsion (58-1) providing and laying semi dense bituminous concrete with 10G 120-TPH batch type HMP producing an average output of 75 Ton/Hr. 60% Content concrete with 5% Grade Admixture local stones of standard design as per IRC-8 fixing in position including painting and printing, etc as per drawing and technical emulsionation advice. | 8254.66 | Sqm | 200.00 | 1651219.88 | INR. Sixteen Lakh Fifty One Thousand Two Hundred & Nineteen, and Paise Sixty Five Only |
| 60 | Primer coat with Bitumen emulsion (58-1) providing and laying semi dense bituminous concrete with 10G 120-TPH batch type HMP producing an average output of 75 Ton/Hr. 60% Content concrete with 5% Grade Admixture local stones of standard design as per IRC-8 fixing in position including painting and printing, etc as per drawing and technical emulsionation advice. | 39312.96 | Sqm | 14.08 | 553518.03 | INR. Five Lakh Fifty Three Thousand Five Hundred & Eighteen, and Paise Three Only |
| 61 | Primer coat with Bitumen emulsion (58-1) providing and laying semi dense bituminous concrete with 10G 120-TPH batch type HMP producing an average output of 75 Ton/Hr. 60% Content concrete with 5% Grade Admixture local stones of standard design as per IRC-8 fixing in position including painting and printing, etc as per drawing and technical emulsionation advice. | 776.44 | Cum | 10000.01 | 7517208.66 | INR. Seventy Eight Lakh Seventeen Thousand Two Hundred & Five, and Paise Sixty Eight Only |
| 62 | 0.50 km stone | 1.00 | No. | 4373.97 | 4373.97 | INR. Four Thousand Three Hundred & Seventy Three, and Paise Ninety Seven Only |

Duley
 Painter
 SAWING
 MUD MUD
 K(B)

| | | | | | | |
|----|---|---------|----------------|----------|-----------|---|
| 54 | (i) Km Stone | 0.00 | No. | 2342.48 | 21091.32 | INR. Twenty One Thousand & Ninety One and Paise Thirty Two Only |
| 55 | 400 mm stone | 33.00 | No. | 645.82 | 20982.96 | INR. Twenty Thousand Nine Hundred & Eighty Two and Paise Six Only |
| 56 | Dimension size 300 mm differentiation sign with area more than 0.8 square board. Reflective reflective board. Traffic sign providing and meeting direction and Provisioning and fixing or name name name name name name name mandatory and informative sign as per IRC-87 made of encapsulated lens type reflective sheeting vide Clause 1204. 2.3 Board, name, identification, 9.8 mm thick. | 33.04 | Sq.m | 12386.32 | 286380.81 | INR. Two Lakh Eighty Five Thousand Three Hundred & Eighty and Paise Eighty One Only |
| 57 | 600 mm equilateral & triangle | 65.00 | No. | 5408.10 | 342912.34 | INR. Two Lakh Forty Two Thousand Nine Hundred & Twelve and Paise Thirty Four Only |
| 58 | 600 mm circular | 3.00 | No. | 5179.64 | 7659.66 | INR. Seven Thousand Five Hundred & Fifty Nine and Paise Sixty Eight Only |
| 59 | 600 mm x 450 mm rectangular | 16.00 | No. | 3658.79 | 58411.62 | INR. Fifty Eight Thousand Four Hundred & Eleven and Paise Fifty Two Only |
| 70 | boundary pillars and Pier-reinforced concrete concrete M15 grade boundary pillars/local stone of standard design as per IRC-25 fixed in position | 128.00 | No. | 535.36 | 63979.20 | INR. Sixty Three Thousand Nine Hundred & Seventy Nine and Paise Twenty Only |
| 71 | Planting of trees and shrubs as per drawing and specification no letter and figure of structures with synthetic enamel paint black or any other approved colour to give an even shade as per drawings and | 1672.00 | m height per m | 0.98 | 536.00 | INR. Eight Hundred & Thirty Six Only |
| 72 | Planting of trees by the foot bed (Avenue trees) in 0.80 m dia holes, 1 m deep dug in the ground, mixing the soil with decayed farm yards/lodge manure, planting trees and shrubs as per drawing and specification no letter and figure of structures with | 348.00 | Each | 199.00 | 271687.26 | INR. Two Lakh Seventy One Thousand Six Hundred & Eighty Seven and Paise Twenty Only |
| 73 | Earth work with Hot Applied Thermoplastic Compound with Reflecturising Glass Beads Providing and laying of hot applied thermoplastic compound 2.5 mm thick, thickness reflecturising glass beads 0.5 mm | | | | | |
| 74 | At Edge for BT Portion | 1640.00 | Sq.m | 735.46 | 120606.60 | INR. Twelve Lakh Six Thousand & Fifty Six Only |
| 75 | Providing and fixing of typical NMUS-T informative sign board with Logo as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle, below which mounted with MS Plates of 2.0 mm. Earth work in excavation for foundation of structures upto 2.0 m depth as per drawing and technical specification clause 1104 | 6.00 | No. | 8436.29 | 47181.18 | INR. Forty Seven Thousand One Hundred & Eighty One and Paise Fifteen Only |
| 76 | | 99.92 | Cum | 2355.17 | 23927.66 | INR. Twenty Five Thousand Nine Hundred & Twenty Seven and Paise Sixty Six Only |

| | | | | | | |
|----|---|--------|-----|------------|------------|--|
| 78 | Providing PCC M 15 (1:2:5:8) concrete in foundation :- Providing PCC M 15 (1:2:5:8) concrete for plain concrete in open foundations complete as per drawing and technical specification clauses 800, 801, 803. | 10.00 | Cum | 7641.39 | 16530.73 | INR: Fifty Eight Thousand Five Hundred & Thirty and Paise Seventy Three Only |
| 79 | Brick Masonry work 15 cm 1:4 in head wall complete as per drawing and technical specification clause 1109 as cement mortar 1:4 | 83.04 | Cum | 6270.94 | 520738.86 | INR: Five Lakh Twenty Thousand Seven Hundred & Thirty Eight and Paise Eighty Six Only |
| 80 | Plastering excluding PCC pipe m-3 for converts an first class bedding of PCC M10 material in single row including fixing collar with cement mortar 1:2 but providing with ageing PCC pipe m-3 for converts an first class bedding of PCC M10 material in single row including fixing collar with cement mortar 1:2 but no additional area conversion - including collar, bedding | 15.00 | Rs | 949.22 | 14238.30 | INR: Fourteen Thousand Two Hundred & Thirty Eight and Paise Thirty Only |
| 81 | Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new, plastered / concrete surfaces as per drawing and technical specifications Clauses 600, 900 and 1200.4 | 13.00 | Rs | 3256.31 | 420874.65 | INR: Forty Eight Thousand Eight Hundred & Seventy Four and Paise Sixty Five Only |
| 82 | Plastering with cement mortar (1:4) on brick work in sub-structure as per Technical Specifications | 200.74 | Sqm | 189.00 | 39618.85 | INR: Thirty Nine Thousand Six Hundred & Eighteen and Paise Eighty Five Only |
| 83 | Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new, plastered / concrete surfaces as per drawing and technical specifications Clauses 600, 900 and 1200.4 | 66.24 | Sqm | 95.63 | 6334.53 | INR: Six Thousand Three Hundred & Thirty Four and Paise Fifty Three Only |
| 84 | Plastering and pointing of "Nimandha's Cement Concrete" pipe dia 1300 mm dia, across the road (new construction), extending from drain to drain in cuts and and other locations as shown in the attachment sheet | 105.00 | Rs | 898.19 | 94309.95 | INR: Ninety Four Thousand Three Hundred & Nine and Paise Ninety Five Only |
| 85 | Brick masonry work in cement mortar 1:3 in parapet excluding pointing and plastering as per drawing and technical specifications Clauses 600, 900 and 1200.4 | 14.40 | Cum | 8719.09 | 82393.54 | INR: Eighty Two Thousand Three Hundred & Sixty Three and Paise Fifty Four Only |
| 86 | Plastering with cement mortar (1:4) on brick work in sub-structure as per Technical Specifications | 100.00 | Sqm | 189.00 | 19131.84 | INR: Nineteen Thousand One Hundred & Thirty One and Paise Eighty Four Only |
| 87 | Plastering with cement mortar (1:4) on brick work in sub-structure as per Technical Specifications | 201.60 | Sqm | 189.30 | 38263.68 | INR: Thirty Eight Thousand Two Hundred & Sixty Three and Paise Sixty Eight Only |
| 88 | Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new, plastered / concrete surfaces as per drawing and technical specifications Clauses 600, 900 and 1200.4 | 502.48 | Sqm | 95.63 | 29118.61 | INR: Twenty Eight Thousand Nine Hundred & Eighteen and Paise Fifty One Only |
| 89 | Labour rates @1% | 1.00 | Rs | 189056.66 | 189056.66 | INR: One Lakh Eighty Nine Thousand & Fifty Six and Paise Sixty Six Only |
| 90 | GST @12% | 1.00 | Rs | 2268679.93 | 2268679.93 | INR: Twenty Two Lakh Sixty Eight Thousand Six Hundred & Seventy Nine and Paise Ninety Three Only |
| 91 | TOTAL COST OF SCHEDULE - 1 | | | | | |

Ms Parmar Enterprises
Alfa dot dot AR
Parmar

EXECUTIVE ENGINEER
RWD. INDORE
INDIA
10/08/2024

| | | | | | | |
|------------------------|---|-------|-----------|-----------|---------------|--|
| 92 | Schedule - 2:- | | | | | |
| 93 | Five Year Ordinary Maintenance in Jhansi PWD Road To Sainya | 20.00 | Quarterly | 347343.65 | 7226813.00 | INR. Seventy Two Lakh Twenty Six Thousand Nine Hundred & Thirteen Only |
| 94 | Labour cess @1 % | 1.00 | Rs. | 12289.15 | 7226913.15 | INR. Seventy Two Thousand Two Hundred & Sixty Nine and Paise Thirteen Only |
| 95 | GST @12 % | 1.00 | Rs. | 867229.56 | 867229.56 | INR. Eight Lakh Sixty Seven Thousand Two Hundred & Twenty Nine and Paise Fifty Six Only |
| 96 | TOTAL COST OF SCHEDULE - 2 | | | | | |
| Total In Figures | | | | | 37849906.42 | Three Crore Ninety Eight Lakh Forty Nine Thousand Nine Hundred & Eight, and Paise |
| Quoted Rate In Figures | | | | | Lax (-) 0.02% | Three Crore Seventy Eight Lakh Forty Two Thousand Three Hundred & Thirty Eight |
| Quoted Rate In Words | | | | | | INR. Three Crore Seventy Eight Lakh Forty Two Thousand Three Hundred & Thirty Eight, and Paise Forty Four Only |

Mr. Dinesh Bhambhani
Executive Engineer
Dwarka
Partner

47890
Mr. Dinesh Bhambhani
Executive Engineer
Dwarka
Partner