कार्यपालक अभियंता, का कार्यालय ग्रामीण कार्य विभाग, कार्य प्रमंडल, सीतामढ़ी

पत्रांक 1874317 दिनांक 12/1017027

प्रेषक,

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, सीतामढ़ी।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव, ग्रामीण कार्य विभाग, बिहार, पटना।

विषय:- शीर्ष बिहार नई अनुरक्षण नीति 2018 (MR 3054) में आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपर्युक्त विषयक इस प्रमंडल अंतर्गत चल रहे नई अनुरक्षण नीति 2018 (MR 3054) में स्वीकृत योजनाओं के विभिन्न कार्यों के लिए संलग्न विवरणी अनुसार भुगतान हेतु आवंटन उपलब्ध कराने की कृपा की जाय।

अनु0:- यथोक्त।

विश्वासभाजन

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, सीतामढ़ी।

Blan

Requisition Format for Scheme Head-MR (3054) under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal) - Name of Works Division RWD, Works Division-Sitamarhi

						•			
di la		Remarks	. 61	1	NO 0060	Condition, Londition, No work			
		n against work done (In Lakh)	- 25	0.4		36.00000	36.00000		
	Up-to Date	e as per AMS (In Lakh)	:	1		0.00000	000000		
	Thickness Value of, Previous Up-to Date	Value of the state	1	16		0.0000	0,0000 86,00000	0.0000	
	Value of.	Content in Percentag		15		5.00%			
	Thickness	Bitumen Layer (in mm)		14		25mm			
				13		3671		**	
	Date of	Còmpletion as per Agreement		12		30.09.2022			
		Agreement No. Date		11		69/ MBD/21 ¹ 30.09.2022 22			
	ount (In Lakh	5 Years Routine Maintenance		ç	2	30.91231		30.91231	
	Agreement Amount (In Lakh)	Initial Rectification With Surface*	(lakh)	,	6	105.76201		30.91231	
	Administrative Approval (AA)	S Years Amount (In Routine Lakh) Maintenance	(III LANII)		œ	104.97000 33.11000		33 11000	23.44.00
	Administr	Ā			7	104.97000		00000	104.37 000
marn	,	Length (In KM)			9	3.800		000	3.800
ISION-SITE		Administrati ve Approval (AA) Letter No. & Date			S .	Lt. No1099 Dt31.03.21		•	
, works DIV		Administrati Project ID as ve Approval Length (In per MIS (AA) Letter KM)			*7	31607902126 Dt31.03.21			
The standard of the standard o		Name of Road			3	Manikpur Mushahamia- Rambhelahi			
2010		Package No.			2	MR-N/2021-22/ Mushahamia- Sitamarhi/04 Rambhelahi			
		-is 6			-	• -		1	

Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed
 Dp- to date Phycical Progress has been uploaded in MIS



FORM GFR 19-A

(See Government of India's Decision (1) below Rule 150)

Form of Utilization Certification up to the month of October 2022

	Sl. No.	Name of Scheme	Sanction No. & Date with Amount (in lacs Rs.)	Amount Received (in lacs Rs.)	Particulars
•	1	Construction of Rural Road New Maintenance Policy 2018	Up to Date Received Allotment	Rs. 847862409.00	Certified that out of RS 8037030303.08 lacs received during the years 2022-23 in favor of Executive Engineer Sitamarhi. Bihar a sum of Rs. 837321844.00 lacs has been utilized for the purpose of New Maintenance Policy 2018 Scheme as given in the margin for which it was sanctioned and that the balance of Rs 10540565.00 lacs remaining unutilized at the end of the period under report
		Total:			·

2. Certified that I have satisfied myself that the condition on which the grant-in-aid was sanctioned have been duly fulfilled /are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Cheeks exercised:-

Works have been supervised by Executive Engineer/Superintending Engineer.

li Periodical irispection has been conducted by Executive Engineer/Superintending

lii Construction materials have been tested.

Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/Executive Engineer

V All other codal formalities

3. Physical Progress achieved:-

Construction of Road Works.

Ii Construction of CD works

Executive Engineer, R.W.D. Works,

Division, Sitamarhi.

Rural Works Department, Works Division, Sitamarhi Office of The Executive Engineer

Name of Scheme:- MR(NEW MAINT POLICY) Name of Road:-Manikpur Mushaharnia-Rambhelahi

Name of Contractor: - Sanjay Kumar Singh

Length of Road:-3.800 KM (0.940 KM Old PCC of Good Condition)

Project ID:-31607902126

Package No.- MR-N/2021-22/ Sitamarhi/04

Name of Block:-Parihar

100% measurment has been Certified that all item wise taken by me

> Certified that all item wise 50% measurment has been checked by me

10% measurment has been Certified that all item wise checked by me

Works Division, Sitamarhi Rural Works Department, Works Section, Parihar Junior Engineer,

Works Sub Division, Parihar Works Division, Sitamarhi Rural Works Department, Assilant Engineer, Michael 10122

> Works Division, Sitamarhi Rural Works Department, Executive Engineer,

Test Date	2011 <mark>0. 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9</mark>	UIV mm/ km 3011	4011_	Print Generate Report and Graph File :C\Users\BRRDA116\Downloads\29091313.Ms. Name of Customer :SANJAY KUMAR SINGH, Name		Section No. 24	Lab Job number 106	Name of SANJAY YUMAR SINGH Dustomer: Name of Work USHAHARNIA - RAHBHELAH
Road Type :: [R] RUFAL ROAD Side : Interval I	1 11 12 13 Distance * 1000			nds\29091313XIs, Section AR SINGH, Name of Work/F	End Location:	Start Location :	Start & No : Start & No : .	Test Date : 29-09-2022 • Machine No : 794
nturval 1000 mm/km 21 *1000 m 201 8 -201.8 X - 201.8 AMBHELAHI.	1.6 1.7 1.8 1.9 .2			Redraw Graph Mo No. :24. Eqn: Y= 0 *X^2 2 + 1.108 * : Road :MANIKPUR MUSHAHARNIA - R		0 To 3	nos: 2011 To 5000	Road Type:: (R) RURAL ROAD
TOWNS AS IN SAME A SECTION OF THE PROPERTY OF THE PROPERTY AND ASSESSED FOR A SECTION OF THE PROPERTY AND ASSESSED FOR A SECTION OF THE PROPERTY AS A SECTION OF	. 4 2.5 2.6 2.7 2.8 2.9			np View X - 201.8 AMBHELAHI,	-201.8		nterval	•

Y.

*

Date :29-09-2022 Lab Job number:106

Name of Customer :SANJAY KUMAR SINGH
Name of Work/ Road :MANIKPUR MUSHAHARNIA - RAMBHELAHI

		29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/ 9/ 22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22	29/9/22		Date	
			13:5:0	13: 4: 24	13: 4: 24	13: 4: 0	13: 2: 0	13: 1: 27	13:1:0	13:1:0	13: 0: 17	13: 0: 17	13: 0: 0	2 12:59:41	12: 59: 6	12: 59: 0	12: 58: 32	12: 57: 57	12: 56: 46	12:54:0	12: 53: 14	12: 53: 14	12: 53: 14	12: 52: 39	12: 52: 4	12: 52: 4	.12: 52: 4	12: 51: 29	12: 49: 43	12: 49: 8		Time	
,					٠									1			2	7	5		+3	45	+3	U							No.	Section	0114
		24	24	24 .	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	in'km		COS INANIAFOR MOSHAHARNIA - KAMBHELAT
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		Length I	NATUR I
		lu.	t L	w	w	ω	ω	ω	3	ω	W	ω	2	ω	<u>3</u>	ω.	ά	39	36	320	290	370	370	. 390	360	370	360	320	290	. 370	in mm	Bumps	VIUSHAF
		390	370	340	330	370	370	390	360	360	390	320	290	320	360	370	340	390	360	20	00	70	0	ŏ	Ö	O	0	0	•		Rate	Speed	AKINIA -
	_	10.1	20.2	20.2	20.2	20.2	20.2	10.1	20.2	20.2	10.1	20.2	20.2	20.2	20.2	20.2	20.2	10.1	20.2	20.2	20.2	20.2	20.2	10.1	20.2	20.2	20.2	20.2	20.2	20.2	mm		KAIVIDE
1	Average	3900	3700	3400	3300	3700	3700	3900	3600	3600	3900	3200	2900	3200	3600	3700	3400	3900	3600	3200	2900	3700	3700	3900	3600	3700	3600	3200	2900	3700	mm/km	OR	ELATI
	1				1											•	35	39	37	33	301	3897	3897	3919	3787	3897	3787	3343	3011	3897	٦		
`	36/1	3919 G					3897 G	3919 G	3787 G	3787 G	3919 G	3343 G	3011 G	3343 G	3787 G	3897 G	3565 G	3919 G	3787 G	3343 G	11 6	97 G	97 G	19 G	87 G	97 G)7 G	ROAD	GOR) - -
		G	· 0	. 4	. 4.	.	5.	5.	4.	4.	5.34	4.43	4.04	4.43	4.95	5.08	4.69	5.34	4.95	4.43	4.04	5.08	5.08	5.34	4.95	5.08	4.95	4.43	4.04	5.08	•	R	
عر •		5.34 26.70195					5.08 26.69622	5.34 26.69532	4.95 26.69447	4.95 26.69377	34 26.69307	13 26.69256)4 26.69173	13 26.69111	35 26.69145)8 26.69164	9 26.6914	4 26.69151	5 26.69151							8 26.68354		N	N)	3 26.68071		Latitude	
													-	•													85.623	85.623	85.624	85.624		Longitu de	
S. S	3	85.62658 Normal	85.62635 Culvert	85.62616 Normal	85.62603 Normal	85.62653 Normal	85.62734 Normal	85.62756 Culvert	85.62798 Normal	85.62857 Normal	85.62889 Curve	85.6282 Normal	85.628 Curve	85.62744 Normal	85.62653 Normal	85.62562 Normal	85.62461 Normal	85.6234 Normal	85.62192 Normal	85.62098 Normal	85.62123 Normal	85.6216 Norma	85.62177 Normal	85.62197 Normal	85.62234 Normal	85.62278 Normal	85.62316 Normal	85.62335 Normal	85.62411 Curve	85.62448 Culvert			,
4	8	ormal	vert	rmal	rmal	rmal	rmal	vert .	rmal	rmal	Ve	mal	Ve	mal	mal	mal	mal	mal	mal	mal	mal	mal	mal				nal .	nal		ert	≺	Event	•
				,												•								<4000	Good	(R) RURAL ROAD			Y = 10878	(= 10000	= 0 * X		
	•									·				,							,			4001-5	Average	ROAD				ŏ	$Y = 0 * X ^2 + 1.108 * X - 201.8$		
																								4001-5000 >5001	e Poor						8 * X -		
										1.														11.							201.8		