



कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, मढ़ौरा।

पत्रांक:- 1994/अनु०

मढ़ौरा/दिनांक:- 21.09.22

प्रेषक:-

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, मढ़ौरा।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
बिहार ग्रामीण पथ विकास अभिकरण (ब्राडा), पटना।

विषय:- MR-3054 New Maintenances Policy-2018 योजनान्तर्गत स्वीकृत पथों में पंचवर्षीय
रूटीन अनुरक्षण मद हेतु Quarterly राशि के अनुरूप आवंटन उपलब्ध कराने के
संबंध में।

प्रसंग:- अभियंता प्रमुख, ग्रामीण कार्य विभाग, बिहार, पटना के पत्रांक:-मु0अ0-4(मु0) 3054-04-
229/2021-1135(अनु0) /दिनांक:-09-03-2022 एवं पत्रांक:- 97(अनु0)दिनांक:-07-01-22

महाशय,

उपयुक्त विषयक प्रासंगिक पत्र में प्राप्त निर्देशानुसार MR-3054 New
Maintenances Policy-2018 योजनान्तर्गत स्वीकृत पथों में पंचवर्षीय रूटीन अनुरक्षण मद हेतु
Quarterly(6th) राशि की आवंटन माँग हेतु अधियाचना विहित प्रपत्र में तैयार कर आवश्यक
कार्रवाई हेतु समर्पित की जा रही है।

अतः अनुरोध है कि MR-3054 New maintenances Policy-2018 योजनान्तर्गत
अनुरक्षण मद में अधियाचना प्रपत्र के कॉलम सं० 19 में क्रमशः दर्शाये गये राशि
Quarterly(6th) को आवंटित करने की कृपा की जाए, ताकि कॉलम सं०-19 में दर्शाये गये
संवेदक अजय कुमार से संबंधित 01 पथ में अनुरक्षण मद में भुगतान किया जा सकें, विदित हो कि
संबंधित सभी 01 पथ का निरीक्षण किया गया कार्य संतोषप्रद है(जॉच प्रतिवेदन संलग्न) एवं पथों में
कोई ATR वर्तमान में लंबित नहीं है।

अनु०:-1) अधियाचना विहित प्रपत्र में।

2) 19 ए प्रपत्र।

2) जॉच प्रतिवेदन संलग्न।

विश्वासभाजन


कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमंडल, मढ़ौरा।

20/9/22

FORM GER-19-A

(See Government of India 'S Decision (I) below Rule -150)
Form of Utilization Certificate up to the Month of September-2022
PIU:- Executive Engineer RWD Works Division, Marhaura

SL No	Name of Scheme	Sanction No& Date with Amount (in Lacs Rs.)	Amount Received (in lacs Rs.)	Particulars
1	Construction of Rural Roads under MR-3054 New Maintenance Policy-2018 (अनुरक्षण मद) Ledger Id-15872)	Allotment Letter No-51, Dt- 30-04-2022	258.47838	Certified that out of Rs- 258.47838 Lacs received during the Years, 2019-20 & 2020-21 & 2021-22, 2022-23 in favour of E.E., RWD Works Division Marhaura Sum of Rs- 249.87151 Lacs has been utilized for the Purpose of MR-3054 New Maintenance Policy-2018 Scheme as given in the margin for Which it was Sanctioned and that the balance of Rs-8.60687 Lacs remaining unutilized at the end of the period under report.


DAO 20/09/22


R.W.D. (W) Division Marhaura


20/09/22



Executive Engineer

R.W.D. (W) Division Marhaura


20/09/22

MR-3054 New Maintenance Policy-2018 के अंतर्गत पंचवर्षीय रूटीन अनुरक्षण मद में आवंटन मॉग से संबंधित अधियाचना प्रपत्र।

MR-3054 New Maintenance Policy 2019

कार्य प्रमण्डल का नाम:-ग्रामीण कार्य विभाग, कार्य प्रमंडल, मढ़ौरा												अनुरक्षण मद में कुल व्यय (MIS के आधार पर) (लाख में)	वर्तमान अधियाचित राशि Quarter Wise (लाख में)						कुल अधियाचना की राशि (लाख में)
क्र.सं.	Project ID	पथ का नाम (अंग्रेजी में)	संवेदक का नाम (अंग्रेजी में)	पथ की लंबाई (कि०मी० में)	कार्य पूर्ण होने की वास्तविक तिथि	पंचवर्षीय रूटीन अनुरक्षण की राशि-वर्षवार (लाख में)							1st Quarter (लाख में)	2nd Quarter (लाख में)	3rd Quarter (लाख में)	4th Quarter (लाख में)	5th Quarter (लाख में)	6th Quarter (लाख में)	
						प्रथम वर्ष (लाख में)	द्वितीय वर्ष (लाख में)	तृतीय वर्ष (लाख में)	चतुर्थ वर्ष (लाख में)	पंचम वर्ष (लाख में)	कुल पंचवर्षीय एकराशित राशि (लाख में)		14	15	16	17	18	19	20
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
2	31306402030	GOPLAPUR - DEWBAHUARA	Ajay Kumar	5.89	02-06-20	5.12371	7.19592	16.1025	9.01695	18.0243	55.46345	0.00000	0.000000	0.000000	0.000000	0.000000	0.000000	2.773173	2.773173
Total:-												0.00000	0.000000	0.000000	0.000000	0.000000	0.000000	2.773173	2.773173

प्रमाणित किया जाता है कि :-

- (1) उपरोक्त पथों का मूल कार्य पूर्ण कराया जा चुका है।
- (2) संवेदक के द्वारा किये गये अनुरक्षण कार्य की जाँच कर ली गई है(जाँच प्रतिवेदन संलग्न)

कार्यपालक अभियंता

ग्रामीण कार्य विभाग, कार्य प्रमंडल, मढ़ौरा।

(Signature)
20/09/22

Government Of Bihar
OM01Q
Rural Works Department
Road from:
Length of Road:
Inspector:
To:
Date:

SUMMARY OF ORDINARY MAINTENANCE INSPECTION REPORT

Form

Inspector :	Position:										Comments		
Standard work item		Work	Units of work required in each kilometre										
No.	Name	Units	1	2	3	4	5	6	7	8	9	10	
OM100 Sealed Pavement													
OM101	Pothole Patching	m ²											138.10 Y 2R-3005934R-4/558-
OM102	Surface Depression and Rut Patching	m ²											0444 2R-11091-534R-4597-
OM103	Crack Sealing	Lm											5894 CR-9=24/-R-54461-
OM104	Surface Treatment												138/41 Y 2R-303-31R-41899-
	(a) Loss of Aggregate (Surface Ravelling)	m ²											
	(b) Bleeding / Flushing	m ²											
	(c) Crocodile Cracking	m ²											
OM105	Edge Repair	m ²											
OM106	Digouts	m ³											
OM107	Concrete Pavement	m ³											10-561460-11091-53R-11494-
	Other activities												
OM200 Shoulder													
OM201	Unsealed Shoulder												1657.80Y R-51314 R-85062-
	(a) Edge Drop-off	Lm											
	(b) Roughness, Scouring or Potholes	Lm											R 342491 = 00

R-342491=CJ

4/10/80
8/11/22

[illegible]

28/01/22

2/2

Standard work item		Work	Units of work required in each kilometre										Comments	
No.	Name	Units	1	2	3	4	5	6	7	8	9	10		
OM400 Vegetation														
OM401 Grass Control														
	a) Roadside - General Tidy <i>Shrub & trees</i>	Ha												13260.04 $\times$ 2R - 2 = 174 ² R - 257792
	b) Clear near safety signs, kilometre posts and roadside furniture	Ha												58944 ² R - 6 = 514 ² R - 385702
OM402	Tree and Shrub Management	Ha												12 N ₂ 2R - 106 = 125 = 1R - 127350
	Other activities													
OM500 Signage and Road														
Safety														
OM501	Signs Maintenance	No												5.894 km $\times$ 2R - 1054 = 253R - 62140
OM502	Guard stones	Lm												
OM503	Distance stones	No												5.894 km $\times$ 2R - 15 = 2014R - 3626 = 0
OM504	Road markings	No												R - 515133 = 0
	Other activities 20000													R - 502100 = 0

Ad 12.7.6.9.7.1 P.L.C. R - 502100 = 0

Ad 12.6.59 + 17.6.60

Time Place

0.55f 0.55f R - 3202 = 0

R - 578898

[Signature of Contractor/ Authorized representative]

Note:- Enclose photographs with this report.

2nd 18 = Two Quater

Government of Bihar
OM101

Rural Works Department

Post From: Sopalpur

Length of Road: 5.874

Inspector: A. T. K. for

ORDINARY MAINTENANCE INSPECTION REPORT
Form OM101

To: D. V. Prakash

No.	Standard work item	Name	Work Units	Position: (S)							Comments
				1	2	3	4	5	6	7	
OM100	Sealed Pavement										
OM101	Pothole Patching	m ²									138.14
OM102	Surface Depression and Rut Patching	m ²									20924.300 = 9374.8 - 62353 = 0
OM103	Crack Sealing	Lm									0.44
OM104	Surface Treatment										0.621 - 18 - 11091 = 5373R 6592 = 0
	(a) Loss of Aggregate (Surface Ravelling)	m ²									29477R 2R 9 = 2414 - R 27250 = 0
	(b) Bleeding / Flushing	m ²									138.14
	(c) Crocodile Cracking	m ²									20924.300 = 9374.8 - 62353 = 0
OM105	Edge Repair	m ²									48899 = 0
OM106	Digouts	m ²									138.14
OM107	Concrete Pavement	m ³									20924.300 = 9374.8 - 62353 = 0
	Other activities										
OM200	Shoulder										
OM201	Unsealed Shoulder										
	(a) Edge Drop-off	m ²									
	(b) Roughness, Scouring or Potholes	Lm									99461460 - 51 = 3140 - 51033 = 0
	(c) Holding water	Lm									14.9
OM202	Embankment Repair	No									1491972R - 379 = 59R - 56571 = 0

R 222845 = 00.

Bidder

Appendix

Executive Engineer, Works Div

OUTPUT AND PERFORMANCE BASED RURAL BRIDGES MAINTENANCE CONTRACT 2008-09

R 22289522

Q. 22895 = CO

$$\frac{2}{3} \times \frac{3}{4} = \frac{2 \times 3}{3 \times 4} = \frac{6}{12} = \frac{1}{2}$$

22/5/80

224595 = 0

Standard work item		Work	Units of work required in each kilometre										Comments
No.	Name	Units	1	2	3	4	5	6	7	8	9	10	
OM400 Vegetation													
OM401	Gross Control	Ha											
	a) Roadside - General Tidy <i>Trimming of grass</i>	Ha											2947 a.d. = 51 Ha R ₃ = 19185 = 0
	b) Clear near safety signs, kilometre posts and roadside furniture	Ha											6630.75 x 20 = 17.08 - 14389 = 0
OM402	Tree and Shrub Management	Ha											
	Other activities												
OM500 Signage and Road Safety													
OM501	Signs Maintenance	No											2.947 km x 28 / 100 = 0.8107 = 0
OM502	Guard stones	Link											1.90 x 20 = 16 = 0.34 km x 20 = 0
OM503	Distance stones	No											2.947 km x 28 / 100 = 0.8107 = 0
OM504	Road markings	No											
	Other activities <i>Plants, trees</i>	Link											147.80 km x 28 / 100 = 0.41196 = 0

Affix 451.12 + 17 (1000) R-361719 = 0
 Date R-408742 = 0
 Time R-2248 = 0
 Place R-406494 = 0

(Signature of Contractor/ Authorized representative)

Note:- Enclose photographs with this report.

[Handwritten signature]

Name of Contractor -AJAY KUMAR
Name of Road-GOPLAPUR - DEWBAHUARA

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI,mm/km	TEGORY ROAD	Latitude ongitude	Event
7/4/22	12: 45: 0	17	0.1	280	20.2	2800	2533 G		25.94671 84.77572	Normal
7/4/22	12: 45: 31	17	0.1	310	10.1	3100	2778 G		25.94603 84.77641	Normal
7/4/22	12: 45: 31	17	0.1	390	10.5	3900	3431 G		25.94562 84.77707	Normal
7/4/22	12: 46: 6	17	0.1	350	10.1	3500	3104 G		25.94526 84.778	Normal
7/4/22	12: 46: 6	17	0.1	290	20.2	2900	2615 G		25.9449 84.7784	Normal
7/4/22	12: 46: 42	17	0.1	320	20.2	3200	2860 G		25.94446 84.77899	Normal
7/4/22	12: 47: 0	17	0.1	390	10.1	3900	3431 G		25.94407 84.77953	Normal
7/4/22	12: 47: 17	17	0.1	370	20.2	3700	3268 G		25.94395 84.78005	Normal
7/4/22	12: 47: 17	17	0.1	270	20.2	2700	2452 G		25.94489 84.78027	Curve
7/4/22	12: 48: 0	17	0.1	290	20.2	2900	2615 G		25.94571 84.78042	Curve
7/4/22	12: 48: 0	17	0.1	330	20.2	3300	2941 G		25.94558 84.78106	Normal
7/4/22	12: 48: 0	17	0.1	230	20.2	2300	2125 G		25.94531 84.782	Normal
7/4/22	12: 48: 27	17	0.1	250	20.2	2500	2288 G		25.94513 84.78295	Normal
7/4/22	12: 56: 5	17	0.1	280	20.2	2800	2533 G		25.92305 84.78919	Normal
7/4/22	12: 56: 40	17	0.1	350	20.2	3500	3104 G		25.92244 84.7888	Normal
7/4/22	12: 57: 0	17	0.1	360	20.2	3600	3186 G		25.92185 84.788	Normal
7/4/22	12: 57: 16	17	0.1	260	20.2	2600	2370 G		25.92137 84.7881	Normal
7/4/22	12: 57: 16	17	0.1	360	20.2	3600	3186 G		25.92075 84.78786	Normal
7/4/22	12: 57: 16	17	0.1	310	10.1	3100	2778 G		25.91989 84.78763	Normal
7/4/22	12: 57: 51	17	0.1	280	20.2	2800	2533 G		25.91906 84.78759	Normal
7/4/22	12: 58: 0	17	0.1	310	20.2	3100	2778 G		25.91831 84.78798	Normal
7/4/22	12: 58: 0	17	0.1	370	30.3	3700	3268 G		25.91732 84.78832	Normal
7/4/22	12: 58: 26	17	0.1	280	20.2	2800	2533 G		25.91617 84.78854	Normal
7/4/22	12: 58: 26	17	0.1	330	10.1	3300	2941 G		25.91514 84.78852	Normal
7/4/22	12: 58: 26	17	0.1	260	20.2	2600	2370 G		25.91433 84.78827	Normal
7/4/22	12: 59: 2	17	0.1	290	30.3	2900	2615 G		25.91367 84.78793	Normal
7/4/22	12: 59: 2	17	0.1	390	20.2	3900	3431 G		25.91243 84.78747	Normal
7/4/22	12: 59: 37	17	0.1	350	10.1	3500	3104 G		25.91193 84.78658	Normal
7/4/22	12: 59: 37	17	0.1	380	20.2	3800	3349 G		25.91212 84.78582	Normal
7/4/22	13: 0: 0	17	0.1	280	20.2	2800	2533 G		25.91214 84.7852	Normal
7/4/22	13: 0: 12	17	0.1	330	20.2	3300	2941 G		25.91113 84.78488	Normal
7/4/22	13: 0: 12	17	0.1	390	10.1	3900	3431 G		25.91077 84.78451	Normal
7/4/22	13: 0: 12	17	0.1	350	20.2	3500	3104 G		25.91075 84.78377	Normal
7/4/22	13: 0: 47	17	0.1	290	20.2	2900	2615 G		25.90994 84.78362	Normal
7/4/22	13: 1: 0	17	0.1	380	10.1	3800	3349 G		25.90921 84.7834	Normal

$Y = 0 * X^2 + 0.816 * X + 249$

$X = 0$

$Y = 249$

(R) RURAL ROAD

Good Average Poor

<4000 4001-5000>5001

7/4/22	13: 1: 0	17	0.1	360	10.1	3600	3186 G	25.90836	84.78316	Normal
7/4/22	13: 1: 23	17	0.1	330	20.2	3300	2941 G	25.90729	84.78288	Normal
7/4/22	13: 1: 23	17	0.1	250	10.1	2500	2288 G	25.90642	84.78266	Normal
7/4/22	13: 2: 0	17	0.1	290	20.2	2900	2615 G	25.90559	84.78253	Normal
7/4/22	13: 2: 0	17	0.1	250	20.2	2500	2288 G	25.90526	84.78298	Normal
7/4/22	13: 3: 8	17	0.1	300	20.2	3000	2696 G	25.90437	84.78399	Normal
7/4/22	13: 3: 44	17	0.1	330	10.1	3300	2941 G	25.90359	84.78404	Normal
7/4/22	13: 4: 19	17	0.1	340	20.2	3400	3023 G	25.90276	84.78354	Normal
7/4/22	13: 5: 30	17	0.1	300	20.2	3000	2696 G	25.90074	84.78382	Normal
7/4/22	13: 5: 30	17	0.1	300	10.1	3000	2696 G	25.9004	84.78365	Normal
7/4/22	13: 5: 30	17	0.1	350	10.1	3500	3104 G	25.90014	84.78357	Normal
7/4/22	13: 6: 0	17	0.1	290	20.2	2900	2615 G	25.9	84.78374	Normal
7/4/22	13: 7: 15	17	0.1	250	20.2	2500	2288 G	25.89832	84.78286	Normal
7/4/22	13: 7: 51	17	0.1	260	20.2	2600	2370 G	25.89744	84.78279	Normal
7/4/22	13: 28: 0	17	0.1	260	20.2	2600	2370 G	25.94025	84.78182	Normal
7/4/22	13: 28: 26	17	0.015	270	20.2	2700	2452 G	25.94031	84.7812	Normal
7/4/22	13: 28: 26	17	0.1	280	20.2	2800	2533 G	25.94127	84.78079	Normal
7/4/22	13: 29: 1	17	0.1	260	20.2	2600	2370 G	25.94169	84.78059	Normal
7/4/22	13: 29: 36	17	0.1	290	20.2	2900	2615 G	25.94318	84.77943	Normal
7/4/22	13: 30: 0	17	0.1	320	20.2	3200	2860 G	25.94361	84.77897	Normal
7/4/22	13: 30: 47	17	0.1	280	20.2	2800	2533 G	25.94486	84.77766	Normal
7/4/22	13: 31: 22	17	0.1	240	20.2	2400	2207 G	25.94573	84.77626	Normal
7/4/22	13: 31: 22	17	0.1	230	20.2	2300	2125 G	25.94602	84.77551	Normal
7/4/22	13: 31: 22	17	0.1	330	30.3	3300	2941 G	25.94601	84.77525	Normal
Length							Average IRI	2766.88		
5.815										