

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
4th and 5th					
Name of work:-					
Const ⁿ of road					
from Kamota Bazar					
Rajanki to Pakanadiya.					
Agg ^y :-					
Agg ^y NDL-72507/20-21					
Date of start-20.7.20					
Completion dt-28.4.21					
Length-950m.					
P.C.C-475m					
B.T-475m					

① $\frac{6}{7}$ Const ⁿ of subgrade					
and earthwork					
Shoulder-5% in flexible road.					
$2 \times 475 \times 0.75 \times 100 = 92.63$					
$2 \times 475 \times 1.125 \times 0.75 = 80.16$					
$T = 172.79$ m ³					
②					
in rigid road.					
$2 \times 475 \times 0.625 \times 0.75 = 44.53$					
$2 \times 475 \times 0.625 \times 100 = 95.0$					
$T = 139.53$ m ³					
③					
APP A+B = 312.32 m ³					

Continuation

P-T-D

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
②/10	pave. Cont 1-9/10				
	and applying pvc				
	Cont into bitumen				
	emulsion SS- ESI				
	4	25.0	3.75		$= 375.0$
	8	25.0	3.75		$= 750.0$
C	3	25.0	4.15+3.75		$= 296.25$
	3	25.0	3.75		$= 281.25$
A	1	25.0	7.0+3.75		$= 134.375$
9148m ²					$T = 1836.875$
128m ²					
	lt to 1816.88m ²				

(3)/11 Tack Cont 1 -

p/v. applying tack
Cont with bituminous
emulsion RS- ESI
1816.88 m² qty. item no - (2)/10
P.N - 22

④/12 p/v. laying and
rolling of 100 gms.
pavement surfacing
— ESI
1816.88 m² qty. item no - (3)/11
P.N - 22

(5)/14 p/v. laying
and concrete pipe
300mm dia. — ESI
10.10 m

Continuation

P.T.O

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(6)/15 13 or 14 ft 8 1/2 in					
					517
10 Nos.					
(7)/16 K.M. Stone					
					517
2 Nos.					
(8)/17 200m Stone					
					517
4 Nos.					
(9)/18 600mm equilateral triangle					
					517
2 Nos.					
(10)/19 600mm Circular					
					517
2 Nos.					
(11)/20 plotting of the					
Three by the hand					
side.					
48 Nos.					
(12)/21 600mm x 450mm					
Rectangular					517
1.00 Nos.					
(13)/22 p/r and direction					
direction and place					
identification.					
2 Nos.					

Continuation

P.T.O

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(14)/23 Road marking					
with hot-applied thermoplastic					
—				EPJ	
2 x 250.0 x 100 = 190.00					
(15)/24 P/V and fixing					
lego. B project					
—				EPJ	
1 NO.					
(16)/25 Maint'd board					
—				EPJ	
1 NO.					
(17)/26 Citizen information					
board —				EPJ	
1 NO.					
(18)/27 B/H in C.M (123)					
in plaster					
—				EPJ	
2 x 6.0 x 40 x 60 = 2.88					
(19)/28 P.C.C. m2					
2 x 6.0 = 12.00					
(20)/29 C.P. in C.M (124)					
—				EPJ	
4 x 6.0 x 60 = 14.40					
2 x 6.0 x 40 = 4.80					
4 x 40 x 60 = 9.60					

T = 204.6

m²

Continuation

P-T-0

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(21) 5 ⁴ Const. 72 cent. mark.					
meat — — — — — EPI					
AK for 920 ft.					
SL NO 05 Area 1100 sq ft volume					
1	0	1.840	—	—	—
2	50	2.136	1.988	50	99.400
3	100	2.674	2.405	50	120.250
4	150	2.138	2.406	50	120.300
5	200	2.183	2.311	50	115.505
6	250	2.202	2.343	50	117.125
7	300	2.708	2.455	50	122.750
8	350	2.045	2.377	50	118.825
9	400	2.044	2.142	50	107.225
10	450	1.766	2.006	50	100.300
11	500	2.206	1.986	50	99.300
12	550	1.805	2.006	50	100.225
13	600	1.727	1.766	50	88.300
14	650	1.588	1.658	50	82.825
15	700	1.888	1.738	50	86.900
16	750	1.385	1.637	50	81.825
17	800	1.998	1.692	50	84.525
18	850	1.750	1.874	50	93.700
19	900	2.012	1.881	50	94.050
20	950	1.830	1.921	50	96.050
Adj. 8 E/M-1929.600					m ³
LN for cast					
G.C.B. — — — — —					303.690

Continuation

P.T.O

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
G.C.C	—				290.700
W.B.M G.III	—				272.540
					(-) 866.93 m
Earth	—				(+) 774.0 m
Net area					288.67 m
Add the qty. n.d					
D.N - 12 + 013	—				(+) 774.0 m
					T = 1062.67 m
					(+) 10800.0 m
					for 1000 m used

750.00 m³
for 1000 L/d
50.00 m³

Anil Kumar
20/03/2021
AE

~~AE~~
30.11.21
AE

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
ABSTRACT DELETED					
V.T.M.B.P 17027					
①/1 setting out the					
pillar ——— E/I					
0.250 Km ² P.N-17					
② 6014.40/Km ²					
————— 0.5714/-					
②/2 clearing and					
grubbing good					
land ——— E/I					
0.380 Km ² P.N-17					
③ 51133.76/Km ²					
————— 0.19431/-					
③/3 BOR-CUTTING					
————— E/I					
85.50m ³ P.N-17					
④ 126.24/m ³					
————— 0.10.794/-					
④/4 Cost of 8 embank					
ment ——— E/I					
for 100m L-4					
750.0m ³ P.N-26					
⑤ 184.30/m ³ 0.138,225/-					
for 100m L-4					
50.0m ³ P.N-26					
⑥ 88.36/m ³ 0.4418/-					
T-0.1.78,582/-					

Continuation

P-T-0

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
					B.F. 1,78,582/-
(5)/8 Const'g of Eucalyptus and Caesalpinia					
Shoulder — E.P.I					
312.32 m ² P.N-21					
① 2210.88/m ²					
					865,862/-
(6)/8 Const'g of G.S.B					
by P.V. well graded materials —					
					E.P.I
303.69 m ² P.N-18					
① 3141.6					
3414.6/m ²					
					10,36,846/-
(7)/9 W.B.M. G40:-					
P.V. Laying					
spreading and compacting					
					E.P.I
272.54 m ² P.N-18					
① 84149.33/m ²					
					11,30,858/-
(8)/10 Prime Coat:- P.V					
applying prime coat					
					E.P.I
1816.88 m ² P.N-22					
① 245.27/m ²					
					82,250/-

Continuation

T-2494,398/-

P.T 0

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
					B.F. 24,94,398/
(9)/11 Tack Coat 1-P/V					
applying tack					
Coat with bituminous					
emulsion RS-5P					
1816.88 m ² P.N-22					
① 15.57/m ²					
					28,289/
(10)/12 P/V, laying and					
finishing of 25 coarse					
graded premix					
EP 1					
1816.88 m ² P.N-22					
① 246.18/m ²					
					4,47,289/
(11)/13 Coat 28 coat					
conc paved					
1730 — EP 1					
290.70 m ² P.N-18					
① 7741.48/m ²					
					22,50,448/
(12)/14 Cement conc.					
pipe 300mm					
— EP 1					
10.10 m P.N-22					
① 836.89/m					
					8369/

Continuation

T-052,28,784

= 0

P.T.O

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
					BF 0.52.28.784/-
(13)/15 Boundary pillar					— E/L
10.00 N.O. D.N-23					
(13)/15 @ 0.509.00/N					— 0.5090/-
(14)/16 K.M. stone					— E/L
2 N.O. D.N-23					
(14)/16 @ 0.2250.32/N					— 0.4501/-
(15)/17 200m stone					— E/L
400.00 D.N-23					
(15)/17 @ 0.629.57/N					— 0.2518/-
(16)/18 60mm eqm/stone					— E/L
2 N.O. D.N-23					
(16)/18 @ 0.3582.12/N					— 0.7164/-
(17)/19 60mm L's line					— E/L
2 N.O. D.N-23					
(17)/19 @ 0.4740.23/N					— 0.9480/-
(18)/20 Ditching & Thresh					
481 N.O. D.N-23					
(18)/20 @ 0.822.76/N					— 0.39,468/-

Continuation

T-052,97005/-

P.F.O

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
					B.F. 5297.005/
(19)/21		610 mm	450 mm		
		rectangle			
	1 No.	D.N-23			
					204643.72/N
					4643/
(20)/22		D/R and erecting			
		direction and place			
		identification			
	2 No.	D.N-23			
					2010425.53/N
					20851/
(21)/23		Road marking			
		with hot applied			
		thermoplastic			
		E.P.T			
	190.42 m ²	D.N-24			
					20735.44/m ²
					139734/
(22)/24		D/R and fixing			
		Logo 3 project			
	1 No.	D.N-24			
					209390.07/N
					9390/
(23)/25		Nameplate board			
	1 No.	D.N-24			
					209390.07/N
					9390/
(24)/26		City 2022 information			
	1 No.	D.N-24			
					209390.07/N
					9390/

Continuation

T-054, 90, 403/

D.T-0

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
					B.F. 254,70,405/
(25)/27 B.F. 17 C. 14					
(123) —					E.P.
2-88m ² D. 11-24					
(96538.91/m²)					18,832/
(26)/28 B.F. 17 C. 14					
—					E.P.
12.00m D. 11-24					
(19418.63/m²)					5024/
(27)/29 C.P. 10 C. 14					
—					E.P.
20.16m ² D. 11-24					
(12166.04/m²)					3347/
					T-155,17,606/
LN 16.25/4 m ²					
S.O.R —					(8,96,611/
					T-146,20,995/
Add 12% G.S.T					(5,54,379/
Add 1% Labour LN 146,209/					(50,000/
Add signature 46,000/					(50,000/
					T-152,67,723/

Continuation

P.Fo

Continuation