

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग कार्य प्रमंडल झंझारपुर।

पत्रांक...1261350

दिनांक...18/08/2022

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, झंझारपुर ।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी -सह- सचिव,
बिहार ग्रामीण पथ विकास अभिकरण,
ग्रामीण कार्य विभाग,
बिहार, पटना ।

विषय:-

शीर्ष MR 3054 (NEW MAINTENANCE POLICY - 2018) में आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में कहना है शीर्ष MR 3054 (NEW MAINTENANCE POLICY - 2018) अन्तर्गत पथ में संलग्न विवरणी के अनुसार आवंटन उपलब्ध कराने की कृपा की जाय ताक संवेदक का भुगतान किया जा सके।

अनु0-

1. अधियाचना प्रमाण पत्र 1 पृष्ठ में ।
2. उपयोगिता प्रमाण पत्र एक प्रति ।
3. मापी पुस्त की छायाप्रति ।

विश्वासभाजन


18/8/22
कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, झंझारपुर।

FORM GFR 19-A

(See Government of India's Decision (I) below Rule-150)
Form of Utilisation Certificate Upto the month of Aug. 2022

New Maintenance policy - 2018

PIU – Executive Engineer, R.W.D (W) Division, Jhanjhapur.

SL. No	Name of Scheme	Sanction No. & Date with Amount (In Rs. lacs)	Amount Received (In Rs. lacs)	Particulars
1	Construction of Rural roads under New maintenance policy - 2018	Authorisation letter No. 03 anu, Dt. 08.06.2022	834.68303	Certified that out of 834.68303 lac received during the years up to 2022-23 in favour of Ex. Engineer, RWD (W) Division Jhanjhapur, Madhubani, Bihar, a sum of Rs. 834.68303 has been utilized for the purpose of New maintenance policy -2018 (MR3054) heme as given in the margin for which the balance of Rs 0.00000 Lac remaining unutilized at the end of the period under.


2. Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.


Kind of Checks exercised :-

- Works have been supervised by Executive Engineer/Superintending Engineer.
- Periodical inspection has been conducted by Executive Engineer/Superintending Engineer.
- Construction materials have been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/Executive Engineer.
- All other codal formalities have been observed.

3. Physical Progress achieved :-

- Construction of Road Works.
- Construction of CD Works.


 18/8/22
 Sr. D.A.O.
 R.W.D (W) Division
 Jhanjhapur


 18/8/22
 Executive Engineer
 R.W.D (W) Division
 Jhanjhapur

Requisition Formate for Scheme Head - MR 3054 under Bihar Rural Road Maintenance policy - 2018 (In Rectification and surface Renewal)

Name of Division :- Rural works Department, Works Division, Jhanjharpur

Sl No.	Package No.	Name of road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (in lac)		Agreement No. & date	Date of completion as per Agreement	Actual date of completion	value of IRI (in km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in %	Previous Total Allocated Amount (in lac)	Up to date Expenditure as per MIS (in lac)	Requisition Against work done (in lac)	Remarks
					Length (in km)	Amount (in lac)	Initial Rectification on with Surface Renewal (in lac)	5 Years Routine Maintenance (in lac)										
1	MR-N/20-21/JHANIHARPUR/01	Aranya nandani path.	31909804002	Lt. No.-2852 Dt. 24.08.2020	5.751	215.67	147.96355	46.67995	18 MBD/2020-21 Dt. 13.11.2021	12.08.2022	11.08.2022	3631.70	25 mm	5.09	0.00	0.00	147.94231	
Total																		147.94231

Sr. DDO
R.W.D/W.D.W. Jhanjharpur.

Executive Engineer
R.W.D/W.D.W. Jhanjharpur.

Asariya to Naniyauti (11R/11)
Schedule XLV-Form No. 134

Executive Engineer
Rural Works Department
Works Division, Jhargharpur

DIVISION

JHARGHARPUR **SUB-DIVISION**
3146

MEASUREMENT BOOK

Kanhaiya Jha

Name to work—

Situation of work—

Agency by which work is executed—

Date of measurement—

No. and date of agreement.

(These four lines should be repeated at the commencement of the measurements relating to each work.)

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Bill No - 1st on A/c bill					
Name of work :- Repair of road					
from Asaria to					
Naniyauti					
Agency :- Sri Kanhaiya Jha vill + PO					
Asaria Sangram P.S. Thaxipukur					
Dist - Madhubani					
Ag't No :- 18 MRD/2021-22					
Date of start :- 13.11.21					
Date of completion - 10.08.22					
Date of entry :- 11.05.22					
work done					
① cut in excavation in					
foundr - - - - -					
Rec Culvert					
1.5x1.5m	2x	2x	7.60	2.133x	1.60 = 103.75m ³
2 Nos	2x	4x	1.767	1.92x	1.60 = 43.43 "
	2x	1x	6.20	0.10x	0.25 = 0.31 "

Executive Engineer
Rural Works Department
Works Division, Jhansi Harpur

Stone	40 mm	49.522 m ³ @ 494.15 ₹	24471=00
	20 mm	49.522 m ³ @ 604.91 ₹	29956=00
	10 mm	24.76 m ³ @ 668.80 ₹	16559=00
Sand		61.90 m ³ @ 175.80 ₹	10882=00
Sand		1.68 m ³ @ 141.85 ₹	238=00
Soil		1285.68 m ³ @ 34.81 ₹	44755=00
		Pervious material	6992697=00
			₹ 1119558=00

11.8.22	57
---------	----

Executive Engineer
Rural Works Department
2. Division, Maniharpur


				Name of work		Arariya naniauti path									
				Name of Customer		Kanhaiya Jha									
				(R) Rural Road											
				Good		Average		Poor							
				<4000		4001-5000		>5000							
Date	Time	Test No	Distance(meter)	TotalDistance(meter)	BUMP(cm)	Speed(Km/Hr)	UI(mm/Km)	Corrected UI(mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks
17-08-2022	14 19 44	9	100	100	21.0 cm	4.3 Km/Hr	2100.0 mm/Km	2267.5	3.138	Good	26.3024556	N	86.3543279	E	Normal
17-08-2022	14 19 59	9	100	200	28.0 cm	22.8 Km/Hr	2800.0 mm/Km	2937.4	3.954	Good	26.3024142	N	86.3521449	E	Normal
17-08-2022	14 20 14	9	100	300	24.0 cm	24.7 Km/Hr	2400.0 mm/Km	2554.6	3.49	Good	26.3024142	N	86.3526971	E	Normal
17-08-2022	14 20 27	9	100	400	25.0 cm	27.0 Km/Hr	2500.0 mm/Km	2650.3	3.607	Good	26.3021254	N	86.3654127	E	Normal
17-08-2022	14 20 41	9	100	500	27.0 cm	25.7 Km/Hr	2700.0 mm/Km	2841.7	3.838	Good	26.3024354	N	86.3698755	E	Normal
17-08-2022	14 20 56	9	100	600	28.0 cm	24.7 Km/Hr	2800.0 mm/Km	2937.4	3.954	Good	26.3024954	N	86.3521478	E	Normal
17-08-2022	14 21 12	9	100	700	23.0 cm	22.0 Km/Hr	2300.0 mm/Km	2458.9	3.373	Good	26.3021254	N	86.3543259	E	Normal
17-08-2022	14 21 27	9	100	800	24.0 cm	15.4 Km/Hr	2400.0 mm/Km	2554.6	3.49	Good	26.3021258	N	86.3524632	E	Normal
17-08-2022	14 21 41	9	100	900	28.0 cm	32.0 Km/Hr	2800.0 mm/Km	2937.4	3.954	Good	26.3023259	N	86.3549872	E	Normal
17-08-2022	14 21 56	9	100	1000	27.0 cm	38.1 Km/Hr	2700.0 mm/Km	2841.7	3.838	Good	26.3024985	N	86.3543212	E	Normal
17-08-2022	14 22 06	9	100	1100	24.0 cm	37.8 Km/Hr	2400.0 mm/Km	2554.6	3.49	Good	26.3024365	N	86.3612548	E	Normal
17-08-2022	14 22 16	9	100	1200	23.0 cm	35.6 Km/Hr	2300.0 mm/Km	2458.9	3.373	Good	26.3024745	N	86.3543697	E	Normal
17-08-2022	14 22 25	9	100	1300	28.0 cm	38.7 Km/Hr	2800.0 mm/Km	2937.4	3.954	Good	26.3021254	N	86.3543965	E	Normal
17-08-2022	14 22 34	9	100	1400	26.0 cm	40.6 Km/Hr	2600.0 mm/Km	2746	3.723	Good	26.3029638	N	86.3561478	E	Normal
17-08-2022	14 22 43	9	100	1500	27.0 cm	38.7 Km/Hr	2700.0 mm/Km	2841.7	3.838	Good	26.3027412	N	86.3546971	E	Normal
17-08-2022	14 22 53	9	100	1600	24.0 cm	36.7 Km/Hr	2400.0 mm/Km	2554.6	3.49	Good	26.3027418	N	86.3546298	E	Normal
17-08-2022	14 23 03	9	100	1700	23.0 cm	37.4 Km/Hr	2300.0 mm/Km	2458.9	3.373	Good	26.3024785	N	86.3546971	E	Normal
17-08-2022	14 23 12	9	100	1800	25.0 cm	39.2 Km/Hr	2500.0 mm/Km	2650.3	3.607	Good	26.3022154	N	86.3652148	E	Normal
17-08-2022	14 23 21	9	100	1900	27.0 cm	38.2 Km/Hr	2700.0 mm/Km	2841.7	3.838	Good	26.3028745	N	86.3546292	E	Normal
17-08-2022	14 23 31	9	100	2000	26.0 cm	38.5 Km/Hr	2600.0 mm/Km	2746	3.723	Good	26.3029635	N	86.3612458	E	Normal
17-08-2022	14 23 40	9	100	2100	24.0 cm	37.8 Km/Hr	2400.0 mm/Km	2554.6	3.49	Good	26.3028965	N	86.3652478	E	Normal
17-08-2022	14 23 49	9	100	2200	27.0 cm	40.5 Km/Hr	2700.0 mm/Km	2841.7	3.838	Good	26.3028921	N	86.3562485	E	Normal
17-08-2022	14 23 58	9	100	2300	26.0 cm	40.6 Km/Hr	2600.0 mm/Km	2746	3.723	Good	26.3027459	N	86.3596548	E	Normal
17-08-2022	14 24 07	9	100	2400	28.0 cm	39.1 Km/Hr	2800.0 mm/Km	2937.4	3.954	Good	26.3024526	N	86.3541169	E	Normal
17-08-2022	14 24 16	9	100	2500	26.0 cm	38.8 Km/Hr	2600.0 mm/Km	2746	3.723	Good	26.3027459	N	86.3542698	E	Normal
17-08-2022	14 24 25	9	100	2600	24.0 cm	39.1 Km/Hr	2400.0 mm/Km	2554.6	3.49	Good	26.3022556	N	86.3542693	E	Normal
17-08-2022	14 24 38	9	100	2700	28.0 cm	29.8 Km/Hr	2800.0 mm/Km	2937.4	3.954	Good	26.3028457	N	86.3546987	E	Normal
17-08-2022	14 24 52	9	100	2800	25.0 cm	26.7 Km/Hr	2500.0 mm/Km	2650.3	3.607	Good	26.3024125	N	86.3543698	E	Normal
17-08-2022	14 25 04	9	100	2900	23.0 cm	29.4 Km/Hr	2300.0 mm/Km	2458.9	3.373	Good	26.3029635	N	86.3542698	E	Normal
17-08-2022	14 25 16	9	100	3000	22.0 cm	30.6 Km/Hr	2200.0 mm/Km	2363.2	3.256	Good	26.3029524	N	86.3541972	E	Normal
17-08-2022	14 25 27	9	100	3100	24.0 cm	31.6 Km/Hr	2400.0 mm/Km	2554.6	3.49	Good	26.3024963	N	86.3544152	E	Normal
17-08-2022	14 25 39	9	100	3200	20.0 cm	30.9 Km/Hr	2000.0 mm/Km	2171.8	3.019	Good	26.3024987	N	86.3544126	E	Normal
17-08-2022	14 25 51	9	100	3300	24.0 cm	30.0 Km/Hr	2400.0 mm/Km	2554.6	3.49	Good	26.3024965	N	86.3544963	E	Normal
17-08-2022	14 26 29	9	100	3400	26.0 cm	9.9 Km/Hr	2600.0 mm/Km	2746	3.723	Good	26.3024965	N	86.3545126	E	Normal
17-08-2022	14 26 47	9	100	3500	23.0 cm	19.0 Km/Hr	2300.0 mm/Km	2458.9	3.373	Good	26.3024745	N	86.3545113	E	Normal
17-08-2022	14 27 10	9	100	3600	27.0 cm	16.0 Km/Hr	2700.0 mm/Km	2841.7	3.838	Good	26.3029685	N	86.3545111	E	Normal
17-08-2022	14 27 27	9	100	3700	26.0 cm	21.0 Km/Hr	2600.0 mm/Km	2746	3.723	Good	26.3021354	N	86.3545192	E	Normal
17-08-2022	14 28 07	9	100	3800	28.0 cm	9.2 Km/Hr	2800.0 mm/Km	2937.4	3.954	Good	26.3024559	N	86.3543115	E	Normal
17-08-2022	14 28 14	9	100	3900	22.0 cm	4.3 Km/Hr	2200.0 mm/Km	2363.2	3.256	Good	26.3024128	N	86.3543625	E	Normal
17-08-2022	14 29 39	9	100	4000	28.0 cm	22.8 Km/Hr	2800.0 mm/Km	2937.4	3.954	Good	26.3029638	N	86.3546215	E	Normal
17-08-2022	14 29 54	9	100	4100	26.0 cm	24.7 Km/Hr	2600.0 mm/Km	2746	3.723	Good	26.3024741	N	86.3642158	E	Normal
17-08-2022	14 30 27	9	100	4200	24.0 cm	27.0 Km/Hr	2400.0 mm/Km	2554.6	3.49	Good	26.3012385	N	86.3644258	E	Normal
17-08-2022	14 30 41	9	100	4300	28.0 cm	25.7 Km/Hr	2800.0 mm/Km	2937.4	3.954	Good	26.3014528	N	86.3644587	E	Normal
17-08-2022	14 30 56	9	100	4400	22.0 cm	24.7 Km/Hr	2200.0 mm/Km	2363.2	3.256	Good	26.3096358	N	86.3645478	E	Normal
17-08-2022	14 31 12	9	100	4500	27.0 cm	22.0 Km/Hr	2700.0 mm/Km	2841.7	3.838	Good	26.3024258	N	86.3644978	E	Normal

17-08-2022	14:31:36	9	100	4600	26.0 cm	15.4 Km/Hr	2600.0 mm/Km	2746	3.723	Good	26.3021398	N	86.3654879	E	Normal
17-08-2022	14:32:47	9	100	4700	23.0 cm	32.0 Km/Hr	2300.0 mm/Km	2458.9	3.373	Good	26.3021289	N	86.3644558	E	Normal
17-08-2022	14:33:56	9	100	4800	26.0 cm	38.1 Km/Hr	2600.0 mm/Km	2746	3.723	Good	26.3023698	N	86.3647892	E	Normal
17-08-2022	14:34:06	9	100	4900	25.0 cm	37.8 Km/Hr	2500.0 mm/Km	2650.3	3.607	Good	26.3012587	N	86.3647852	E	Normal
17-08-2022	14:34:16	9	100	5000	27.0 cm	35.6 Km/Hr	2700.0 mm/Km	2841.7	3.838	Good	26.3021258	N	86.3647963	E	Normal
17-08-2022	14:34:55	9	100	5100	23.0 cm	38.7 Km/Hr	2300.0 mm/Km	2458.9	3.373	Good	26.3021239	N	86.3649527	E	Normal
17-08-2022	14:35:14	9	100	5200	28.0 cm	40.6 Km/Hr	2800.0 mm/Km	2937.4	3.954	Good	26.3023697	N	86.3647921	E	Normal
17-08-2022	14:35:43	9	100	5300	27.0 cm	38.7 Km/Hr	2700.0 mm/Km	2841.7	3.838	Good	26.3021259	N	86.3645289	E	Normal
17-08-2022	14:36:13	9	100	5400	24.0 cm	36.7 Km/Hr	2400.0 mm/Km	2554.6	3.49	Good	26.3023652	N	86.3647215	E	Normal
17-08-2022	14:36:53	9	100	5500	26.0 cm	37.4 Km/Hr	2600.0 mm/Km	2746	3.723	Good	26.3027921	N	86.3649875	E	Normal
17-08-2022	14:37:12	9	100	5600	21.0 cm	39.2 Km/Hr	2100.0 mm/Km	2267.5	3.138	Good	26.3021354	N	86.3649521	E	Normal
17-08-2022	14:37:44	9	100	5700	27.0 cm	4.3 Km/Hr	2700.0 mm/Km	2841.7	3.838	Good	26.3029856	N	86.3647935	E	Normal
17-08-2022	14:37:59	9	100	5800	24.0 cm	22.8 Km/Hr	2400.0 mm/Km	2554.6	3.49	Good	26.3021365	N	86.3647963	E	Normal
Average:-								2671.75	3.6317						

18/8/22
J.E.

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
झंडारपुर


Name of Customer: Kanhaiya Jha , Machine no: 19198 , Road: Arariya naniauti Path , Date: 17-08-22 , Section No: 9 , Equation: $Y=1.0216 X + 165.9$



18/8/22

2036
18/8/22
कार्यपालक अभियंता
ग्रामीण कार्य विभाग
झंझारपुर

Name of Customer: Kanhaiya Jha , Machine no: 19198 , Road: Arariya naniauti Path , Date: 17-08-22 , Section No: 9 , Equation: $Y=1.0216 X + 165.9$



18/8/22
JE.

2536
18/8/22
कार्यपालक अभियंता
ग्रामीण कार्य विभाग
इंफ़ारपुर