

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल खड़गपुर-तारापुर

मो0-8986915854

ई मेल - ee.kh.tarapur.rwd2@gmail.com

पत्रांक 1461.अनु० / खड़गपुर-तारापुर,
प्रेषक,

दिनांक 24 / 09 / 2022

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, खड़गपुर-तारापुर।

सेवा में,

नोडल पदाधिकारी,
“नई अनुरक्षण नीति 2018” (3054-MR)
ग्रामीण कार्य विभाग, बिहार पटना।

विषय :- शीर्ष MR(3054) “नई अनुरक्षण नीति 2018” योजनान्तर्गत पथ के निर्माण में
संवेदक के विपत्र भुगतान हेतु राशि की अधियाचना के सम्बन्ध में।

महाशय,

उपर्युक्त विषय के संबंध में सूचित करना है कि शीर्ष MR(3054) “नई अनुरक्षण
नीति 2018” योजनान्तर्गत पथ:-


1. P.W.D. Sangrampur Main Road to Janardhandih Via Ropa More
2. Construction of Road From Ratetha Panchayat ke Village Rathani Naresh Yadav ke House se via Bablu jha, Pankaj Kumar and Binod Pathak ke ghar Hote hun Muzaffarganj Hatiya tak

का Surface कार्य पूर्ण हो चुका है। इस कार्य के भुगतान हेतु आवंटन की अधियाचना
विहित प्रपत्र में भर कर की जाती है।

अतः अनुरोध है कि आवंटन उपलब्ध कराने की कृपा की जाय।

अनु०:-यथोक्त।

विश्वासभाजन



कार्यपालक अभियंता

ग्रामीण कार्य विभाग

कार्य प्रमंडल खड़गपुर-तारापुर


24/9

Office Of The Executive Engineer
Rural Works Department
Works Division, Kharragpur-Tarapur

Requisition Format for Scheme Head - MR(3054) under Bihar Rural Road Maintenance Policy - 2020 (Initial Rectification and Surface Renewal)

Sl. No.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval(AA) Letter No. & Date	Administrative		Agreement Amount		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/Km)	Thickness of Bitumen Layer in mm	Value of Bitumen content in Percentage	Previous Total Allotted Amount (in Lakh)	Up-to-date Expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (in Km)	Amount (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance (in Lakh)										
1	MR-N19-20 KHAARAGPUR-TARAPUR	Construction of Road From Ratetha Panchayat ke Village Ratetha Narresh Yadav ke House se via Babu gha, Parkaj Kumar and Binod Pathak ke ghar Hotel hun Muzaffargaraj Hatya tak	20803803033	3457 21.09.2020	5.000	313.950	267.699	35.21628	10MBD/2021-22 03.12.2021	02.08.2022		3369.04	Thickness of PCC Layer in 160 mm	-	0.000000	0.000000	267.699853	Surface Complete
1	MR-N19-20 KHAARAGPUR-TARAPUR	P.W.D Sangrampur Main Road To Jamarhandin via Rupa more	20803707054	6454 13.12.2019	1.700	50.51400	57.59238	14.45578	01MBD/2020-21 26.06.2020	25.03.2021 Revised Date- 09.10.2022		3228.94	SDBC-25mm	SDBC-5	0.000000	0.000000	57.59238	Surface Complete

N

Quanta
22/09/22
Divisional Account Officer
Rural Works Department
Works Division Kharragpur-Tarapur

Prakash
24/09/2022
Executive Engineer
Rural Works Department
Works Division Kharragpur-Tarapur


EXECUTIVE ENGINEER, WORK DEPARTMENT, WORKS DIVISION, KHARAGPUR-TARAPUR, (MUNGER)


FORM GFR19 A

(See Government Of India'S Decesion (1) Below Rule 150)
 (Form Of Utilization Certificate up To The Month Of Up To 23.09.2022)
 (MR New Maintanance Policy-2018)

	Name Of Scheme/Purpose	Sanctioned with Date	Sanctioned Amounts(In Lacs-Rs.)	Amount Recived(IN Rs. Lacs)	Particulars
1	Construction of Rural Road & Maintanace under MR New Maintanance Policy-2018	Ltr No-49 WE. Dt -27.04.2022	4452.15769	4452.15769	Certified that Out of Rs.4452.15769 lakh received up to date In Favour Of Executive Engineer , RWD, Kharagpur-Tarapur Sum of Rs. 4410.98915 lakh has been utilized for the purpose of M New Maintanance Policy-2018 schem as given in the margin for which it was sanctioned and that the balance Of Rs. 41.16854 lakh remaining unutilized amount at the end of the period under

- 2 Certified that I have satisfied myself that the condition on which the grants in aid was sanctioned have been duly fulfilled /are being fulfilled And that I have exercised the checks to see that the money was actually utilized for which it was sanctioned.


 24/09/22
 Divisional Accounts Officer
 R.W.D. (W) Div, Kharagpur-Tarapur (Munger)


 24/09/2022
 Executive Engineer
 R.W.D. (W) Div, Kharagpur-Tarapur
 (Munger)

Name of work

Construction of Road From Rateiha Panchayat ke village
Rathani Naresh Yadav ke House se via Bablu jha , Pankaj
Kumar and Binod Pathak ke ghar Hote hun Muzaffarganj Hatiya
tak

Name of customer : M/S ASHOK KUMAR SINGH

(R) Rural Road

Date	Time	Test No	Distance(m)	Total Distance(m)	Good		Average		Poor			Direction	Longitude	Direction1	Remarks
					BUMP(cm)	Speed(Km/Hr)	Ull(mm/Km)	Corrected Ull (mm/Km)	IRI	Status	Latitude				
20/09/22	15:49:10	12	100	100	35.0 cm	1.2 Km/Hr	3500.0 mm/Km	3616	4.76	Good	25.1460905	N	86.5909357	E	Normal
20/09/22	15:49:26	12	100	200	32.0 cm	22.5 Km/Hr	3200.0 mm/Km	3328	4.42	Good	25.1458673	N	86.5908060	E	Normal
20/09/22	15:49:42	12	100	300	34.0 cm	22.2 Km/Hr	3400.0 mm/Km	3520	4.65	Good	25.1458673	N	86.5908060	E	Normal
20/09/22	15:50:08	12	100	400	36.0 cm	13.5 Km/Hr	3600.0 mm/Km	3713	4.87	Good	25.1458673	N	86.5908060	E	Normal
20/09/22	15:50:35	12	100	500	30.0 cm	13.2 Km/Hr	3000.0 mm/Km	3132	4.19	Good	25.1458673	N	86.5908060	E	Normal
20/09/22	15:50:52	12	100	600	28.0 cm	21.0 Km/Hr	2800.0 mm/Km	2938	3.95	Good	25.1458673	N	86.5908060	E	Normal
20/09/22	15:51:15	12	100	700	32.0 cm	15.2 Km/Hr	3200.0 mm/Km	3326	4.42	Good	25.1420794	N	86.5880518	E	Normal
20/09/22	15:51:37	12	100	800	38.0 cm	16.8 Km/Hr	3800.0 mm/Km	3907	5.1	Good	25.1410360	N	86.5892878	E	Normal
20/09/22	15:51:54	12	100	900	30.0 cm	20.4 Km/Hr	3000.0 mm/Km	3132	4.19	Good	25.1401815	N	86.5891962	E	Normal
20/09/22	15:52:21	12	100	1000	37.0 cm	13.4 Km/Hr	3700.0 mm/Km	3810	4.99	Good	25.1401815	N	86.5891962	E	Normal
20/09/22	15:52:41	12	100	1100	34.0 cm	18.9 Km/Hr	3400.0 mm/Km	3520	4.65	Good	25.1401815	N	86.5891962	E	Normal
20/09/22	15:52:57	12	100	1200	33.0 cm	20.9 Km/Hr	3300.0 mm/Km	3423	4.53	Good	25.1401815	N	86.5891962	E	Normal
20/09/22	15:53:17	12	100	1300	35.0 cm	17.6 Km/Hr	3500.0 mm/Km	3616	4.76	Good	25.1401815	N	86.5891962	E	Normal
20/09/22	15:53:32	12	100	1400	31.0 cm	24.5 Km/Hr	3100.0 mm/Km	3229	4.3	Good	25.1401815	N	86.5891962	E	Normal
20/09/22	15:53:50	12	100	1500	34.0 cm	20.2 Km/Hr	3400.0 mm/Km	3520	4.65	Good	25.1401815	N	86.5891962	E	Normal
20/09/22	15:54:05	12	100	1600	29.0 cm	23.4 Km/Hr	2900.0 mm/Km	3035	4.07	Good	25.1401815	N	86.5891962	E	Normal
20/09/22	15:54:23	12	100	1700	31.0 cm	21.4 Km/Hr	3100.0 mm/Km	3229	4.3	Good	25.1401815	N	86.5891962	E	Normal
20/09/22	15:54:47	12	100	1800	32.0 cm	15.3 Km/Hr	3200.0 mm/Km	3326	4.42	Good	25.1401815	N	86.5891962	E	Normal
20/09/22	15:55:11	12	100	1900	34.0 cm	13.3 Km/Hr	3400.0 mm/Km	3520	4.65	Good	25.1401815	N	86.5891962	E	Normal
20/09/22	15:55:29	12	100	2000	37.0 cm	21.4 Km/Hr	3700.0 mm/Km	3810	4.99	Good	25.1401815	N	86.5891962	E	Normal
20/09/22	15:55:45	12	100	2100	32.0 cm	22.2 Km/Hr	3200.0 mm/Km	3326	4.42	Good	25.1401815	N	86.5891962	E	Normal

680
24/924/9/22
24/9/22f.k.m
24/9/22
24/9/2224/09/2022
EP

Name of work	: Construction of Road From Katerina Panchayat to village Rathani Naresh Yadav ke House se via Bablu jha , Pankaj Kumar and Binod Pathak ke ghar Hote hun Muzaffarganj Hatiya tak
---------------------	---

Name of customer :	M/S ASHOK KUMAR SINGH
--------------------	-----------------------

(R) Rural Road

					Good			Average			Poor				
		12	100	2200	29.0 cm	19.4 Km/Hr	2900.0 mm/Km	3035	4.07	Good	25.1401815	N	86.5891962	E	Normal
20/09/22	15:56:03	12	100	2300	32.0 cm	24.0 Km/Hr	3200.0 mm/Km	3326	4.42	Good	25.1401815	N	86.5891962	E	Normal
20/09/22	15:56:18	12	100	2400	28.0 cm	23.4 Km/Hr	2800.0 mm/Km	2938	3.95	Good	25.1401815	N	86.5891962	E	Normal
20/09/22	15:56:33	12	100	2500	26.0 cm	22.2 Km/Hr	2600.0 mm/Km	2744	3.72	Good	25.1401815	N	86.5891962	E	Normal
20/09/22	15:56:50	12	100	2600	32.0 cm	2.8 Km/Hr	3200.0 mm/Km	3326	4.42	Good	25.1365576	N	86.5793924	E	Normal
20/09/22	15:59:08	12	100	2700	34.0 cm	17.4 Km/Hr	3400.0 mm/Km	3520	4.65	Good	25.1365576	N	86.5793924	E	Normal
20/09/22	15:59:29	12	100	2800	28.0 cm	13.9 Km/Hr	2800.0 mm/Km	2938	3.95	Good	25.1375627	N	86.5804682	E	Normal
20/09/22	15:59:55	12	100	2900	34.0 cm	13.4 Km/Hr	3400.0 mm/Km	3520	4.65	Good	25.1388388	N	86.5812998	E	Normal
20/09/22	16:00:21	12	100	3000	33.0 cm	23.8 Km/Hr	3300.0 mm/Km	3423	4.53	Good	25.1388388	N	86.5812998	E	Normal
20/09/22	16:00:36	12	100	3100	27.0 cm	19.2 Km/Hr	2700.0 mm/Km	2841	3.84	Good	25.1400442	N	86.5832224	E	Normal
20/09/22	16:00:55	12	100	3200	32.0 cm	14.5 Km/Hr	3200.0 mm/Km	3326	4.42	Good	25.1407881	N	86.5840998	E	Normal
20/09/22	16:01:21	12	100	3300	38.0 cm	13.9 Km/Hr	3800.0 mm/Km	3907	5.1	Good	25.1406012	N	86.5845575	E	Normal
20/09/22	16:01:46	12	100	3400	33.0 cm	16.3 Km/Hr	3300.0 mm/Km	3423	4.53	Good	25.1398897	N	86.5856485	E	Normal
20/09/22	16:02:08	12	100	3500	29.0 cm	19.6 Km/Hr	2900.0 mm/Km	3035	4.07	Good	25.1397390	N	86.5862818	E	Normal
20/09/22	16:02:26	12	100	3600	27.0 cm	20.9 Km/Hr	2700.0 mm/Km	2841	3.84	Good	25.1395388	N	86.5875635	E	Normal
20/09/22	16:02:43	12	100	3700	36.0 cm	1.7 Km/Hr	3600.0 mm/Km	3713	4.87	Good	25.1418715	N	86.5880213	E	Normal
20/09/22	16:06:21	12	100	3800	34.0 cm	16.5 Km/Hr	3400.0 mm/Km	3520	4.65	Good	25.1420126	N	86.5876169	E	Normal
20/09/22	16:06:43	12	100	3900	31.0 cm	12.0 Km/Hr	3100.0 mm/Km	3229	4.3	Good	25.1425543	N	86.5861673	E	Normal
20/09/22	16:07:13	12	100	4000	35.0 cm	11.4 Km/Hr	3500.0 mm/Km	3616	4.76	Good	25.1433897	N	86.5860987	E	Normal
20/09/22	16:07:44	12	100	4100	29.0 cm	18.1 Km/Hr	2900.0 mm/Km	3035	4.07	Good	25.1433897	N	86.5860987	E	Normal
20/09/22	16:08:03	12	100	4200	37.0 cm	13.9 Km/Hr	3700.0 mm/Km	3810	4.99	Good	25.1433897	N	86.5860987	E	Normal
20/09/22	16:08:30	12	100	4300	35.0 cm	16.3 Km/Hr	3500.0 mm/Km	3616	4.76	Good	25.1433897	N	86.5860987	E	Normal

24/09/2022
EE.

~~22.9.52
22.9.52
22.9.52~~

20/11/23

২৭/১১

Name of work :

Construction of Road From Ratetha Panchayat ke village Rathani Naresh Yadav ke House se via Bablu jha , Parkaj Kumar and Binod Pathak ke ghar Hote hun Muzaffargari Hathiya tak

Name of customer : M/S ASHOK KUMAR SINGH

(R)Rural Road

						Good		Average			Poor					
20/09/22	16:13:22	12	100	4400	33.0 cm	1.3 Km/Hr	3300.0 mm/Km	3423	4.53	Good	25.1433897	N	86.5860987	E	Normal	
20/09/22	16:13:41	12	100	4500	30.0 cm	18.0 Km/Hr	3000.0 mm/Km	3132	4.19	Good	25.1355300	N	86.5879200	E	Normal	
20/09/22	16:14:52	12	100	4600	32.0 cm	18.0 Km/Hr	3200.0 mm/Km	3326	4.42	Good	25.1355300	N	86.5871700	E	Normal	
20/09/22	16:14:59	12	100	4700	28.0 cm	18.0 Km/Hr	2800.0 mm/Km	2938	3.95	Good	25.1356000	N	86.5862800	E	Normal	
20/09/22	16:15:00	12	100	4800	30.0 cm	18.0 Km/Hr	3000.0 mm/Km	3132	4.19	Good	25.1353900	N	86.5855800	E	Normal	
20/09/22	16:15:30	12	100	4900	35.0 cm	18.0 Km/Hr	3500.0 mm/Km	3616	4.76	Good	25.1353300	N	86.5845100	E	Normal	
20/09/22	16:15:55	12	100	5000	31.0 cm	18.0 Km/Hr	3100.0 mm/Km	3229	4.3	Good	25.1353300	N	86.5845100	E	Normal	

Average VT-3369.64


Average UT-3369.04

Signature
24/9/22
30

Signature
24/9/22
EE.

Signature
24/9/22
30

no: 19213 . Road: Construction of Road From Ratetha Panchayat ke village Rathani Naresb Yadav ke House se via Bablu jha . Panraj Kumar and Binod Pathak ke ghar Hote hun Muzaffarganj Hathiya tak . Date



[Signature]
24/09/2022
RE.

[Signature]
24/09/2022

[Signature]
24/09/22
28

[Signature]
24/9