

बिहार BIHAR

AGREEMENT (Supplementary)

भुजीत

चनो आगे मस्याम नायोग्य प्रोचेत्र सीतकः

2 3 OEC Supplementary Agreement No :-

55 (S) MBD / 2021-22

Dated-15.06.2020

Primary Agreement No

55 MBD/2021-22

:- Construction of Road With 5 Year maintenance of Package No-MR-N/2019-20 Belsand/05 Revised Supplementary Agreement Under MR-3054 Scheme.

1. Bishanpur To Sasaula

Gharwara To Masahi

Name of Agency

Ashok Kumar Singh Ward No-04, Shanti Nagar Dumra, Sitamarhi.

Date of Start

Date of Completion

E.M. Deposit

This Agreement Made on J. M. Feb. 2022 between Executive Engineer, Rural Work Department, Works Division, Belsand of the one part and Ashok Kumar Singh, Ward No-04, shanti Nagar, Dumra, Sitamarhi. Whereas the Employer is desirous that the contractor execute the Works under M/R 3054 Scheme.

Achor Rymer Sigl

Executive Engineer
R. W. D. Works Division

Relsand

Construction of Road With 5 Year maintenance Road from Package No-MR-N/2019-20 Belsand/05 Revised Supplementary Agreement Under M/R 3054 scheme And the employer has accepted the bid by The for the execution and completion of such works and remedying of any defects therein at a cost of rupees -31,86,974.00 (Thirty One Lacs Eighty Six Thousand Nine Hundred Seventy Four Only)

NOW THIS AGREEMENT WITNESSETH as follows:

1. In this Agreement, words and expression shall have the same meanings as are respectively assigned to them in the conditions of contract thereinafter referred to, and they shall be form and be read and constructed as part of this agreement.

2. In consideration of the payments to made by the Employer to the Contractor as herein after mentioned, the contractor hereby covenants with Employer to execute and complete the works and remedy any defects therein in conformity I all aspects with the

provisions of the contract.

3. The Employer hereby covenants to pay the contractor in consideration of the execution and completion of the works and the remedying the defects wherein the contract price or such other sum as may become payable under the provisions of contract at the times and in the manner prescribed by the contract.

4. The following documents shall be deemed to form and be read and

constructed as part of this agreement, viz.

- Letter of Acceptance (i)
- Notice to proceed with the works (ii)
- Contractor's Bid (iii)
- Contract Data (iv)
- Special condition of contract and general conditions of (v) contract.
- Specifications (vi)

Askok Kumar Sigh

W

- (vii) Drawings
- (viii) Bill of Quantities and
- (ix) Any other document listed in the contract Data as forming part the contract

In witness, where of the parties there to have caused this Agreement to be executed the day and year first before written.

The common seal of

Was hereunto affixed in the presence of

Signed, sealed and Delivered by the said

In the presence of

Binding signature of Employer

Binding signature of contractor. Askak ky mar Bigh

AGREEMENT

- 1. Supplementary Agreement No: 55 (S) MBD / 2021-22
- 2. Primary Agreement No: 55 MBD/2020-21

Dated-15.06.2020

3. Name of Work

:- Construction of Road With 5 Year maintenance Package No-MR-N/2019-20 Belsand /05 Revised Supplementary Agreement Under M/R 3054 Scheme.

A. "Bishanpur To Sasaula"

4. Name of Agency

:- Ashok Kumar Singh Ward No-04 Shanti Nagar Dumra, Sitamarhi

5. Primary Agreement Value :-

1,21,18,026.00 A. Construction Cost 52,46,774.00 B. Maintenance Cost :-1,73,64,800.00 Total :-

6. Deviation/ Variation Amount :-

18,15,918.00 A. Construction Cost :-16,278.00 B. Maintenance Cost :-

7. Supplementary Agreement Value :- 18,32,196.00

8. Work Allotted Rate :- (0.10 % Below)

9. Total Agreement Value :-

1,39,33,944.00 A. Construction Cost :-52,63, 056.00 B. Maintenance Cost :-1,91,97,000.00

10.Performance Security Deposit :-

11.B.G. No. / Bank

Total

- The Employer shall retain S.D. of (8 %) of the amount from each payment due to the contractor until completion of the whole of the construction work. No security deposit / retention shall be retained from the payment for routine maintenance of work.
- 13 Date of written order to commence:
- 14. Time required for the work from date of written order to commence :-

15. Total No. of Items:-

Note: MBD Rules Terms and condition will be applicable.

ASLOS Kymer Sigh Contractor

Executive Engineer
R.W.D. Works Division
Belsand

lame of	Work: =	Revised es	timate I	For Bishanur 1	To Sasaula		
lame Of	4	Suppi	- 20	100			
	No: Civil Works/				Civis is the control		1
Bidder		16		Excess (+)		%	il u
Name:	Control of the second second		性學	1300	CONTRACTOR STATE	100 4	WE
	To a state of week	No. or	Unit	Estimated Rate		- 1945	AMOUNT
SI. No.	Description of work	Qty.	3000	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Service and the service of the servi		Rs. P
1	194,17		7.00	Figure 49496.70	Words Rupees Forty Nine Thousand		55436.30
1.00	Clearing and Grubbing Road Land (By manual means) including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300mm, removals of stumps of such trees cut earlier & disposal of unserviceable materials & stacking of serviceable materials to be used or auctioned upto a lead of 1000 m including removal and disposal of top organic soil not exeeding 150mm in thickness as per technical specification clause 201.1 and direction of E/I	1.12	ha	43430.70	Four Hundred Ninety Six And Palse Seventy Only		
2.00	Construction of subgrade and earthen shoulders :-Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead	2347.80	Cum	176.75	Rupees One Hundred Seventy Six And Paise Seventy Five Only	11	414973.65
3.00	upto 1000 m as per Technical Specification Clause 303.1. Granular Sub-base with Well Graded Material (Table 400.1):- Construction of granular sub-base by providing well graded material, spreading in uniform layers with motor grader on prepared surface, mixing	298.29	Cum	2143.20	Rupees Two Thousand One Hundred Forty Three And Paise Twenty Only		639303.70
	by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401.						834501.74
4.00	WBM Grading 2 (By Mechanical Means): Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, crushable screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 2 as per Technical Specification Clause 405.	215.79	Cum	3867.14	Rupees Three Thousand Eight Hundred Sixty Seven And Palse Fourteen Only		634501.74
5.00	WBM Grading 3 (By Mechanical Means): Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405.	381.39	Cum	3570.56	Rupees Three Thousand Five Hundred Seventy And Paise Fifty Six Only		1361775.88

ASLOK Kyoner Sigl

(Ywohrs 27/1/22

Executive Engineer
R. W. D. Works Division

07/07/22

SI. No.	Description of work	No. or Qty.	Unit	The grade	Estimated Rate	64777	AMOUNT
16133	"在是"的人,由于一个特别的"这种是是对对的特别的现在分	Transfer Trans	en estimator	Figure	Words		
6.00	Prime Coat (Low porosity) :- Providing and applying primer coat with Bitumen	5085.19	Sqm	41.35	Rupees Forty One And Paise Thirty Five Only		210272.77
	emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70- 1.0 kg/sqm using mechanical means as per Technical Specification Clause 502.			-			/
	as por resumear Specification Clause 502.		100				ľ
7.00	Tack Coat: - Providing and applying tack coat with bitumen emulsion using emulsion pressure distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared granular surface tretaed with Primer and clened with hydriloc broom as per technical specification aclouse 503.	5101.69	Sqm	14.02	Rupees Fourteen And Paise Two Only		71525.75
8.00	Patch work over WBM using Mix seal	5101.69	Sqm	206.42	Rupees Two Hundred Six		053091.68
	surface With Waste Plastic for bituminous and Existing CC Pavement:- Providing, laying and rolling of close-graded premix surfacing material of 20 mm thickness composed of 11.2 mm to 0.9 mm (Type-A) or 13.2 mm to 0.9 mm (Type-B) aggregates using penetration grade bitumen		Squi		And Palse Forty Two Only		
	to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 8-10 kN static roller and finishing to required level and grades as per Technical Specification Clause 509. With waste plastic	4					
9.00	Tack Coat: Providing and applying tack coat with bitumen emulsion using emulsion pressure distributor at the rate of 0.25 to 0.30 kg per som on the prepared granular surface tretaed with Primer and clened with hydriloc broom as per technical specification aclouse 503.	20962,50	Sqm	11.76	Rupees Eleven And Paise Seventy Six Only	9.2 B	246519.00
10.00	Semi-Dense Bituminous Concrete :- Providing and laying semi dense bituminous	524.06	Cum	10336.10	Rupees Ten Thousand Three Hundred Thirty Six And Paise	5	416736.57
	concrete with 100-120 TPH batch type HMP producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bltuminous binder @ 4.5 to 5 per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment," rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRTH specification clause No. 508 complete in all respects.				Ten Only		
	respects.						
11.00	Kilometre stone: Reinforced cement concrete M15 grade kilometre local stone of standard design asper IRC:8 fixing in position including painting and printing, etc as per drawing and technical specification clause 1703. i) km Stone	7.00	nos	2336.54	Rupees Two Thousand Three Hundred Thirty Six And Paise Fifty Four Only		16355.78
12.00	ii) 200 m Stone	22.00	nos		Rupees Six Hundred Thirty Six And Palse Ninety Six		14013.12

ASLOK Rym

7/11/22

Executive Engineer

R. W. D. Works Division

Sport Belsand

03/02/22

l. o.	Description of work	No. or	Unit		Estimated Rate		Rs. P
100 4 140	The second of th	Qty.	Market Control	Figure	Words		
13.00	Direction and Place Identification signs with size more than 0.9 sqm size board: Retro-reflectorised Traffic SignsProviding and erecting direction and place identification retro-reflectorised sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3, fixed over aluminium sheeting, 2 mm thick with area exceeding 0.9 sqm supported on mild steel angle iron posts 75 mm x 75 mm	1.92	Sqm	12384.34	Rupees Twelve Thousand Three Hundred Eighty Four And Paise Thirty Four Only		23777.93
	x 6 mm, 2 Nos. firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per approved drawing and Technical Specification Clause 1701.						
		THE PARTY	建筑	3679.01	Rupees Three Thousand Six		294320.80
14.00	Retro-reflectorised Traffic Signs:- Providing and fixing of retro-reflectorised cautionary, mandatory and Informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause	80,00	nos	3679.01	Hundred Seventy Nine And Paise One Only		/
	1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801 l) 600 mm equietral & triangle						
45.00	600 mm circular	8.00	nos	3778.36	Rupees Three Thousand		30226.8
15.00	600 mm circular	-			Seven Hundred Seventy Eight And Paise Thirty Six	. 4	102178.7
16.00	600 mm x 450 mm rectangular	28.00	nos	3649.24	Rupees Three Thousand Six Hundred Forty Nine And Paise Twenty Four Only	15855	91393.2
17.00	Boundary Pillar/Gaurd Post :- Reinforced	180.00	nos	507.74	Rupees Five Hundred Seven And Paise Seventy Four Only		91393.2
	cement concrete M15 grade boundary pillars/local stone of standard design as per IRC:25, fixed in position including finishing and lettering but excluding painting as per drawing and Technical Specification Clause	(
	1704	1320.00	le tr	0.51	Rupees And Paise Fifty One		673.2
18.00	Shade :- Printing new letter and figures of	1020.00	perle		Only		_
	any shade with synthetic enamel paint black or any other approved colour to give an		cm height per				
	even shade as per drawings and Technical Specification Clause 1701		per cm h				
19.00	Planting of Trees and their Maintenance for one Year :- Planting of trees by the road	280.00	Each	800.30	Rupees Eight Hundred And Paise Thirty Only		224084.
	side (Avenue trees) in 0.60 m dia holes, 1 m deep dug in the ground, mixing the soil with decayed farm yard/sludge manure, planting the saplings, backfilling the trench, watering, fixing the tree guard and maintaining the plants for one year						
20.00	Road Marking with Hot Applied Thermoplastic: Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35 .The finished surface to be level, uniform and free from	1118.00	Sqm	735,40	Rupees Seven Hundred Thirty Five And Paise Forty Only		822177.2

ASLOK KYMN Sigh

27 11 22

Executive Angineer

B. VL. U. Voords Divisior,

Belsand

No.	Description of work	No. or	- Uni	L. Carlo	Estimated Rate	AMOUN Rs.
attigent on	The last of the configuration of the configuration of	Qty.				, KS,
21.00	Providing and Fixing "Logo" of	4.00	(1000(418)	Figure		37545.3
	Maintenance Project :- Providing and	-	nos	9386.34	Rupees Nine Thousand Three Hundred Eighty Six	
	lixing of typical MMGSY informatory sign	1 1 1 P. L.		The same	And Paise Thirty Four Only	- P. P. P.
	board with Logo as per MORD			-	Alu Paise Hinty rosi only	
Ward.	specifications and drawing. Three MS	-	-	1 1		
45	Plates of 1.6 mm thick, top and middle plate		4.	Caller S and		
Aug .	duly welded with MS flat iron 25mm x 5m					
	size on back on edges. The lower plate will					
	be welded with MS angle iron frame of	2	9-9-1			
	25mm x 25mm x 5mm. The angle iron	1 - 7 - 2	73.17			
-	frame of the lower most plate and flat iron		1		A Section of the Control of the	
- 4	frame of middle plate will be welded to 2	5 W	1			1
	nos. 75mm x 75 mm of 12 SWG sheet	1000	1.3			il .
	tubes posts duly embedded in cement	J	1			
	concrete M-15 grade blocks of 450mm x		16			
	450mm x 600mm, 600mm below ground		A.A.	TIL DAY		
	level. The top most diamond plate will be		14.9			
	welded to middle plate by 47mm x 47mm of		3 5			
	12 SWG steel plate tube. All M.S. will be			The second	Market State Waller	The second
	stove enameled on both sides. Lettering		100			
	and printing arrows, border etc. will be			A STATE OF		
	painted with ready mixed synthetic enamel					
	paint of superior quality in required shade		126			
	and colour. All sections of framed posts		100			
	and steel tube will be painted with primer		15.6	- TILL 1	The second of	
	and two coats of epoxy paint as per drawing		A STATE	100		
	Clause 1701 and Annexure 1700.1		Page 1	USAN EL	图 1	
			-	O CAST VIII.		4
				5740.47	Rupees Five Thousand	246821.90
22.00	Brick Masonary in C.M.(1:3) in parapet :-	43.20	Cum	5713.47	Seven Hundred Thirteen And	
	Brick masonry work in cement mortar 1:3 in		-	_	Paise Forty Seven Only	
	parapet excluding pointing and plastering as	-	100		r also i oligion	
	per drawing and technical specifications		1000			
	Clauses 600, 900 and 1208.4	100				7.500.00
-	11.41.	301.95	Sqm	170.76	Rupees One Hundred	51560.98
23.00	Plastering with cement mortar (1:4):-	301.00	04		Seventy And Paise Seventy	
	Plastering with cement mortar (1:4) on brick work in sub-structure as per Technical		-		Six Only	
	Specifications	878.40	Sqm	95.63	Rupees Ninety Five And	84001.3
24.00	Painting Two Coats on New Concrete	0/0.40	Sqiii	00.00	Palse Sixty Three Only	2015/2011/2011/2011
	Surfaces :- Painting two coats including					
	primer coat after filling the surface with	/		,		
	synthetic enamel paint in all shades on new,	-				į.
					L	1
	plastered / concrete surfaces as per drawing					
	and Technical Specification Clause 1701					
05.00	and Technical Specification Clause 1701	1.00	Year	327088.00		327088.0
25.00	plastered / concrete surfaces as per crawing and Technical Specification Clause 1701 Maintainance for 1st year	1.00	Year	/		
The second	and Technical Specification Clause 1701 Maintainance for 1st year	1.00	Year	327088.00 589196.00		327088.00 589196.00
25.00 26.00	and Technical Specification Clause 1701	1.00	Year	589196.00		589196.0
The second	and Technical Specification Clause 1701 Maintainance for 1st year	5 (6)	a tantani.	/		
26.00 27.00	and Technical Specification Clause 1701 Maintainance for 1st year Maintainance for 2nd year Maintainance for 3rd year	1.00	Year Year	589196.00 1434127.00		589196.00 1434127.00
26.00	and Technical Specification Clause 1701 Maintainance for 1st year Maintainance for 2nd year	1.00	Year	589196.00		589196.0
26.00 27.00 28.00	and Technical Specification Clause 1701 Maintainance for 1st year Maintainance for 2nd year Maintainance for 3rd year Maintainance for 4th year	1.00	Year Year Year	589196.00 1434127.00 703785.00		589196.00 1434127.00 703785.00
26.00 27.00 28.00	and Technical Specification Clause 1701 Maintainance for 1st year Maintainance for 2nd year Maintainance for 3rd year	1.00	Year Year	589196.00 1434127.00		589196.00 1434127.00
26.00 27.00	and Technical Specification Clause 1701 Maintainance for 1st year Maintainance for 2nd year Maintainance for 3rd year Maintainance for 4th year	1.00	Year Year Year	589196.00 1434127.00 703785.00		589196.00 1434127.00 703785.00
26.00 27.00 28.00	and Technical Specification Clause 1701 Maintainance for 1st year Maintainance for 2nd year Maintainance for 3rd year Maintainance for 4th year	1.00	Year Year Year	589196.00 1434127.00 703785.00		589196.0l 1434127.0l 703785.0l 1608040.0l
26.00 27.00 28.00	and Technical Specification Clause 1701 Maintainance for 1st year Maintainance for 2nd year Maintainance for 3rd year Maintainance for 4th year	1.00	Year Year Year	589196.00 1434127.00 703785.00		589196.00 1434127.00 703785.00
26.00 27.00 28.00	and Technical Specification Clause 1701 Maintainance for 1st year Maintainance for 2nd year Maintainance for 3rd year Maintainance for 4th year Maintainance for 5th year	1.00	Year Year Year	589196.00 1434127.00 703785.00		1,70,05,503.50
26.00 27.00 28.00	and Technical Specification Clause 1701 Maintainance for 1st year Maintainance for 2nd year Maintainance for 3rd year Maintainance for 4th year Maintainance for 5th year	1.00	Year Year Year	589196.00 1434127.00 703785.00		589196.0l 1434127.0l 703785.0l 1608040.0l
26.00 27.00 28.00	and Technical Specification Clause 1701 Maintainance for 1st year Maintainance for 2nd year Maintainance for 3rd year Maintainance for 4th year Maintainance for 5th year Total Estimated Cost in	1.00	Year Year Year	589196.00 1434127.00 703785.00		1,70,05,503.50
26.00 27.00 28.00	and Technical Specification Clause 1701 Maintainance for 1st year Maintainance for 2nd year Maintainance for 3rd year Maintainance for 4th year Maintainance for 5th year Total Estimated Cost in	1.00	Year Year Year	589196.00 1434127.00 703785.00		1,70,05,503.50
26.00 27.00 28.00	and Technical Specification Clause 1701 Maintainance for 1st year Maintainance for 2nd year Maintainance for 3rd year Maintainance for 4th year Maintainance for 5th year Total Estimated Cost in	1.00	Year Year Year	589196.00 1434127.00 703785.00	1,92,16,218.50	1,70,05,503.50

-19197,000=

Hundred Eighteen And Paise Fifty Only

Wyohrs

14/12

EE Ry Balkaccutive Engineer

R. W. D. Works Division

Relsand