



बिहार BIHAR

चक्रिया, पूर्वी चम्पारण

10 APR 2023

360 रुपये 20/04/2023 विजय कुमार जैसवाल बिहार लोक निर्माण विभाग
लॉफ़ सारिआ आता के सीमा कि 1000 वा हे ऐकीमेन्ट AS 855765

सत्यनारायण प्रसाद
मुद्राक विक्रेता, ला0 न0-71/81
अ0नि0का0 कंसायिया, पूर्वी चम्पारण

Supplementary Agreement Form

रॉड कोणार, पदसविकासी

Agreement No.12MBD-2022-23 Dated:-30 September. 2022 has been revised

This agreement, made the 30 day of September 2022, between Executive Engineer, RWD (W) Division, Chakia. of the one part, and Vijay Kumar Jaiswal (Reg.1220121), At-Kesariya, Dist-East Champaran, Bihar, Mob.

No.9801127989 Whereas the Employer is desirous that the Contractor execute Construction of Road & CD Works with Maintenance, Group No.- MR-N/22-23 Chakia/08 के अधीन 1. NH28 Giri Tola se RajaRam Tak एवं 2. Vankat PMGSY Path to Bathna Ahiyapur. Road under New Maint. Policy-2018 MR (3054) and thereafter undertake routine maintenance for five years; and the Employer has accepted the Bid by the Contractor for the execution and completion of such Works and the remedying of any defects and routine maintenance therein at a Total Cost of Rs. [(Previous Agreement Value=25147942.00+ 1323369.00 (Balance Agreement Value)) = Total Revised Agreement Value Rs.26471311=00 Rupees-(Two core sixty four lakh seventy one thousand three hundred eleven) only.

NOW THIS REVISED AGREEMENT WITNESSETH as follows:-

1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to, and they shall be deemed to form and be read and construed as part of this Agreement.
2. In Consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all aspects with the provisions of the Contract and undertaking routine maintenance for five years.

Vijay Kumar Jaiswal

Executive Engineer
R.W.D. Works Div. Chakia

Revised Abstract of BOQ for Package No.- MR-N/22-23 CHAKIA/08
Rural Works Department, Works Division, Chakia.

Sl. No.	Name of Road	Block	Length (K.M)	Cost of BOQ on 12 % (In Rs.)		Total Cost of on 12 % (In Rs)	Cost of BOQ on 18 % (In Rs.)		Total Cost of on 18 % (In Rs)
				Cost.	Maint.		Cost.	Maint.	
1	2	3	4	5	6	7	8	9	10
1	NH25 Giri Tola se RajaRam Tak	Chakia	2.155	9721831	2110284	11832114	10232427	2222164.5 -2866491-	13098918- 12454591
2	Vankat PMGSY Path to Bathna Ahiyapur	Chakia	2.476	10964575	2351253	13315828	11540803	2475917	14016720
Total			4.631	20686406	4461536	25147942	21773229	5342409	27115638

21773229 4698081 226471311 02

Executive Engineer
Rural Works Department
Works Division, Chakia.

Revised B.O.B. (Due to increase in G.S.T.
from 12% to 18%) is approved for
Rs. 26471311.00 (Rupees Two crore -
sixty four lakh seventy one thousand -
three hundred eleven) only. followed the
instructions as per letter NO. 671 dt 23.03.2021
of RRDA for further action.

Superintending Engineer
Rural Works Department
Works Circle, Motihari.

Executive Engineer
R.W.D. Works Div., Chakia

Superintending Engineer
Rural Works Department
Works Circle, Motihari

Vijay Kumar Jaiswal

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमण्डल चकिया, पूर्वी चम्पारण।

पत्रांक: 418/318/चकिया, दिनांक: 16/03/2023

प्रेषक

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, चकिया।

रोवा मे,

अधीक्षण अभियंता,
ग्रामीण कार्य विभाग,
कार्य अंचल, मोतिहारी।

विषय

शीर्ष MR (3054) नई अनुरक्षण नीति-2018 के तहत पथों के पुनरीक्षित परिमाण विपत्र अनुमोदन हेतु समर्पित की जा रही है।

महाशय,

उपर्युक्त विषयक के आलोक में कहना है कि इस प्रमण्डल के अधीन शीर्ष MR (3054) नई अनुरक्षण नीति-2018 के तहत निम्नलिखित पथों में GST में हुई बढ़ोतरी के अनुरूप पुनरीक्षित परिमाण विपत्र 12% से बढ़कर 18% करते हुए भवदीय से अनुमोदन हेतु समर्पित की जा रही है।

क्र.सं.	पथ का नाम/पैकेज संख्या	निर्माण की राशि (रु० में)	अनुरक्षण की राशि (रु० में)	कुल राशि (रु० में)
1-	MR-N/22-23 Chakia-/08 / RM/EA/CHA/22/0013	21773229.00 21773230.00	5342409.00 4698081.00	27115638.00 26471311.00

अनु०-1. परिमाण विपत्र दो प्रति में।

विश्वसभाजन,

Vijay Kumar Saini

Sd/-
Executive Engineer
R.W.D. Works Div., Chakia

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, चकिया।

16/03/23

Name of Road:-NH28 Gini Tola se RajaRam Tak

PACKAGE NO.-MR-N22-23 Chakia-108

Length of the Road :- 2.155 K.M

Block :- Chakia, District :- East Champaran

Block :- Chakia, District :- East Champaran													
Sl. No.	Item Description	As Per Sanctioned Estimate / BOQ on 12 % GST				As Per Sanctioned Estimate / BOQ on 18 % GST				Difference		% (+/-) Amount	Remarks
		Units	Quantity	Estimated Rate	Total Amount Without Taxes	Quantity	Estimated Rate	Total Amount Without Taxes	Quantity	Amount			
1	2	3	4	5	6	7	8	9	10	11	12	13	
	NH28 Girt Tola se RajaRam Tak												
	Cleaning and grubbing road land including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300 mm, removal of stumps of such trees cut earlier and disposal of unserviceable materials and stacking of serviceable material to be used or auctioned, upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150 mm in thickness as per Technical Specification Clause 201.	Ha	0.431	59726.130	25741.96203	0.431	59726.130	25741.96203	0.00	0.00	0.00%		
1	Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead up to 1000m as per Technical Specification clause	Cum	905.100	254.040	229931.604	905.100	254.040	229931.604	0.00	0.00	0.00%		
2	Construction of granular sub-base by providing well graded material, spreading in uniform layers with tractor mounted grader arrangement on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401.	Cum	47.560	2752.650	130916.034	47.560	2752.650	130916.034	0.00	0.00	0.00%		
3	(By mix in place method) For Grading II Material Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405.	Cum	45.970	5376.150	247141.6155	45.970	5376.150	247141.6155	0.00	0.00	0.00%		
4	WBM Grading 2 (By Mechanical Means) Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405.	cum	119.310	5150.320	614484.6792	119.310	5150.320	614484.6792	0.00	0.00	0.00%		
5	WBM Grading 3 (By Mechanical Means)												

Vijay Kumar Singh

Executive Engineer
R.W.D. Works Div., Chakia

		1590.800	59.200	94175.35	1590.800	59.200	94175.35	1590.800	59.200	94175.35	0.00	0.00	0.00%
6	Providing and applying primer coat with Bitumen emulsion on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per Technical Specification Clause 502.	Sqm	1590.800	59.200	94175.35	1590.800	59.200	94175.35	1590.800	59.200	94175.35	0.00	0.00%
7	Providing and applying tack coat with bitumen emulsion using emulsion pressure distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared granular surface treated with Primer and sealed with hydrioc broom as per technical specification clause 503.	Sqm	7290.988	20.150	146913.4082	7290.988	20.150	146913.4082	7290.988	20.150	146913.4082	0.00	0.00%
7	Providing, laying and rolling of close-graded premix surfacing material of 20 mm thickness composed of 11.2 mm to 0.9 mm (Type-A) or 13.2 mm to 0.9 mm (Type B) aggregates using penetration grade bitumen to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 8-10 kN static roller and finishing to required level and grades as per Technical Specification Clause 509.	Sqm	1590.800	257.190	409137.852	1590.800	257.190	409137.852	1590.800	257.190	409137.852	0.00	0.00%
8	Providing and laying semi dense bituminous concrete with 100-120 TPH batch type HMP producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 4.5 to 5 per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRTH specification clause No. 508 complete in all respects.	cum	142.500	13925.100	1984326.75	142.500	13925.100	1984326.75	142.500	13925.100	1984326.75	0.00	0.00%
9	Construction of un-reinforced plain cement thickness as per design, over a prepared sub base with 43 grade cement or any other type as per clause 1501.2.2 M 30 grade coarse and fine aggregate maximum size of aggregate not exceeding 25mm, mixed in a concrete of not less than 0.2cum capacity and approved fixed side formwork (steel channel laying and fixing of 125 micron thick plythene film, wedges, steel plates including levelling the formwork as per drawing) spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slab for 14 days curing compound (where specified) and water finishing to lines and grade as per drawing and Technical specification clause 1501.	Cum	393.900	8325.470	3279402.633	393.900	8325.470	3279402.633	393.900	8325.470	3279402.633	0.00	0.00%
10	Reinforced cement concrete M15 grade kilometre local stone of standard design as per IRC-8 fixing in position including painting and printing, etc as per drawing and technical specification clause 1703.	No.	3.000	2952.300	8855.9	3.000	2952.300	8855.9	3.000	2952.300	8855.9	0.00	0.00%
11	Reinforced cement concrete M15 grade kilometre local stone of standard design as per IRC-8 fixing in position including painting and printing, etc as per drawing and technical specification clause 1703.	No.	8.000	821.070	6568.56	8.000	821.070	6568.56	8.000	821.070	6568.56	0.00	0.00%
12	Reinforced cement concrete M15 grade kilometre local stone of standard design as per IRC-8 fixing in position including painting and printing, etc as per drawing and technical specification clause 1703.	No.	8.000	821.070	6568.56	8.000	821.070	6568.56	8.000	821.070	6568.56	0.00	0.00%

Executive Engineer
R.W.D. Works Div., Chakla

Vijay Kumar Chakla



13	1) 600 mm equilateral & triangle, Providing and fixing of retro-reflectors cautionary, mandatory and informational sign as per IRC-67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801	Nos	8,000	4248.380	33987.04	8,000	4248.380	33987.04	0.00	0.00	0.00%
	2) 600 mm equilateral & triangle, Providing and fixing of retro-reflectors cautionary, mandatory and informational sign as per IRC-67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801	Nos	4,000	5512.970	22051.88	4,000	5512.970	22051.88	0.00	0.00	0.00%
14	1) 600 mm circular Providing and fixing of retro-reflectors cautionary, mandatory and informational sign as per IRC-67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801	Nos	2,000	5383.520	10767.04	2,000	5383.520	10767.04	0.00	0.00	0.00%
15	1) 600 mm rectangular Providing and fixing of retro-reflectors cautionary, mandatory and informational sign as per IRC-67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801	Nos	32,000	619.150	19812.8	32,000	619.150	19812.8	0.00	0.00	0.00%
16	1) 600 mm rectangular Providing and fixing of retro-reflectors cautionary, mandatory and informational sign as per IRC-67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801	Each	75,000	1079.330	80949.75	75,000	1079.330	80949.75	0.00	0.00	0.00%
17	1) 600 mm rectangular Providing and fixing of retro-reflectors cautionary, mandatory and informational sign as per IRC-67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801	Sqm	301,000	823.740	247945.74	301,000	823.740	247945.74	0.00	0.00	0.00%
18	1) 600 mm rectangular Providing and fixing of retro-reflectors cautionary, mandatory and informational sign as per IRC-67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801	Sqm	8,000	823.740	6589.92	8,000	823.740	6589.92	0.00	0.00	0.00%
19	1) 600 mm rectangular Providing and fixing of retro-reflectors cautionary, mandatory and informational sign as per IRC-67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801	Sqm	8,000	823.740	6589.92	8,000	823.740	6589.92	0.00	0.00	0.00%

Executive Engineer
R.W.D. Works Div., Chakia

Vijay Kumar Subudh

Particulars and drawing reference	Sqm	130.000	916.610	119185.3	130.000	916.610	119185.3	130.000	916.610	119185.3	0.00	0.00%
20 At Edge for CC Portion Providing and fixing of typical MMGSY informatory sign board with Logo as per MORD specifications and drawing. Three MS plates of 16 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5mm size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos. 75mm x 75 mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 450mm x 450mm x 500mm, 600mm below ground level. The top most diamond plate will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1	No.	3.000	12721.250	38163.75	3.000	12721.250	38163.75	3.000	12721.250	38163.75	0.00	0.00%
21 Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of slumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material	Cum	78.030	336.860	26285.1858	78.030	336.860	26285.1858	78.030	336.860	26285.1858	0.00	0.00%
22 Brick Flat Soling Laying brick soling layer on prepared sub-grade with brick on lines, graded and cross-section shown on the drawing filling joints with sand and earth as per Technical specifications Clause 412	Cum	48.770	318.320	15524.4664	48.770	318.320	15524.4664	48.770	318.320	15524.4664	0.00	0.00%
23 Providing concrete for plain/reinforced concrete (M-10) in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203	Cum	10.730	7580.330	81336.9409	10.730	7580.330	81336.9409	10.730	7580.330	81336.9409	0.00	0.00%
24 Brick masonry work in cement mortar in foundation complete (excluding pointing and plastering as per drawing and technical specifications clauses 600, 1202 & 1203)	Cum	49.540	6238.580	309059.2532	49.540	6238.580	309059.2532	49.540	6238.580	309059.2532	0.00	0.00%
25 Brick masonry work in cement mortar in substructure complete (excluding pointing and plastering, as per drawing and technical specifications clauses 602, 603, 604, 1202 & 1204)	Cum	17.730	6510.370	115428.8601	17.730	6510.370	115428.8601	17.730	6510.370	115428.8601	0.00	0.00%
26 Plain/reinforced cement concrete in substructure complete as per drawings and technical specification clauses 602, 603, 604, 1202 & 1204	Cum	4.860	8109.380	39411.5868	4.860	8109.380	39411.5868	4.860	8109.380	39411.5868	0.00	0.00%
27 Providing & Laying reinforced cement concrete in superstructure as per drawing and technical specifications clauses 800, 1205.4 and 1205.5	Cum	3.310	9122.860	30196.6666	3.310	9122.860	30196.6666	3.310	9122.860	30196.6666	0.00	0.00%
28 Supplying, fitting, and placing HYSD bar reinforcement in superstructure complete as per drawing and technical specifications Clauses 1002, 1010 and 1202	MT	0.650	87956.910	57171.9915	0.650	87956.910	57171.9915	0.650	87956.910	57171.9915	0.00	0.00%
29 Brick masonry work in cement mortar 1:3 in parapet excluding pointing and plastering as per drawing and technical specifications Clauses 600, 900 and 1208.4 Brick Masonry in 30 c.m. (1:3) in parapet	cum	3.890	6453.550	25104.3095	3.890	6453.550	25104.3095	3.890	6453.550	25104.3095	0.00	0.00%

Executive Engineer
R.W.D. Works Div., Chakia

Vijay Kumar (Signature)

Sl. No.	Description of Work	Unit	Qty	Rate	Amount	84.300	108.330	34068.2808	851.920	34068.2808	0.00	0.00%
31	Backfilling with cement mortar (1:4) as per drawings & technical specification clause 1204.3.6	Cum	39.990	851.920	34068.2808	39.990	851.920	34068.2808	0.00	0.00	0.00	0.00%
32	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(N):20(H) towards drawing face complete as per drawing and technical specification clauses 33.616.709.1204.3.7	No	32.000	141.780	4536.96	32.000	141.780	4536.96	141.780	4536.96	0.00	0.00%
33	Drainage spouts complete as per drawing and technical specifications clause 1209	No	2.000	540.010	1080.02	2.000	540.010	1080.02	540.010	1080.02	0.00	0.00%
34	Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades or new plastered / concrete surface as per drawing and technical specification clause 1701	sqm	40.320	114.730	4625.9136	40.320	114.730	4625.9136	114.730	4625.9136	0.00	0.00%
35	Total Construction Amount Excluding All Taxes				8517600.232			8517600.232		8517600.232	0.00	0.00%
	GST @ 12% / 18% on Total Construction Cost				1022112.028			1022112.028		1533168.042	0.00	50.00%
	Labour Cess @ 1% on Total Construction Cost				85176.002			85176.002		85176.002	0.00	0.00%
	Add Seigniorage Fee				105700.000			105700.000		105700.000	0.00	0.00%
	Total Construction Amount Including All Taxes				9730588.262			9730588.262		10241644.28	0.00	5.25%
	Less 0.09% Below as Per Agreement (-)				8757.529436			8757.529436		9217.479849	0.00	0.00%
A	Total Construction Cost				9721830.733			9721830.733		10232426.8	0.00	0.00%
	1st year Maintenance Cost	Year	1.000	70145.00	70145.00	1.000	70145.00	70145.00	114709.00	114709.00	0.00	0.00%
	2nd year Maintenance Cost	Year	1.000	169244.00	169244.00	1.000	169244.00	169244.00	285973.00	285973.00	0.00	0.00%
	3rd year Maintenance Cost	Year	1.000	689572.00	689572.00	1.000	689572.00	689572.00	759067.00	759067.00	0.00	0.00%
	4th year Maintenance Cost	Year	1.000	224292.00	224292.00	1.000	224292.00	224292.00	380375.00	380375.00	0.00	0.00%
	5th year Maintenance Cost	Year	1.000	733105.00	733105.00	1.000	733105.00	733105.00	868173.00	868173.00	0.00	0.00%
	Total Maintenance Amount Excluding All Taxes				1866358.00			1866358.00	1866358.00	2408297.00	0.00	0.00%
	GST @ 12% / 18% on Total Maintenance Cost				223952.96			223952.96	223952.96	24082.96	0.00	50.00%
	Labour Cess @ 1% on Total Maintenance Cost				18663.58			18663.58	18663.58	24082.96	0.00	0.00%
	Add Seigniorage Fee				3200.00			3200.00	3200.00	3200.00	0.00	0.00%
	Total Maintenance Amount Including All Taxes				2112184.54			2112184.54	2112184.54	2869073.43	0.00	5.30%
	Less 0.09% Below as Per Agreement (-)				1900.966086			1900.966086	1900.966086	2582.66087	0.00	0.00%
B	Total Maintenance Cost				2110283.57			2110283.57	2110283.57	2866591.26	0.00	0.00%
	COST OF PROJECT IN Rs. (A+B) =				11832114.31			11832114.31	11832114.31	13098918.06	0.00	5.28%

12454591.00

Executive Engineer
R.W.D. Works Div., Chakia

Vijay Kumar Singh

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमदल, चकिया

13	13 i) 600 mm equilateral & triangle, Providing and fixing of retro-reflectors cautionary, mandatory and informative sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post	Nos	12,000	4228.630	50743.56	12,000	4228.630	50743.56	0.00	0.00	0.00%
13 ii) 600 mm circular	Providing and fixing of retro-reflectors cautionary, mandatory and informative sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post	Nos	2,000	5493.220	10986.44	2,000	5493.220	10986.44	0.00	0.00	0.00%
14	14 i) 600 mm circular Providing and fixing of retro-reflectors cautionary, mandatory and informative sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post	Nos	4,000	5363.770	21455.08	4,000	5363.770	21455.08	0.00	0.00	0.00%
15	15 iii) 600 mm x 450 mm rectangular, Reinforced cement concrete M15 grade boundary pillars/local stone of standard design as per IRC:25, fixed in position including finishing and lettering but excluding painting as per drawing and Technical Specification Clause 1704	Nos	37,000	615.720	22781.64	37,000	615.720	22781.64	0.00	0.00	0.00%
16	16 Planting of trees by the road side (Avenue trees) in 0.60 m dia holes, 1 m deep dug in the ground, mixing the soil with decayed farm yard/sludge manure, planting the saplings, backfilling the trench, watering, fixing the tree guard and maintaining the plants for one	Each	80,000	1079.330	86346.4	80,000	1079.330	86346.4	0.00	0.00	0.00%
17	17 Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35. The finished surface to be level, uniform and free from streaks and holes.	sqm	318,200	823.740	262937.808	319,200	823.740	262937.808	0.00	0.00	0.00%
18	18 At Edge for BT Portion Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35. The finished surface to be level, uniform and free from streaks and holes.	sqm	8,000	823.740	6589.92	8,000	823.740	6589.92	0.00	0.00	0.00%

Executive Engineer
R.W.D. Works Div., Chakia

17 May 2024

Providing and laying of not against non-ferrous compound 2.5 mm thick including reflecting glass beads @ 250 gms per sqm area thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC 35 The finished surface to be level uniform and free from streaks and holes		176.000	916.810	161350.56	176.000	916.810	161350.56	0.00	0.00	0.00%
20 At Edge for CC Portion										
Providing and fixing of typical MMSY informative sign board with Logo as per MORD specifications and drawing Three MS Plates of 16 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos 75mm x 75 mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 450mm x 450mm x 600mm, 600mm below ground level. The top most diamond plate will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enameled on both sides Lettering and printing arrows, border etc will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure										
21 1700 1										
Total Construction Amount Excluding All Taxes										
GST @ 12% / 18% on Total Construction Cost										
Labour Cess @ 1% on Total Construction Cost										
Add Seigniorage Fee										
Total Construction Amount Including All Taxes										
Less 0.09% Below as Per Agreement (-)										
A Total Construction Cost										
1st year Maintenance Cost		Year	1,000	68636.00	1,000	68636.00	1,000	68636.00	0.00	0.00%
2nd year Maintenance Cost		Year	1,000	173629.00	1,000	173629.00	1,000	173629.00	0.00	0.00%
3rd year Maintenance Cost		Year	1,000	770044.00	1,000	770044.00	1,000	770044.00	0.00	0.00%
4th year Maintenance Cost		Year	1,000	230925.00	1,000	230925.00	1,000	230925.00	0.00	0.00%
5th year Maintenance Cost		Year	1,000	836385.00	1,000	836385.00	1,000	836385.00	0.00	0.00%
Total Maintenance Amount Excluding All Taxes										
GST @ 12% / 18% on Total Maintenance Cost										
Labour Cess @ 1% on Total Maintenance Cost										
Add Seigniorage Fee										
Total Maintenance Amount Including All Taxes										
Less 0.09% Below as Per Agreement (-)										
B Total Maintenance Cost										
COST OF PROJECT IN Rs. (A+B) =										

Executive Engineer
R.W.D. Works Div., Chakia

Vijay Kumar Jaiswal

26/06/2024

प्रमाणित प्रमाण पत्र
कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमंडल प्रमाण

बिहार सरकार
ग्रामीण कार्य विभाग

पत्रांक :- BRRDA(HQ)-43/2023 - 761

पटना/दिनांक :- 23/3/2023

प्रेषक,

संजय दूबे (Personal)

विशेष सचिव, ग्रामीण कार्य विभाग

-सह-अपर मुख्य कार्यपालक पदाधिकारी, ताला,

सेवा में,

सभी अधीक्षण अभियंता,

सभी कार्यपालक अभियंता,

ग्रामीण कार्य विभाग, बिहार, पटना।

विषय- कार्य अनुबंधों में जी0एस0टी0 एवं वैट के दावों का निष्पादन एवं संवेदको द्वारा जी0एस0टी0 भुगतान की जाँच एवं मॉनिटरिंग हेतु परामर्शी के नियुक्ति के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि ग्रामीण कार्य विभाग के कार्यालयों द्वारा निष्पादित उन कार्य अनुबंधों जिनके प्राक्कलन में जी0एस0टी0 सम्मिलित नहीं है, में संवेदको के जी0एस0टी0 दावों के भुगतान के पूर्व अंकेक्षण/जाँच हेतु ग्रामीण कार्य विभाग, बिहार, पटना द्वारा जी0एस0टी0 परामर्शी फर्म की नियुक्ति की गई है। इस संबंध में आपको निदेशित किया जाता है कि जी0एस0टी0 दावों के अंकेक्षण/जाँच हेतु निम्नलिखित बिन्दुओं का अनुपालन करना सुनिश्चित करें :-

1. वस्तु एवं सेवा कर लागू होने की तिथि अर्थात् 01 जुलाई, 2017 को जारी सभी कार्य अनुबंधों एवं उक्त तिथि के उपरान्त अब तक निष्पादित सभी कार्य अनुबंधों की सूची के साथ प्रमंडलों के अधीन निविदा से संबंधित लंबित जी0एस0टी0 एवं वैट क्लेम की सूची बिहार ग्रामीण पथ विकास अभिकरण के माध्यम से परामर्शी को उपलब्ध कराएंगे। साथ ही उक्त अवधि के एग्रीमेंट रजिस्टर की छायाप्रति उपलब्ध कराना सुनिश्चित करेंगे। (प्रारूप Annexure-1)

2. सभी जी0एस0टी0 निबंधित निकासी एवं व्ययन पदाधिकारी अपनी मासिक जी0एस0टी0 विवरणी परामर्शी के माध्यम से दाखिल करायेंगे। साथ ही संवेदको द्वारा कर का भुगतान

14/3/23

23/3/2023

Vijay Kumar Jaiswal

Executive Engineer
R.W.D. Works Div., Chakia

सुविधित करने हेतु जी०एस०टी० परामर्शी को वांछित दस्तावेज उपलब्ध करायेंगे। जिससे वह सुविधित होगा कि उसे कि सौदेग द्वारा जी०एस०टी० जमा करने में कोई अविश्वसनीयता नहीं होगी कि रही है। उपरोक्त के आशोक में अपने जी०एस०टी० लॉगिन इंटरफ़ेस परामर्शी को उपलब्ध कराएँ।

3. जिन सौदेगों में विभाग से जी०एस०टी० या वैट क्लेम की स्वीकृति पदले दी जा चुकी है वह भुगतान कर दिया गया है तब सभी सौदेगों की गणिकाओं को अंकेक्षण हेतु परामर्शी को अथवा एन-प्रामर्शत कर्मालय उपलब्ध कराएँ। अंकेक्षण उपर्युक्त यदि किसी सौदे की देयता होगी है तो उसका भुगतान कर दिया जाय और यदि अधिक योगि का भुगतान हो भुगत हो तो उसे मसूल कर दिया जाय।

4. परामर्शी की अंकेक्षण रिपोर्ट पर जी०एस०टी० के नोडल पदाधिकारी, वित्त प्रबंधक एवं वित्त एकाउंट (Taxation) शाखा का हस्ताक्षर किया जाएगा। यह रिपोर्ट संबंधित क्षेत्र के अधीक्षण अभियंता को प्रेषित किया जाएगा। अधीक्षण अभियंता परामर्शी के रिपोर्ट के आशोक में उपरोक्त वलेम का Sanction करेंगे। (प्रारूप Annexure-2) तदोपरान्त आवंटन प्राप्त होने पर संबंधित प्रमण्डल के कार्यपालक अभियंता भुगतान करेंगे।

5. SBD के क्लेउउज 35 या एकरारनामा के संबंधित प्रावधान के आलोक में संवेदक को अपना वलेम स्वयं प्रस्तुत एवं सिद्ध करना होगा। इस हेतु वांछित कागजात की विवरणी संलग्न है। (प्रारूप Annexure-3)

6. PMGSY योजनान्तर्गत वलेम की निस्तारण के लिए NRIDA के परिपत्रों का पालन करना अनिवार्य होगा।

7. विभाग के किसी भी अभियंता या कर्मचारी द्वारा संवेदक की वलेम गणना नहीं बनाई जाएगी। संवेदक को यह प्रमाणित करना होगा कि जिस कर का वह वलेम कर रहे है वह पूर्ण रूप से सरकारी खजाने में जमा किया जा चुका है।

8. जी०एस०टी०/वैट वलेम समर्पित करने के पूर्व में सूचित सभी प्रारूप निरस्त किये जाते हैं।

9. कार्यपालक अभियंता, जी०एस०टी० वलेम के भुगतान हेतु अलग से आवंटन की अधियाचना करेंगे। अधियाचना पत्र के साथ परामर्शी का अंकेक्षण प्रतिवेदन तथा अधीक्षण अभियंता का वलेम Sanction संलग्न रहना अनिवार्य होगा।

Handwritten signature

Handwritten date: 23/11/2019

Handwritten signature: Vijay Kumar Jaiswal

Handwritten signature
Executive Engineer
R.W.D. Works Div., Chak  CamScanner

10. परामर्शी सभी RA Bills के दावों के अंकेक्षण करने हेतु प्राधिकृत है, जिनका भुगतान हो चुका है या भविष्य में किया जाना है।

11. परामर्शी के रिपोर्ट के आधार पर रावेदकों का भुगतान करने के उपरान्त भुगतान की विवरणी परामर्शी को प्रदान की जाएगी।

उपरोक्त पर विभागीय सचिव का अनुमोदन प्राप्त है।

उपरोक्त दिए गए दिशा निर्देशों का अनुपालन कर परामर्शी की सेवा ली जाए। परामर्शी से निम्नलिखित माध्यम से सम्पर्क किया जा सकता है :-

M/s SKKSS & Co.

GST परामर्शी

ग्रामीण कार्य विभाग,

बिहार, पटना।

Mo:-9263374200

Email:- rwdgst@gmail.com


23/3/2023
(संजय दूबे)
विशेष सचिव

ज्ञापांक:- BRRDA(HQ)-43/2023 - 761

पटना/दिनांक-23.3.2023

प्रतिलिपि:- M/s SKKSS & Co, GST परामर्शी, ग्रामीण कार्य विभाग, को सूचनार्थ प्रेषित।


23/3/2023
विशेष सचिव

ज्ञापांक:- BRRDA(HQ)-43/2023 - 761

पटना/दिनांक-23.3.2023

प्रतिलिपि:- आंतरिक वित्तीय सलाहकार-सह-GST नोडल पदाधिकारी, ग्रामीण कार्य विभाग, को सूचनार्थ समर्पित।



23/3/2023
विशेष सचिव

ज्ञापांक:- BRRDA(HQ)-43/2023 - 761


पटना/दिनांक-23.3.2023

प्रतिलिपि:- सभी योजनाओं के नोडल/वरीय नोडल पदाधिकारी, ग्रामीण कार्य विभाग, बिहार, पटना को सूचनार्थ समर्पित।


23/3/2023
विशेष सचिव



Visay Kumar Jaiswal



Executive Engineer
R.W.D. Works Div., Chakia

५१-

झापांक:- BRRDA(HQ)-43/2023-761

पटना/दिनांक-23.3.2023


प्रतिलिपि:- अभियंता प्रमुख/सभी मुख्य अभियंता, ग्रामीण कार्य विभाग, बिहार, पटना को सूचनार्थ समर्पित।


23/3/2023
विशेष सचिव


झापांक:- BRRDA(HQ)-43/2023-761


पटना/दिनांक-23.3.2023

प्रतिलिपि:- सचिव, ग्रामीण कार्य विभाग, बिहार, पटना को सूचनार्थ समर्पित।




23/3/2023
विशेष सचिव




Executive Engineer
R.W.D. Works Div. Chh.

(Annexure-1)

Letter No.

Dated:

From :-

Executive Engineer
(Name of Division).

To,

GST Consultant
Rural Works Department,
Patna, Bihar.

Respected Sir,

Sub - To provide the list of contracts ongoing as on 01.04.2016 and awarded after 01.04.2016 till date for evaluation of GST and VAT claims.

Ref :- Departmental Letter no.....Dated.....

With reference to the subject above, it is to be said that the list of contracts ongoing as on 01.04.2016 and awarded after 01.04.2016 till date for evaluation of claims are as follows:

S.No.	Financial Year	Name of Contractor	Name of Work	Agreement Number	Contact Number	Agreement Amount	Payment amount
1							
2							
3							
4							
5							
6							

Vijay Kumar Mishra

for

Yours faithfully,

Executive Engineer
R.W.D. Works Div, Ch...
(Name of Division)

Annexure-2

अधीक्षण अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य अंचल
E-mail:, Mob:

पत्रांक-

दिनांक-

पेडर

अधीक्षण अभियंता,
ग्रामीण कार्य विभाग,
कार्य अंचल.....।

सेवा में,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल-.....।

विषय- योजना का नाम-...../वर्ष...../ में जी०एस०टी० की प्रतिपूर्ति
(Reimbursement) हेतु संवेदको द्वारा समर्पित दावा विपत्र की स्वीकृति के संबंध में।

प्रसंग- विभागीय जी०एस०टी० समिति की अनुशंसा, विभागीय झापांक...../
दिनांक...../।


महोदय,

उपर्युक्त विषयांकित कार्य में जी०एस०टी० की राशि की प्रतिपूर्ति जो लॉचोपरसल
रू-...../ मात्र होती है, को भुगतान हेतु निम्न शर्तों के साथ अनुमति प्रदान की जाती
है :-


1. किसी भी परिस्थिति में व्यय को प्रशासनिक स्वीकृति को अनुसूत्र सीमा के अंतर्गत रखा जाए।
2. यदि भविष्य में दावा नियमानुसूल नहीं पाया गया तो सम्पूर्ण राशि एक मुस्त संवेदक के अगले विपत्र/आग्रह से समाभोजित कर ली जाए।

विश्वासभाजन

Visay Kumar Mishra


Executive Engineer
R.W.D. Works Div., Chakia

अधीक्षण अभियंता,
ग्रामीण कार्य विभाग,
कार्य अंचल.....।



List of documents required for GST claim settlement

Documents required from Circle:

1. Copy of certified Bill of Quantity ('BOQ')
2. Copy of certified Rate analysis and the date/year of preparation of rate analysis with SOR year and in Ms. Excel format (recommended) and hard copy that corresponds with approved BOQ.

Documents required from Divisions:

1. Copy of Agreement.
2. Copy of last certified RA Bill/ Bill Form for which claim has been submitted.
3. Copy of last certified RA Bill/ Bill form for work done before 30.06.2017 of the project. (Date of measurement as recorded in the Measurement be taken for reference)
4. Payment certificates for each project under consideration for each Financial Year.

Documents required from Contractors:

1. Contractor's self-attested copy of GST Claim and calculations thereof.
2. Duly filled in annexure as attached.
3. Copy of GSTR 9 and 9C for each FY in which project was under execution and last return.
4. Copy of GSTR 7A & GSTR 3B for each FY in which project was under execution and last return.
5. Copy of VAT returns in R-III for FY 2015-16 onwards (required only for ongoing projects as on 01.07.2017).



Vijay Kumar Satswal


Executive Engineer
R.W.D. Works Div., Chakia