

Name of Work-  
 Situation of Work-  
 Agency by which work is executed-  
 Date of Measurement-  
 No. and date of agreement

(These four lines should be repeated at the commencement of the measurement relating to each work)

| Particulars                                  | Details of actual measurement                                        |    |    |    | Contents of area   |
|----------------------------------------------|----------------------------------------------------------------------|----|----|----|--------------------|
|                                              | No.                                                                  | L. | B. | D. |                    |
| <u>1st and Final Bill</u>                    |                                                                      |    |    |    |                    |
| Name of work: - Construction of Road and C.P |                                                                      |    |    |    |                    |
| Work with maintenance for                    |                                                                      |    |    |    |                    |
| Bhadrahi Yatri Shed to Bhadrath              |                                                                      |    |    |    |                    |
| Agency: - Sri- Anand Kumar                   |                                                                      |    |    |    |                    |
| 'Agreement No': - 01 M.B. / 2023-24          |                                                                      |    |    |    |                    |
| Date of commencement: - 15-03-2023           |                                                                      |    |    |    |                    |
| Date of completion: - 14-12-2023             |                                                                      |    |    |    |                    |
| Date of entry: -                             |                                                                      |    |    |    |                    |
|                                              |                                                                      |    |    |    |                    |
|                                              |                                                                      |    |    |    |                    |
| Sample 1/36:                                 | providing clearing &<br>goubling road lane -<br>as per as complete - |    |    |    |                    |
|                                              | $1N \times 30.0 \times 9.5 + 4.3 + 8.90 = 177m^2$                    |    |    |    |                    |
|                                              | $1N \times 20.0 \times 5.4 + 4.4 = 98m^2$                            |    |    |    |                    |
|                                              | $4N \times 30.0 \times 4.4 + 3.8 = 492m^2$                           |    |    |    |                    |
|                                              | $4N \times 30.0 \times 3.9 + 4.7 = 516m^2$                           |    |    |    |                    |
|                                              | $3N \times 30.0 \times 4.2 + 4.8 = 405m^2$                           |    |    |    |                    |
|                                              | $2N \times 30.0 \times 3.8 + 4.2 = 240m^2$                           |    |    |    |                    |
|                                              | $2N \times 30.0 \times 4.2 + 3.8 = 240m^2$                           |    |    |    |                    |
|                                              | $2N \times 30.0 \times 3.8 + 2.8 = 198m^2$                           |    |    |    |                    |
|                                              | $2N \times 30.0 \times 3.3 + 4.3 = 228m^2$                           |    |    |    |                    |
|                                              | Total =                                                              |    |    |    | 2544m <sup>2</sup> |
|                                              | Limit 2400 =                                                         |    |    |    | 2400m <sup>2</sup> |
|                                              | 2400 / 2000 =                                                        |    |    |    | 0.2414             |

| Particulars                                   | Details of actual measurement |                                                            |    |         | Contents of area       |
|-----------------------------------------------|-------------------------------|------------------------------------------------------------|----|---------|------------------------|
|                                               | No.                           | L.                                                         | B. | D.      |                        |
| <del>Item 2/2</del> Construction of sub-grade |                               |                                                            |    |         |                        |
| of earth shoulder —                           |                               |                                                            |    |         |                        |
| do to as sample —                             |                               |                                                            |    |         |                        |
|                                               |                               | $2 \times 2 \times 50.0 \times 0.8 + 1.6 \times 0.3 + 0.4$ |    |         | $= 108 \text{ m}^3$    |
|                                               |                               | $2 \times 2 \times 50.0 \times 0.7 + 1.3 \times 0.30$      |    |         | $= 60 \text{ m}^3$     |
|                                               |                               | $2 \times 2 \times 50.0 \times 0.7 + 1.5 \times 0.30$      |    |         | $= 72 \text{ m}^3$     |
|                                               |                               | $2 \times 2 \times 50.0 \times 0.6 + 1.4 \times 0.8 + 0.6$ |    |         | $= 140 \text{ m}^3$    |
|                                               |                               | $2 \times 2 \times 50.0 \times 0.7 + 1.5 \times 0.7 + 0.5$ |    |         | $= 132 \text{ m}^3$    |
|                                               |                               | $2 \times 2 \times 50.0 \times 0.9 + 1.8 \times 0.9 + 1.2$ |    |         | $= 283.50 \text{ m}^3$ |
|                                               |                               | $2 \times 2 \times 50.0 \times 0.8 + 1.6 \times 0.60$      |    |         | $= 144 \text{ m}^3$    |
|                                               |                               |                                                            |    | Total = | $939.50 \text{ m}^3$   |
| Md                                            |                               |                                                            |    |         |                        |

|                                            |  |                                                      |  |         |                      |
|--------------------------------------------|--|------------------------------------------------------|--|---------|----------------------|
| <del>Item 2/45</del> Construction of dry — |  |                                                      |  |         |                      |
| lean Cement concrete                       |  |                                                      |  |         |                      |
| sub-base leveling cum                      |  |                                                      |  |         |                      |
| do to as sample —                          |  |                                                      |  |         |                      |
|                                            |  | $1 \text{ No} \times 6.80 \times 1.30 \times 0.075$  |  |         | $= 0.66 \text{ m}^3$ |
|                                            |  | $3 \text{ No} \times 2.80 \times 0.90 \times 0.075$  |  |         | $= 0.56 \text{ m}^3$ |
|                                            |  | $1 \text{ No} \times 11.50 \times 0.80 \times 0.075$ |  |         | $= 0.69 \text{ m}^3$ |
|                                            |  | $7 \text{ No} \times 0.90 \times 0.70 \times 0.075$  |  |         | $= 0.33 \text{ m}^3$ |
|                                            |  | $3 \text{ No} \times 1.90 \times 0.60 \times 0.075$  |  |         | $= 0.25 \text{ m}^3$ |
|                                            |  | $1 \text{ No} \times 6.60 \times 0.30 \times 0.075$  |  |         | $= 0.14 \text{ m}^3$ |
|                                            |  | $3 \text{ No} \times 12.20 \times 0.80 \times 0.075$ |  |         | $= 2.19 \text{ m}^3$ |
|                                            |  | $1 \text{ No} \times 22.50 \times 0.90 \times 0.075$ |  |         | $= 1.51 \text{ m}^3$ |
|                                            |  | $1 \text{ No} \times 13.80 \times 0.85 \times 0.075$ |  |         | $= 0.87 \text{ m}^3$ |
|                                            |  |                                                      |  | Total = | $7.20 \text{ m}^3$   |
|                                            |  |                                                      |  | Limit = | $7.13 \text{ m}^3$   |



| Particulars                                         | Details of actual measurement |   |   | Contents of area |
|-----------------------------------------------------|-------------------------------|---|---|------------------|
|                                                     | No.                           | L | B |                  |
| Form 9/16                                           |                               |   |   |                  |
| Coverage of concrete                                |                               |   |   |                  |
| Concrete - Perimeter wall                           |                               |   |   |                  |
| to top of wall                                      |                               |   |   |                  |
| $1.16 \times 30.0 \times 3.75 \times 0.15 =$        |                               |   |   | $16.87 m^3$      |
| $1.16 \times 30.0 \times 3.75 \times 0.14 + 0.15 =$ |                               |   |   | $16.87 m^3$      |
| $1.16 \times 30.0 \times 3.75 \times 0.15 =$        |                               |   |   | $16.87 m^3$      |
| $1.16 \times 30.0 \times 3.75 \times 0.14 + 0.15 =$ |                               |   |   | $16.31 m^3$      |
| $1.16 \times 30.0 \times 3.75 \times 0.14 + 0.15 =$ |                               |   |   | $16.31 m^3$      |
| $1.16 \times 30.0 \times 3.75 \times 0.14 + 0.15 =$ |                               |   |   | $16.31 m^3$      |
| $1.16 \times 30.0 \times 3.75 \times 0.14 + 0.15 =$ |                               |   |   | $16.31 m^3$      |
| $1.16 \times 5.0 \times 3.0 + 3.6 \times 0.14 =$    |                               |   |   | $2.41 m^3$       |
|                                                     |                               |   |   | $= 118.26 m^3$   |

|         |                                                                     |                      |
|---------|---------------------------------------------------------------------|----------------------|
| 5000/60 | Brick masonry work<br>in Cement mortar (1:3)<br>in Parapet - to top |                      |
|         | $\frac{1 \times 380 \times 1.2 + 0.8 \times 0.6 + 0.8}{2}$          | 2.66 m <sup>3</sup>  |
|         | $\frac{1 \times 380 \times 0.8 + 0.6 \times 1.3}{2}$                | 3.45 m <sup>3</sup>  |
|         | $1 \times 60 \times 0.40 \times 0.30 =$                             | 0.72 m <sup>3</sup>  |
|         | $\frac{1 \times 2.80 \times 0.9 + 0.85 \times 0.9 + 0.6}{2} =$      | 2.10 m <sup>3</sup>  |
|         | $\frac{1 \times 2.80 \times 0.85 + 0.60 \times 1.30}{2} =$          | 2.63 m <sup>3</sup>  |
|         | Total =                                                             | 11.56 m <sup>3</sup> |
|         | Allowance =                                                         | 11.52 m <sup>3</sup> |
| 3000/59 | Plastering with Cement<br>mortar (1:4) - to top                     |                      |
|         | $2 \times 6.0 \times 1.80 =$                                        | 21.60 m <sup>2</sup> |
|         | $2 \times 6.0 \times 0.60 =$                                        | 7.20 m <sup>2</sup>  |
|         |                                                                     | 28.80 m <sup>2</sup> |

| Particulars | Details of actual measurement |                                                                                                                                                                        |             |    | Contents of area    |
|-------------|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----|---------------------|
|             | No.                           | L.                                                                                                                                                                     | B.          | D. |                     |
|             |                               |                                                                                                                                                                        | B/F - Area: |    | 28.80m <sup>2</sup> |
|             |                               | 2 x 6.0 x 0.40 =                                                                                                                                                       |             |    | 4.80m <sup>2</sup>  |
|             |                               | 4 x 0.60 x 0.40 =                                                                                                                                                      |             |    | 0.96m <sup>2</sup>  |
| Less -      |                               | 2 x 0.785 x (1.23) <sup>2</sup> =                                                                                                                                      |             |    | 2.37m <sup>2</sup>  |
|             |                               | (A) Area =                                                                                                                                                             |             |    | 32.19m <sup>2</sup> |
| Sum to 3/6  |                               | Providing Painting two Coat on New surface to be as complete -                                                                                                         |             |    |                     |
|             |                               | Area as above of Above Plaster Area                                                                                                                                    |             |    |                     |
|             |                               | Net Area (A) - (A)                                                                                                                                                     |             |    |                     |
|             |                               | 32.19m <sup>2</sup>                                                                                                                                                    |             |    |                     |
|             |                               | <div style="display: flex; justify-content: space-around;"> <div> <math>\frac{1114103}{1114103}</math> </div> <div> <math>\frac{1114103}{1114103}</math> </div> </div> |             |    |                     |

|            |                                       |  |  |  |                     |
|------------|---------------------------------------|--|--|--|---------------------|
| Sum to 8/8 | Providing by spreading and Compacting |  |  |  |                     |
|            | G.S.B material Filling                |  |  |  |                     |
|            | in Port - do do                       |  |  |  |                     |
|            | $340 \times 8.30 \times 0.90 =$       |  |  |  | 22.41m <sup>2</sup> |
|            | $140 \times 7.60 \times 0.50 =$       |  |  |  | 3.80m <sup>2</sup>  |
|            | $140 \times 28.50 \times 0.70 =$      |  |  |  | 19.95m <sup>2</sup> |
|            | $340 \times 30.0 \times 0.9 + 0.6 =$  |  |  |  | 67.50m <sup>2</sup> |
|            | $140 \times 6.60 \times 1.80 =$       |  |  |  | 11.88m <sup>2</sup> |
|            | $340 \times 8.80 \times 0.70 =$       |  |  |  | 18.48m <sup>2</sup> |
|            | $740 \times 1.50 \times 0.75 =$       |  |  |  | 7.87m <sup>2</sup>  |
|            | $140 \times 21.80 \times 0.80 =$      |  |  |  | 17.44m <sup>2</sup> |
|            | $140 \times 23.50 \times 0.50 =$      |  |  |  | 11.75m <sup>2</sup> |
|            | $140 \times 6.60 \times 1.30 =$       |  |  |  | 8.58m <sup>2</sup>  |
|            | Total - 189.66m <sup>2</sup>          |  |  |  |                     |



| Particulars | Details of actual measurement |          |      |    | Contents of area     |
|-------------|-------------------------------|----------|------|----|----------------------|
|             | No.                           | L.       | B.   | D. |                      |
|             |                               | B/F Area |      |    | 189.66m <sup>2</sup> |
|             | 1 No                          | 3.80     | 0.80 |    | 3.04m <sup>2</sup>   |
|             | 1 No                          | 5.60     | 0.70 |    | 3.92m <sup>2</sup>   |
|             | 3 No                          | 4.80     | 0.50 |    | 7.20m <sup>2</sup>   |
|             | 1 No                          | 7.50     | 0.85 |    | 6.37m <sup>2</sup>   |
|             | 1 No                          | 11.50    | 0.65 |    | 7.47m <sup>2</sup>   |
|             | 1 No                          | 9.50     | 0.85 |    | 8.07m <sup>2</sup>   |
|             | 1 No                          | 5.60     | 0.35 |    | 1.96m <sup>2</sup>   |
|             | 1 No                          | 8.30     | 0.65 |    | 5.39m <sup>2</sup>   |
|             | 1 No                          | 25.80    | 1.20 |    | 30.96m <sup>2</sup>  |
|             | 3 No                          | 2.50     | 0.90 |    | 6.75m <sup>2</sup>   |
|             | 1 No                          | 7.70     | 0.60 |    | 4.62m <sup>2</sup>   |
|             | 5 No                          | 1.80     | 1.20 |    | 10.80m <sup>2</sup>  |
|             | 3 No                          | 6.70     | 0.85 |    | 17.88m <sup>2</sup>  |
|             | 1 No                          | 11.50    | 0.60 |    | 6.90m <sup>2</sup>   |
|             | 1 No                          | 18.50    | 0.80 |    | 14.80m <sup>2</sup>  |
|             | 3 No                          | 2.50     | 1.90 |    | 14.25m <sup>2</sup>  |
|             | 4 No                          | 8.30     | 0.75 |    | 24.90m <sup>2</sup>  |
|             | 6 No                          | 1.50     | 0.50 |    | 4.50m <sup>2</sup>   |
|             | 2 No                          | 3.30     | 1.20 |    | 7.92m <sup>2</sup>   |
|             | 3 No                          | 4.30     | 0.80 |    | 10.32m <sup>2</sup>  |
|             | 1 No                          | 11.50    | 0.60 |    | 6.90m <sup>2</sup>   |
|             | 1 No                          | 6.10     | 0.80 |    | 4.88m <sup>2</sup>   |
|             | 1 No                          | 5.60     | 0.70 |    | 3.92m <sup>2</sup>   |
|             | 3 No                          | 1.80     | 1.20 |    | 6.48m <sup>2</sup>   |
|             | 2 No                          | 6.50     | 0.60 |    | 7.80m <sup>2</sup>   |
|             |                               | C/O Area |      |    | 416.86m <sup>2</sup> |

| Particulars | Details of actual measurement |   |   | Contents of area                                                       |
|-------------|-------------------------------|---|---|------------------------------------------------------------------------|
|             | No                            | L | B |                                                                        |
|             |                               |   |   | B/F Area = 416.86 m <sup>2</sup>                                       |
|             |                               |   |   | 3 Nos $2.80 \times 0.30 = 0.84$ m <sup>2</sup>                         |
|             |                               |   |   | 6 Nos $1.50 \times 0.60 = 0.90$ m <sup>2</sup>                         |
|             |                               |   |   | 5 Nos $0.80 \times 0.30 = 0.24$ m <sup>2</sup>                         |
|             |                               |   |   | 2 Nos $0.60 \times 0.50 = 0.30$ m <sup>2</sup>                         |
|             |                               |   |   | 1 No $0.90 \times 0.60 = 0.54$ m <sup>2</sup>                          |
|             |                               |   |   | 3 Nos $0.85 \times 0.35 = 0.29$ m <sup>2</sup>                         |
|             |                               |   |   | 2 Nos $1.50 \times 0.60 = 0.90$ m <sup>2</sup>                         |
|             |                               |   |   | (A) Total Area = 429.81 m <sup>2</sup>                                 |
|             |                               |   |   | $Q_4 = 0.075 \times 0.10 + 0.125 \times 429.81 = 42.98$ m <sup>3</sup> |
|             |                               |   |   | 3                                                                      |
|             |                               |   |   | M/A 24/4/23                                                            |
|             |                               |   |   | M/A 24/4/23                                                            |

|          |                                                    |  |
|----------|----------------------------------------------------|--|
| Sum 9/3/ | Providing laying spray and concrete                |  |
|          | W.B. on girth system                               |  |
|          | filling pot - do -                                 |  |
|          | as complete                                        |  |
|          | Pot filling Area                                   |  |
|          | as same of above                                   |  |
|          | Pot filling measurement                            |  |
|          | as per Page 46 (B+A)                               |  |
|          | 429.81 m <sup>2</sup>                              |  |
|          | $Q_4 = 429.81 \times 0.075 = 32.23$ m <sup>3</sup> |  |
|          | M/A 24/5/23                                        |  |
|          | or                                                 |  |
|          | 14/5/23                                            |  |
|          | or                                                 |  |
|          | 25/5/23                                            |  |
|          | or                                                 |  |



| Particulars                                            | Details of actual measurement |       |      |    | Contents of area      |
|--------------------------------------------------------|-------------------------------|-------|------|----|-----------------------|
|                                                        | No.                           | L.    | B.   | D. |                       |
| Sum No. Providing large spreading and compacting w.B.M |                               |       |      |    |                       |
| for material filling                                   |                               |       |      |    |                       |
| on pot                                                 |                               |       |      |    |                       |
|                                                        | 3 No                          | 2.80  | 0.85 |    | 7.14 m <sup>2</sup>   |
|                                                        | 1 No                          | 12.60 | 0.60 |    | 7.56 m <sup>2</sup>   |
|                                                        | 3 No                          | 9.30  | 0.50 |    | 13.95 m <sup>2</sup>  |
|                                                        | 1 No                          | 6.60  | 0.85 |    | 5.61 m <sup>2</sup>   |
|                                                        | 3 No                          | 6.30  | 0.30 |    | 5.67 m <sup>2</sup>   |
|                                                        | 1 No                          | 4.30  | 0.60 |    | 2.58 m <sup>2</sup>   |
|                                                        | 2 No                          | 2.80  | 1.20 |    | 6.72 m <sup>2</sup>   |
|                                                        | 1 No                          | 1.60  | 1.10 |    | 1.76 m <sup>2</sup>   |
|                                                        | 3 No                          | 2.80  | 0.70 |    | 5.88 m <sup>2</sup>   |
|                                                        | 2 No                          | 1.70  | 0.60 |    | 2.04 m <sup>2</sup>   |
|                                                        | 1 No                          | 7.90  | 0.30 |    | 2.37 m <sup>2</sup>   |
|                                                        | 1 No                          | 15.60 | 0.50 |    | 7.80 m <sup>2</sup>   |
|                                                        | 1 No                          | 6.80  | 0.30 |    | 2.04 m <sup>2</sup>   |
|                                                        | 1 No                          | 5.60  | 0.50 |    | 2.80 m <sup>2</sup>   |
|                                                        | 1 No                          | 8.30  | 0.40 |    | 3.32 m <sup>2</sup>   |
|                                                        | 1 No                          | 6.30  | 0.60 |    | 3.78 m <sup>2</sup>   |
|                                                        | 1 No                          | 6.60  | 0.50 |    | 3.30 m <sup>2</sup>   |
|                                                        | 3 No                          | 5.30  | 1.20 |    | 19.08 m <sup>2</sup>  |
|                                                        | 2 No                          | 1.80  | 0.60 |    | 2.16 m <sup>2</sup>   |
|                                                        | 3 No                          | 2.50  | 0.85 |    | 6.37 m <sup>2</sup>   |
|                                                        | 1 No                          | 7.50  | 0.60 |    | 4.50 m <sup>2</sup>   |
|                                                        | 1 No                          | 8.60  | 0.50 |    | 4.30 m <sup>2</sup>   |
|                                                        | 1 No                          | 8.30  | 0.40 |    | 3.32 m <sup>2</sup>   |
| Total Area =                                           |                               |       |      |    | 124.05 m <sup>2</sup> |

Continuation

| Particulars | Details of actual measurement |            |       | Contents of area      |
|-------------|-------------------------------|------------|-------|-----------------------|
|             | No.                           | L.         | B.    |                       |
|             |                               | 8/6 Area   |       | 134.81 m <sup>2</sup> |
|             | 2 No                          | 1.80       | 0.80  | 2.88 m <sup>2</sup>   |
|             | 3 No                          | 0.90       | 0.60  | 1.62 m <sup>2</sup>   |
|             | 1 No                          | 1.80       | 0.50  | 0.90 m <sup>2</sup>   |
|             | 1 No                          | 0.50       | 0.60  | 0.30 m <sup>2</sup>   |
|             | 1 No                          | 1.10       | 0.30  | 0.33 m <sup>2</sup>   |
|             | 1 No                          | 0.80       | 0.60  | 0.48 m <sup>2</sup>   |
|             | 1 No                          | 0.30       | 0.30  | 0.09 m <sup>2</sup>   |
|             | 1 No                          | 0.75       | 0.30  | 0.22 m <sup>2</sup>   |
|             | 2 No                          | 0.50       | 0.30  | 0.30 m <sup>2</sup>   |
|             | 1 No                          | 0.60       | 0.30  | 0.18 m <sup>2</sup>   |
|             | 2 No                          | 0.50       | 0.20  | 0.10 m <sup>2</sup>   |
|             | 2 No                          | 0.80       | 0.150 | 0.12 m <sup>2</sup>   |
|             | 1 No                          | 0.70       | 0.250 | 0.17 m <sup>2</sup>   |
|             | 1 No                          | 0.30       | 0.60  | 0.18 m <sup>2</sup>   |
|             | 1 No                          | 0.60       | 0.20  | 0.12 m <sup>2</sup>   |
|             | 1 No                          | 1.50       | 0.10  | 0.15 m <sup>2</sup>   |
|             | 1 No                          | 3.80       | 0.20  | 0.76 m <sup>2</sup>   |
|             | 1 No                          | 5.30       | 0.30  | 1.59 m <sup>2</sup>   |
|             |                               | Area       |       | 134.81 m <sup>2</sup> |
|             | Add Port Area viz Part (B)    |            |       | 429.81 m <sup>2</sup> |
|             | (B)                           | Total Area |       | 564.62 m <sup>2</sup> |
|             | 2H = 564.62 x 0.075 =         |            |       | 42.34 m <sup>3</sup>  |
|             | M/A                           |            |       |                       |
|             | 165/25                        |            |       | 165                   |
|             | m                             |            |       | 165                   |
|             |                               |            |       | 2                     |



| Particulars                                                                                                                                                                               | Details of actual measurement |    |    |    | Contents of area |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                                                                                                                                                           | No.                           | L. | B. | D. |                  |
| <del>Item 11/</del> Provide and apply<br>Prime coat 220<br>Area As shown at<br>above Part m-14<br>shown above vide<br>Page No. (8) - (B)<br>564.62 m <sup>2</sup> — 564.62 m <sup>2</sup> |                               |    |    |    |                  |
| <del>Item 12/</del> Provide and apply<br>Tack coat 110<br>as complete —<br>Area As shown at<br>above item vide —<br>Page No. (9)                                                          |                               |    |    |    |                  |

|                                                                                                                                                                                                                                                                                               |                                               |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|--|
|                                                                                                                                                                                                                                                                                               | 564.62 m <sup>2</sup> — 564.62 m <sup>2</sup> |  |
| <del>Item 13/</del> Provide and lay<br>20 mm thick<br>mix Sand surface<br>as complete —<br>Area as shown at above<br>item vide Page No. (9)<br>564.62 m <sup>2</sup> — 564.62 m <sup>2</sup>                                                                                                  |                                               |  |
| <del>Item 14/</del> Provide and apply<br>Tack coat 110<br>30.00 x 9.30 + 4.40 x 4.10 = 177.99 m <sup>2</sup><br>20.00 x 4.10 + 5.30 x 4.40 = 92 m <sup>2</sup><br>4.40 x 30.00 x 3.75 = 450 m <sup>2</sup><br>1.40 x 10.00 x 4.20 + 3.75 = 39.75 m <sup>2</sup><br>2 90 759.74 m <sup>2</sup> |                                               |  |

| Particulars | Details of actual measurement |            |       |            | Contents of area       |
|-------------|-------------------------------|------------|-------|------------|------------------------|
|             | No.                           | L.         | B.    | D.         |                        |
|             |                               |            |       | B/P Area = | 759.74 m <sup>2</sup>  |
|             | 4 No                          | 30.0       | 3.750 | =          | 450 m <sup>2</sup>     |
|             | 4 No                          | 30.0       | 3.250 | =          | 450 m <sup>2</sup>     |
|             | 4 No                          | 30.0       | 3.250 | =          | 450 m <sup>2</sup>     |
|             | 7 No                          | 30.0       | 3.75  | =          | 787.50 m <sup>2</sup>  |
|             | 1 No                          | 8.50       | 3.5   | 3.25       | 30.81 m <sup>2</sup>   |
|             | (A)                           | Total Area |       |            | 2928.05 m <sup>2</sup> |

Sonn 15/44

|                      |  |
|----------------------|--|
| Providing and fixing |  |
| Semi dense bitumen   |  |
| Concrete surface     |  |
| ab-cs complet        |  |
| Area As above        |  |
| above item Area      |  |

|                        |                      |
|------------------------|----------------------|
| Vide Per M = 10 (A)    |                      |
| 2928.05 m <sup>2</sup> |                      |
| 2928.05 x 0.025 =      | 73.20 m <sup>3</sup> |
| M 1/1                  |                      |
| 28/6/2003              | 28/6/2003            |

Sonn 16/44

|                      |      |
|----------------------|------|
| Providing and fixing |      |
| K.M Stone Post       |      |
| 2 No                 | 2 No |

Sonn 17/44

|                     |      |
|---------------------|------|
| Painting and fixing |      |
| 200 mm Stone Post   |      |
| ab-cs complet       |      |
| 4 No                | 4 No |

Sonn 18/44

|                   |                     |
|-------------------|---------------------|
| P/V and fixing    |                     |
| and Place         |                     |
| 2 x 0.80 x 1.20 = | 1.92 m <sup>2</sup> |



| Particulars                                                                                                                                          | Details of actual measurement |   |   |   | Contents of area      |
|------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|---|---|---|-----------------------|
|                                                                                                                                                      | No.                           | L | B | D |                       |
| <del>Station 26</del> <sup>3</sup> <del>Providing and fixing</del><br><del>600 mm regulation</del><br><del>brickwork</del><br><del>as complete</del> |                               |   |   |   |                       |
|                                                                                                                                                      | 4 No                          |   |   |   | 4 No                  |
| <del>Station 27</del> <sup>3</sup> <del>Providing and fixing</del><br><del>600 mm circular</del><br><del>brickwork</del>                             |                               |   |   |   |                       |
|                                                                                                                                                      | 3 No                          |   |   |   | 3 No                  |
| <del>Station 28</del> <sup>3</sup> <del>Providing and fixing</del><br><del>600 x 450 mm rectangular</del><br><del>brickwork</del>                    |                               |   |   |   |                       |
|                                                                                                                                                      | 1 No                          |   |   |   | 1 No                  |
| <del>Station 29</del> <sup>3</sup> <del>Providing and fixing</del><br><del>Rice boundary pillar</del><br><del>as complete</del>                      |                               |   |   |   |                       |
|                                                                                                                                                      | 42 No                         |   |   |   | 42 No                 |
| <del>Station 30</del> <sup>3</sup> <del>Providing and laying</del><br><del>Road marking</del><br><del>as complete</del>                              |                               |   |   |   |                       |
|                                                                                                                                                      | 2 x 25 No x 30.0 x 0.10 =     |   |   |   | 150 m <sup>2</sup>    |
|                                                                                                                                                      | 2 x 1 No x 8.50 x 0.10 =      |   |   |   | 1.70 m <sup>2</sup>   |
|                                                                                                                                                      |                               |   |   |   | 151.70 m <sup>2</sup> |
| <del>Station 31</del> <sup>3</sup> <del>Providing and laying</del><br><del>Road marking</del>                                                        |                               |   |   |   |                       |
|                                                                                                                                                      | 2 x 6 No x 30.0 x 0.10 =      |   |   |   | 36 m <sup>2</sup>     |
|                                                                                                                                                      | 2 x 1 No x 10.0 x 0.10 =      |   |   |   | 2 m <sup>2</sup>      |
|                                                                                                                                                      |                               |   |   |   | 38 m <sup>2</sup>     |

Sch. XLV-Form No. 134

| Particulars                                                                                                                                | Details of actual measurement |    |    |                                                         | Contents of area |
|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|----|----|---------------------------------------------------------|------------------|
|                                                                                                                                            | No.                           | L. | B. | D.                                                      |                  |
| <del>Cont No 28</del><br>Providing and fixing<br>logs of mainstem<br>of tyber mainstem<br>from bank to<br>as complete<br>3 Hs              |                               |    |    |                                                         | 3 Hs             |
| <del>Cont No 29</del><br><del>14/2/23</del><br><del>SR</del>                                                                               |                               |    |    | <del>14/2/23</del><br><del>8/3/23</del><br><del>a</del> |                  |
| Abstract of cont                                                                                                                           |                               |    |    |                                                         |                  |
| <del>Cont No 36</del><br>Providing clearing and<br>grubbing Road bank to<br>24 vias m/s P.H. (1)<br>$0.24 \text{ ha} @ 62032.43/\text{ha}$ |                               |    |    |                                                         | 14888.7          |
| <del>Cont No 37</del><br>Cont of sub-grade of<br>earthen shoulder to<br>as complete<br>24 vias m/s P.H. (2)                                |                               |    |    |                                                         |                  |
| $939.50 \text{ m}^2 @ 25371/\text{m}^2$                                                                                                    |                               |    |    |                                                         | 238361.2         |
| <del>Cont No 38</del><br>P.V. laying spreading G.S.B<br>24 vias m/s P.H. (6)                                                               |                               |    |    |                                                         |                  |
| $42.98 \text{ m}^2 @ 1449.95/\text{m}^2$                                                                                                   |                               |    |    |                                                         | 62319.7          |
|                                                                                                                                            |                               |    |    | 40 ft                                                   |                  |



| Particulars | Details of actual measurement |                                               |       |   | Contents of area |
|-------------|-------------------------------|-----------------------------------------------|-------|---|------------------|
|             | No.                           | L                                             | B     | D |                  |
|             |                               |                                               | B/P R |   |                  |
| Item 39     |                               | Providing by 2 ft and                         |       |   |                  |
|             |                               | and compacting with                           |       |   |                  |
|             |                               | fine material - 100                           |       |   |                  |
|             |                               | Qty in vol P.M. (6)                           |       |   |                  |
|             |                               | 32.23 m <sup>3</sup> @ 3160.29/m <sup>3</sup> |       |   | 101856 =         |
| Item 40     |                               | Providing by 3 ft and                         |       |   |                  |
|             |                               | and compacting with                           |       |   |                  |
|             |                               | fine material - 100                           |       |   |                  |
|             |                               | Qty in vol P.M. (8)                           |       |   |                  |
|             |                               | 42.34 m <sup>3</sup> @ 2733.74/m <sup>3</sup> |       |   | 115747 =         |
| Item 41     |                               | Providing and applying                        |       |   |                  |
|             |                               | Prime Coat - 100                              |       |   |                  |
|             |                               | Qty in vol P.M. (9)                           |       |   |                  |
|             |                               | 564.62 m <sup>3</sup> @ 6260/m <sup>3</sup>   |       |   | 35345 =          |
| Item 42     |                               | Providing and applying                        |       |   |                  |
|             |                               | 20 mm mix Seal - 100                          |       |   |                  |
|             |                               | to be complete -                              |       |   |                  |
|             |                               | Qty in vol P.M. (9)                           |       |   |                  |
|             |                               | 564.62 m <sup>3</sup> @ 269.57/m <sup>3</sup> |       |   | 152205 =         |
| Item 43     |                               | Providing and applying                        |       |   |                  |
|             |                               | Jack - Coat - 100                             |       |   |                  |
|             |                               | Qty in vol P.M. (9) & (10)                    |       |   |                  |
|             |                               | 564.62 + 2928.05 =                            |       |   |                  |
|             |                               | 3492.67 m <sup>3</sup> @ 21.34/m <sup>3</sup> |       |   | 74603 =          |
|             |                               | 3492.67                                       |       |   | 74597 =          |
|             |                               | C.O. - R <sub>1</sub> -                       |       |   |                  |

| Particulate                             | Details of actual measurement                  |   |   |   | Estimate of area |
|-----------------------------------------|------------------------------------------------|---|---|---|------------------|
|                                         | No.                                            | L | B | H |                  |
|                                         |                                                |   |   |   |                  |
| June 2 <sup>nd</sup> / 4 <sup>th</sup>  | Proddy and long                                |   |   |   |                  |
|                                         | Scrub dense volume                             |   |   |   |                  |
|                                         | Concrete surface                               |   |   |   |                  |
|                                         | do                                             |   |   |   |                  |
|                                         | Qth volume Pth (12)                            |   |   |   |                  |
|                                         | 73.72 m <sup>2</sup> @ 15324.06/m <sup>2</sup> |   |   |   | 1013241          |
| June 12 <sup>th</sup> / 4 <sup>th</sup> | Proddy and long                                |   |   |   |                  |
|                                         | dry even constant                              |   |   |   |                  |
|                                         | Concrete surface                               |   |   |   |                  |
|                                         | Qth volume Pth (12)                            |   |   |   |                  |
|                                         | 7.13 m <sup>2</sup> @ 6618.88/m <sup>2</sup>   |   |   |   | 47193            |
| June 11 <sup>th</sup> / 4 <sup>th</sup> | Concrete surface                               |   |   |   |                  |
|                                         | Qth volume Pth (12)                            |   |   |   |                  |
|                                         | 116.28 m <sup>2</sup> @ 8070.4/m <sup>2</sup>  |   |   |   | 938415           |
| June 10 <sup>th</sup> / 4 <sup>th</sup> | Proddy and long                                |   |   |   |                  |
|                                         | Km stone Pth                                   |   |   |   |                  |
|                                         | Qth volume Pth (10)                            |   |   |   |                  |
|                                         | 2.16 @ 2778.68/m <sup>2</sup>                  |   |   |   | 5557             |
| June 13 <sup>th</sup> / 4 <sup>th</sup> | Proddy and long                                |   |   |   |                  |
|                                         | Stone Pth                                      |   |   |   |                  |
|                                         | Qth volume Pth (10)                            |   |   |   |                  |
|                                         | 4.16 @ 808.70/m <sup>2</sup>                   |   |   |   | 3233             |
| June 14 <sup>th</sup> / 4 <sup>th</sup> | PV and long                                    |   |   |   |                  |
|                                         | and floor                                      |   |   |   |                  |
|                                         | 1.92 m <sup>2</sup> @ 14864.85/m <sup>2</sup>  |   |   |   | 28541            |



| Particulars  | Details of actual measurement                                                    |    |        |    | Contents of area |
|--------------|----------------------------------------------------------------------------------|----|--------|----|------------------|
|              | No.                                                                              | L. | B.     | D. |                  |
|              |                                                                                  |    | B/P h. |    |                  |
| Som No 15/50 | Provide and fix —<br>of extra — of 100 mm<br>600 mm circular form<br>board — — — |    |        |    |                  |
|              | Qty in cum P.H. (11)                                                             |    |        |    |                  |
|              | 4 Nos @ 4375.84/cum h                                                            |    |        |    | 17503 =          |
| Som No 16/51 | Provide and fix —<br>600 mm circular —<br>brass — board — —                      |    |        |    |                  |
|              | Qty in cum P.H. (11)                                                             |    |        |    |                  |
|              | 3 Nos @ 4274.18/cum h                                                            |    |        |    | 12823 =          |
| Som No 17/52 | Provide and fix —<br>600 x 450 mm section                                        |    |        |    |                  |
|              | Gullet — brass board —                                                           |    |        |    |                  |
|              | Qty in cum P.H. (11)                                                             |    |        |    |                  |
|              | 1 No @ 4130.45/cum h                                                             |    |        |    | 430 =            |
| Som No 18/53 | Provide and fix —<br>R.C. boundary pillar —<br>do — to as complete —             |    |        |    |                  |
|              | Qty in cum P.H. (11)                                                             |    |        |    |                  |
|              | 42 Nos @ 761.93/cum h                                                            |    |        |    | 32001 =          |
| Som No 19/56 | Provide and fix —<br>Caly — Road work —<br>do — to as complete —                 |    |        |    |                  |
|              | Qty in cum P.H. (11)                                                             |    |        |    |                  |
|              | 151.75 m <sup>2</sup> @ 823.80/m <sup>2</sup>                                    |    |        |    | 124970 =         |
|              | 40 h.                                                                            |    |        |    |                  |

BCH SV Form No. 154

| Particulars | Details of actual measurement                     |   |          | Contents of area |
|-------------|---------------------------------------------------|---|----------|------------------|
|             | No.                                               | L | B        |                  |
|             |                                                   |   | 11/12 ft |                  |
| Area 25     | Placing and lifting                               |   |          |                  |
|             | Reinforcing                                       |   |          |                  |
|             | 24.12 m <sup>2</sup> ft. (1)                      |   |          |                  |
|             | 38.4 @ 252.40/m <sup>2</sup> ft.                  |   |          | 357.93           |
| Area 26     | Placing and lifting                               |   |          |                  |
|             | Log of material                                   |   |          |                  |
|             | 24.12 m <sup>2</sup> ft. (1)                      |   |          |                  |
|             | 31.6 @ 10913.80/m <sup>2</sup> ft.                |   |          | 327.57           |
| Area 27     | Placing with form                                 |   |          |                  |
|             | master (11) on form                               |   |          |                  |
|             | Placing and lifting                               |   |          |                  |
|             | 24.12 m <sup>2</sup> ft. (4)                      |   |          |                  |
|             | 20.7 m <sup>2</sup> @ 291.00/m <sup>2</sup> ft.   |   |          | 6150             |
| Area 28     | Reinforcing work                                  |   |          |                  |
|             | on corner master (113)                            |   |          |                  |
|             | on parapet to r                                   |   |          |                  |
|             | 24.12 m <sup>2</sup> ft. (3)                      |   |          |                  |
|             | 11.52 m <sup>2</sup> @ 5856.95/m <sup>2</sup> ft. |   |          | 67817            |
| Area 29     | Painting two coats on                             |   |          |                  |
|             | New concrete - surface                            |   |          |                  |
|             | to be completed                                   |   |          |                  |
|             | 24.12 m <sup>2</sup> ft. (4)                      |   |          |                  |
|             | 32.19 m <sup>2</sup> @ 116.86/m <sup>2</sup> ft.  |   |          | 3762             |
|             | Total                                             |   |          | 3174570          |
|             |                                                   |   |          | 3174652 = 00     |

Continuation



| Particulars                                                                                                                                                                                                                             | Details of actual measurement |    |    |    | Contents of area   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|----|----|----|--------------------|
|                                                                                                                                                                                                                                         | No.                           | L. | B. | D. |                    |
|                                                                                                                                                                                                                                         |                               |    |    |    | 3774652 ✓          |
| B/P B                                                                                                                                                                                                                                   |                               |    |    |    | 3194570 = 00       |
|                                                                                                                                                                                                                                         |                               |    |    |    | 571437 =           |
| Add 18x G.s. B                                                                                                                                                                                                                          |                               |    |    |    | 571423 = 00        |
|                                                                                                                                                                                                                                         |                               |    |    |    | 31947 =            |
| Add 1x L.C. B                                                                                                                                                                                                                           |                               |    |    |    | 31716 = 00         |
| Add S.P. — B                                                                                                                                                                                                                            |                               |    |    |    | 40416 = 00 ✓       |
|                                                                                                                                                                                                                                         |                               |    |    |    | 704 B 3818155 = 00 |
|                                                                                                                                                                                                                                         |                               |    |    |    | 3818252 = 00 ✓     |
| Less 19.994 below R                                                                                                                                                                                                                     |                               |    |    |    | 769269 = 00 ✓      |
|                                                                                                                                                                                                                                         |                               |    |    |    | R - 3054983 = 00 ✓ |
| <div style="display: flex; justify-content: space-around;"> <div> <u>M/m</u><br/> <u>8/9/2023</u><br/> <u>JM</u> </div> <div> <u>10/1</u><br/> <u>8/9/23</u><br/> <u>2025</u> </div> <div> <u>CLP</u><br/> <u>20.7.23</u> </div> </div> |                               |    |    |    |                    |

| Material Statement                |               |                                      |                     |
|-----------------------------------|---------------|--------------------------------------|---------------------|
| (1) E/W                           | —             | 939.50 m <sup>3</sup>                | ✓                   |
| (2) G.s.B (26.5 to 9.5 mm)        | —             | 19.25 m <sup>3</sup>                 | checked Submittal ✓ |
| (9.5 mm to 2.36 mm)               | —             | 13.75 m <sup>3</sup>                 |                     |
| Sand                              | —             | 74.33 m <sup>3</sup>                 |                     |
| (3) W.B.M 10mm                    | —             | 63 to 45 mm — 38.95 m <sup>3</sup>   |                     |
|                                   | Screening     | — 12.73 m <sup>3</sup>               |                     |
|                                   | Brindly m/m   | — 2.53 m <sup>3</sup>                |                     |
| (4) W.B.M 10mm                    | —             | 53 to 22.4 mm — 51.23 m <sup>3</sup> |                     |
| (5) Stone chips (13.2 to 0.09 mm) | —             | 15.26 m <sup>3</sup>                 |                     |
| (6) Stone chips (9.5 to 4.75 mm)  | —             | 61.06 m <sup>3</sup>                 |                     |
|                                   | 4.75 mm below | — 43.92 m <sup>3</sup>               |                     |
| (7) Stone Aggregate               | —             | 111.07 m <sup>3</sup>                |                     |
| (8) Bricks                        | —             | 5760 No                              |                     |

Continuation



V/S No. 1110/2023-01-05/600  
 part LT - 96 (one) parting alt - 07/07/23  
 Receipt Recd Rs - 31,18,454/-  
 SCH. XLV Form No. 134  
 memo abt 1st 2nd final A/c Rs - 30,54,983/-

| Particulars                                                    | Details of actual measurement |    |    |    | Contents of area |
|----------------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                                | No.                           | L. | B. | D. |                  |
| E. TOP @ L. 30550/-                                            |                               |    |    |    |                  |
| C. WST @ L. 30550/-                                            |                               |    |    |    |                  |
| S. WST @ L. 30550/-                                            |                               |    |    |    |                  |
| L. C/S @ L. 30550/-                                            |                               |    |    |    |                  |
| S.D @ S. 1,82,700/-                                            |                               |    |    |    |                  |
| Royalty - 57,141/-                                             |                               |    |    |    |                  |
| S.F - 40,416/-                                                 |                               |    |    |    |                  |
| In A/C - 26,82,476/-                                           |                               |    |    |    |                  |
| Total Rs - 30,54,983/-                                         |                               |    |    |    |                  |
| passed for Rs - 30,54,983/- Reputed                            |                               |    |    |    |                  |
| Thirty Lakh Fifty four Thousand nine hundred eighty three only |                               |    |    |    |                  |

10-8-23  
 Executive Engineer  
 R.W.D. Works Division  
 Shelkhpura

BU  
 10/08/23

10/08/23

V.K.K. 4  
 10/08/23

Tol Cum No -  
 11 2/-