

कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, गोपालगंज-1

पत्राक:- 1351 अनु०

/ गोपालगंज

दिनांक:- 14/08/2023

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, गोपालगंज-1

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी,
बिहार ग्रामीण पथ विकास अभिकरण,
बिहार, पटना।

विषय:- 3054 बिहार ग्रामीण पथ नई अनुरक्षण नीति 2018 के योजना अन्तर्गत में
अधियाचित राशि का आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषयक प्रासंगिक पत्र के अनुपालन में 3054 बिहार ग्रामीण पथ नई
अनुरक्षण नीति 2018 के योजना अन्तर्गत राशि की माँग संलग्न विहित प्रपत्र में पथवार की
गई है।

अतः भवदीय से अनुरोध है कि विहित प्रपत्र के कॉलम-18 में अंकित कुल राशि
का आवंटन उपलब्ध कराने की कृपा की जाय। अधियाचित राशि के संदर्भ में C & P किये
मापी पुस्तिका एवं Bump Integrator Report की छाया प्रति संलग्न कर समर्पित किया जा
रहा है।

अनु०-यथोक्त।

विश्वासभाजन


14/8/23

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, गोपालगंज-1

Requisition Format for Scheme Head- MR (3054) Under Bihar Rural Road Maintenance Policy 2018 (Initial Rectification and Surface Renewal)

Name of Works Division:- R.W.D. Works Division Gopalganj-1

SL No.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (in Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allotted Amount (in Lakh)	up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in lakh)	Remarks
					Length (in Km)	Amount of (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Years Routine Maintenance (in Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/22-23 Gopalganj-1/04	NH-28 Ekderwa to Amuaa Nakshe	31406901016	2090 dt. 06.05.2022	5.345	237.400	158.27597	62.25042	14-MBD-- NMP- 2018/2022- 23/ dt 24.12.2022	23.09.2023	-	2806.38	25	5.03%	0.00000	0.00000	145.00000	Surface Completed
2	MR-N/22-23 Gopalganj-1/03	Hembardaha to Khairatwa	31406901002	2090 dt. 06.05.2022	4.700	217.820	145.99176	56.47085	11-MBD-- NMP- 2018/2022- 23/ dt 08.12.2022	08.12.2022	20.06.2023	3038.46	25	5.02%	130.03575	130.03575	15.67948	Completed

- Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed.
- Up-to-date Physical Progress has been uploaded in MIS

R.W.D. Works Division
Gopalganj-1

Executive Engineer
R.W.D. Works Division
Gopalganj-1

(Signature)
D.A.O. 14.08.23

(Signature)
14/8/23

FORM CER 19

(See government of India's Decision) Below Rule-150
Form of utilisation certificate up to Month of July. 2023
Rural Road Maintenance Policy 2018

Sl No.	Name of Scheme	Allotment Received		Expenditure		Balance	
1	Rural Road Maintenance Policy 2018	By Bank A/C	0.00	By Bank A/C	0.00	In Bank A/C	0.00
		By CFMS	701551649.00	By CFMS	692074455.00	In CFMS	9477194.00
		Total	701551649.00	Total	692074455.00	Total	9477194.00
						Certified that sum of Rs. 692074455.00 of has been utilized for the purpose of Rural Road Maintenance Policy 2018 as given in the margin for which it was sanction as that the balance of Rs.9477194.00 remaining unutilized at the end of the	

2. Certified that I have satisfied my self the condition in which the grants aid was sanctioned have been duly full filled are beign fulfilled and that have exercised the following checks to see that the kind of checks exercised:-

- Work have been supervised by executive engineer/Super intending Engineer..... Yes
- Periodical inspection has been conducted by E.E./S.E/E.E. Weekly S.E. quarterly
- Construction materials have been tested-Yes
- Measurement have been recorded in MB as test Check Conducted by Assistant Engineer/ Executive
- All other coda formalities have been observed- Yes

3 Physical Progress achieved:-

- Construction of Road work 11 Nos.
- Construction of CD work 77/2 Nos (77HP CUI/2 No RCC)


Divisional Accounts Officer
R.W.D. Works Division
Gopalganj-1


14/8/23
Executive Engineer,
R.W.D. Works Division
Gopalganj-1

Name of Customer : M/S Vindyaeshri Construction
Name of Work/ Road : Hembaradaha Khairwa Road
Lab Job number : 87
Date : 28-05-2023
Section No. : 87


Test Date : 28-05-2023
Road Name : Hembaradaha Khairwa Road
Machine No. : 413
Road Type : (R) RURAL ROAD
Start S No. :
Start E No. :
Side :
Interval :
Weather :
U/V Range : 1125 To 5000 1000 mm/km
Start Location : Hembaradaha
Dist Range : 0 To 4.8 0.1 * 1000 m
End Location : Khairwa Road
Equation : $Y = 0 * X^2 + 0.816 * X + 249$

Print Generate Report and Graph

Redraw Graph

Map View

File : G:\Bump Report\Road Report\Hembaradaha to khairatwa road\Hembaradaha to khairatwa road.xlsx Section
 Name of Customer : Name of Work/ Road : Lab Job number :



28/5/23
 88/5/23
 88/5/23

28/5/23
 88/5/23
 88/5/23

29-5-23
 29-5-23
 29-5-23

Road Name-Hembarbaha khairtwa Road

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	ongitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
28/5/23	8:52:0	87	0.1	340	10.1	3400	3023 G		26.49918	84.38845	Curve
28/5/23	8:56:57	87	0.1	320	20.2	3200	2860 G		26.49971	84.38849	Normal
28/5/23	8:57:32	87	0.1	310	20.2	3100	2778 G		26.49973	84.38846	Curve
28/5/23	8:8:42	87	0.1	360	20.2	3600	3186 G		26.50124	84.38922	Speed Breaker
28/5/23	8:54:0	87	0.1	320	20.2	3200	2860 G		26.50221	84.38999	Normal
28/5/23	8:54:36	87	0.1	350	10.1	3500	3104 G		26.50271	84.39026	Normal
28/5/23	8:5:46	87	0.1	230	20.2	2300	2125 G		26.50389	84.39098	Normal
28/5/23	8:59:18	87	0.1	390	10.1	3900	3431 G		26.50506	84.39176	Speed Breaker
28/5/23	8:10:28	87	0.1	260	20.2	2600	2370 G		26.50625	84.39231	Curve
28/5/23	8:54:36	87	0.1	320	20.2	3200	2860 G		26.50683	84.39227	Normal
28/5/23	8:53:0	87	0.1	400	20.2	3900	3431 G		26.50727	84.39202	Curve
28/5/23	8:55:11	87	0.1	330	20.2	3300	2941 G		26.50819	84.39217	Curve
28/5/23	8:53:25	87	0.1	360	20.2	3600	3186 G		26.50893	84.39244	Normal
28/5/23	8:53:25	87	0.1	320	20.2	3200	2860 G		26.5097	84.39303	Normal
28/5/23	8:6:57	87	0.1	360	10.1	3600	3186 G		26.51084	84.39409	Normal
28/5/23	8:56:57	87	0.1	320	20.2	3200	2860 G		26.51108	84.39551	Normal
28/5/23	8:5:46	87	0.1	330	20.2	3300	2941 G		26.51132	84.39626	Speed Breaker
28/5/23	8:4:35	87	0.1	390	10.1	3900	3431 G		26.51176	84.41196	Normal
28/5/23	8:57:32	87	0.1	310	20.2	3100	2778 G		26.51191	84.39748	Normal
28/5/23	9:9:53	87	0.1	320	20.2	3200	2860 G		26.51221	84.39814	Normal
28/5/23	9:58:43	87	0.1	340	10.1	3400	3023 G		26.51262	84.39973	Curve
28/5/23	9:8:7	87	0.1	310	10.1	3100	2778 G		26.51284	84.40051	Normal
28/5/23	9:10:28	87	0.1	330	20.2	3300	2941 G		26.51328	84.4019	Normal
28/5/23	9:11:4	87	0.1	290	20.2	2900	2615 G		26.51356	84.40195	Speed Breaker
28/5/23	9:56:57	87	0.1	370	20.2	3700	3268 G		26.51356	84.40264	Normal
28/5/23	9:9:18	87	0.1	320	10.1	3200	2860 G		26.51412	84.40406	Normal
28/5/23	09:53:00	87	0.1	340	0	3400	3023 G		26.51476	84.40532	Curve
28/5/23	9:6:21	87	0.1	380	20.2	3800	3349 G		26.51511	84.40595	Culvert
28/5/23	9:56:22	87	0.1	300	10.1	3000	2696 G		26.51556	84.40728	Curve
28/5/23	9:56:57	87	0.1	370	20.2	3700	3268 G		26.5159	84.4072	Curve
28/5/23	9:55:11	87	0.1	390	20.2	3900	3431 G		26.51625	84.41415	Normal
28/5/23	9:9:53	87	0.1	400	10.1	4000	3512 G		26.51641	84.40881	Normal
28/5/23	9:58:7	87	0.1	380	20.2	3800	3349 G		26.51654	84.41371	Normal
28/5/23	9:58:43	87	0.1	270	20.2	2700	2452 G		26.5169	84.41492	Speed Breaker
28/5/23	9:54:0	87	0.1	360	10.1	3600	3186 G		26.51692	84.4099	Normal

$$Y = 0 * X^2 + 0.816 * X + 249$$

$$X = 3700$$

$$Y = 3268$$

(R) RURAL ROAD

Good Average Poor
<4000 4001-5000 >5001

IRI Value

Average IRI-3038.46

28/5/23	9:57:32	87	0.1	360	10.1	3600	3186 G	26.51701	84.41317	Normal
28/5/23	9:6:57	87	0.1	350	10.1	3500	3104 G	26.51725	84.41046	Curve
28/5/23	9:7:32	87	0.1	380	10.1	3800	3349 G	26.51735	84.41541	Curve
28/5/23	9:55:46	87	0.1	350	10.1	3500	3104 G	26.51749	84.41097	Normal
28/5/23	9:57:32	87	0.1	360	10.1	3600	3186 G	26.51777	84.41566	Curve
28/5/23	9:5:11	87	0.1	350	10.1	3500	3104 G	26.51828	84.42079	Curve
28/5/23	9:4:0	87	0.1	310	0	3100	2778 G	26.51833	84.42137	Speed Breaker
28/5/23	9:8:42	87	0.1	360	10.1	3600	3186 G	26.51856	84.41899	Normal
28/5/23	9:6:21	87	0.1	340	20.2	3400	3023 G	26.51858	84.41978	Curve
28/5/23	9:8:7	87	0.1	390	20.2	3900	3431 G	26.51867	84.41793	Normal
28/5/23	9:5:11	87	0.1	360	10.1	3600	3186 G	26.51887	84.41624	Normal
28/5/23	9:58:7	87	0.1	380	10.1	3800	3349 G	26.51899	84.41695	Normal

28/5/23
9:8:42
87

28/5/23
9:8:42
87

Yushra
29.5.23
EC