

R.W.D (W) Division, Jaynagar of the one part, and Parshuram Mishra, At+PO-Simri, PS- Bisfi, Dist- Madhubani, Bihar (hereinafter called "contractor" of the other part) Whereas the Employer is desirous that the Contractor execute Construction of Raod & CD work Kavahi To Rayahi Via Parathmik School road Block- Babubarhi under MMGSY (Gen) Head and the Employer has accepted the Bid by the Contractor for the Execution and completion of such works and the remedying of any defects therein at cost of Runees 2,07,000.00 (Rs. Two lacs Seven thousand) only

4327314. May.

NOW THIS AGREEMENT WITHNESSETH AS FOLLOWS:-

- 1. In this agreement, words and expressions shall have the same meanings as are respectively assigned to them in the conditions of contract hereinafter referred to, and they shall be deemed to form and be read and construed as per part of this Agreement.
- 2. In this Agreement of the payment to be made by the employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the employer to execute and complete the works and remedy any defects therein in conformity in all aspects with the provisions of the Contract.
- The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the works and the remedying the defect wherein the contract price or such sum as may become payable under the provisions of the Contractor at the times and in the manner prescribed by the Contract.
- Following documents shall be deemed to form and be read and construed as part of this Agreement, viz:
 - (i) Letter of Acceptance
 - (ii) Notice of proceed with the works.
 - (iii) Contractor's Bid
 - (iv) Contract data
 - (v) Special conditions of contract and General conditions of contract.
 - (vi) Specification MORD
 - (vii) **Drawings**
 - (viii) Bill of Quantities. And comparative statement (Revised B.O.Q.)
 - (ix) Other document listed in the contract data as forming part of the contract.

n witness where of the partied there to have caused this Agreement to be executed the
ay and year first before written.
he common seal of
as hereunto affixed in the presence of
gned, Sealed and delivered by the said
the presence of:
nding Signature of Employer
nding Signature of Employer

Excellete Eng R.W.D. (W) Division, Jaynagar. Works Division, Jaynage

मुख्य अभियंता –3 का कार्यालय ग्रामीण कार्य विभाग, बिहार, पटना

पत्रांकः- ॥/मु०अ०-३,त०स्वी०-०७-२१७/२३ ३९७५ इन्द्रु प्रेषक,

पटना दिनांक:-25-7-23

मुख्य अभियंता-3. ग्रामीण कार्य विभाग. बिहार, पटना।

सेवा में.

अधीक्षण अभियंता, ग्रमीण कार्य विभाग, कार्य अंचल दरभंगा

विषय:--शीर्ष MMGSY अन्तर्गत कार्य प्रमंडल, जयनगर के अधीन बाढ़ / अतिवृष्टि से क्षतिग्रस्त पथ के स्थायी पुनर्स्थापन हेतु प्राप्त 01 अद्द पथ के प्राक्कलन पर पुनरीक्षित तकनीकी स्वीकृति प्रदान करने के संबंध

प्रसंग:-आपका पत्रांक-1119 अनु० दिनांक-07.06.2023 महाशय,

उपर्युक्त विषयक प्रासंगिक पत्र द्वारा प्राप्त कार्य प्रमंडल, जयनगर के अधीन स्वीकृत पथ के प्राक्कलन पर विभागीय पत्र द्वारा दिये गये मद विचलन की स्वीकृति के आलोक में पुनरीक्षित तकनीकी स्वीकृति प्रदान

कर जीतामा जा रहा है जिसकी विवरणी निम्न है:-

Sl. No.	Name of	Name of Scheme	Length (in Km)	Department Ref Lett.	Amount (in	Revised T.S.	FDR Amount (in lakh)
	Division			No./Date	Lakh) Construction Cost &	Amount (in Lakh) (At.	(At. Agmt.
	ir				Maintanance Cost	Agmt. Rate)	Rate)
1	Jaynagar	Kavahi to Royahi Bhaya Parathmik School	3.285	5106/ 28.11.2014	278.71	220.96	2.07

निर्माण कार्य MMGSY की मार्गदर्षिका के अनुरूप किया जाएगा। स्वीकृत प्राक्कलन की जॉच अधीक्षण अभियता, अपने स्तर से कर लेगें यदि किसी प्रकार की संशोधन

की आवश्यकता हो, तो मुख्यालय को सूचित करेंगे।

समर्पित किए गए प्राक्कलन की तकनीकी स्वीकृति इस आधार पर दी जाती है कि प्रस्तुत किए गए प्राक्कलन वास्तविक कार्य स्थल के निर्माण के लिए कार्य स्थल के अनुरुप तैयार की गई हैं, जिसमें पथ एवं पुल निरुपण सम्बंधित सारी आवश्यकता पूरी कर ली गई है।

अधीक्षण अभियंता, पथों का निरीक्षण प्रतिवेदन एवं कार्यों के संबंध में समीक्षात्मक टिप्पणी मुख्यालय को

5वीं तिथि को उपलबंध कराना सुनिश्चित करेंगे।

पुनरीक्षित प्राक्कलन के नये मदों का दर प्राथमिक एकरारनामा के दर से निर्धारित होगी, जिसका तात्पर्य यह है कि प्राथमिक एकरारनामा के समय सक्षम पदाधिकारी द्वारा अनुमोदित दर अतिरिक्त मद की दर के लिए मार्गदर्शक होगी। यह उससे कम हो सकती है किन्तु किसी भी परिस्थिति में यह प्राथमिक एकरारनामा की दर से अधिक नहीं होगी। प्राक्कलन की स्वीकृति दरों की स्वीकृति नहीं समझी जाये।

पुनरीक्षित प्राक्कलन का दर मूल एकरारनामा के दर के समान होगा तथा नया मद का दर भी मूल 7.

एकरारनामा के दर पर आधारित होगा।

अधीक्षण अभियंता, कार्य अंचल, दरभंगा ऐसे मदों के दर जो अनुसूचित दर में नहीं है, कर दर अपने अंचल स्तर से राज्यस्तरीय, अनुसूचित दर निर्धारण समिति के द्वारा अनुमोदित सामाग्रियों के दर के आधार पर MORD Data book analysis के आधार पर दर विश्लेषण करते हुए मुख्यालय को सूचित करेंगे। ताकि मुख्यालय अनुसूचित दर निर्धारण समिति की बैठक में उसका अनुमोदन का S.O.R तैयार करने की दिशा में कार्रवाई की जा सके।

स्थल पदाधिकारी द्वारा लम्ब काट एवं आड़ी काट के आधार पर मिट्टी की मात्रा की ग्रामित किया जायेगा।

4226714/149

Executive Engineer Rural Works Department Works Division, Jaynagar tall

03:11:20

10. अधीक्षण अगियंता, कार्य अंचल, वरभंगा को निवेश विया जाता है कि नये मद का वर विश्लेषण जीव क्तर संतुष्ट हो होगें एवं पुगरीक्षित तकनीकी रवीकृति के उपरान्त लोक निर्माण संहिता के सुसंगत कंडिका के अनुरूप अग्रेतर आवश्यक कार्रवाई करेंगे।

अनुo- स्तीकृत प्रावकलन की गूल प्रति।

विश्वासमाजन

पटना, विनांक:-25-7-23 ज्ञापांक:- **397**5 प्रतिलिपि:-कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, जयनगर को सूचनार्थ एवं आवश्यक कार्रवार्ध हेत् अग्रसारित।

मुख्य अभियंता-3, यहनी पटना, विनांक:- 25-7-2-3 ांग, ग्रामीण कार्य विकास ज्ञापांक:- 3975 प्रतिलिपि:-नोडल पवाधिकारी, एफ०डी०आर० कोषांग, ग्रामीण कार्य विमाग, बिहार, पटना को सूचनार्थ समर्पित।

मुख्य अभियंता-3, यप्ना

पटना, दिनांक:- 25-7-23 ज्ञापांक:- 3979 पटना, दिनांक:- 29-7-23 प्रतिलिपि:-नोडल पदाधिकारी, MMGSY, ग्रामीण कार्य विभाग, बिहार, पटना को सूचनार्थ समर्पित।

मुख्य अभियंत्य=ड. पटना, दिनांक:- 25-7-23 ज्ञापिक:- 3975 पटना, दिनांक:- 25-7-2; प्रतिलिपि:-अभियंता प्रमुख, ग्रामीण कार्य विभाग, बिहार, पटना को सूचनार्थ समर्पित।

Executive Engineer Rural Works Department Works Division, Jaynagar

निर्म 03.11.23

अधीक्षण अभियन्ता का कार्यालय, ग्रामीण कार्य विभाग, कार्य अंचल, दरमंगा।

पत्रांक :- 1578 अनु0/वरभंगा।

विनांक :- 14'08'23

प्रेषक.

ई० रामदेव चौधरी, अधीक्षण अभियंता।

रोवा में.

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, जयनगर।

विषय:-

MMGSY (GEN) योजनान्तर्गत 01 पथ के निर्माण कार्य का पुनरीक्षित परिमाण विपन्न अनुमोदन के संबंध में।

प्रसंग.-

कार्यपालक अभियंता, ग्रा०का०वि०, कार्य प्रमंडल, जयनगर का पत्रांक—1125 अनु०, दिनांक—03.08.2023, एवं मुख्य अभियंता—3, ग्रामीण कार्य विभाग, बिहार, पटना का पत्रांक—॥ म्०अ०—3 त०स्वी०—7—217/2023 3975 अनु०/पटना, दिनांक—25-07-2023

महाशय.

उपर्युक्त विषयक प्रासंगिक पत्र के संबंध में कहना है कि MMGSY (GEN) योजनान्तर्गत निम्नांकित पथ का तकनीकी स्वीकृति के उपरान्त पुनरीक्षित परिमाण विपत्र अनुमोदित कर मूल रूप में अग्रेतर कार्रवाई हेतु भेजी जाती है।

साथ ही निदेश दिया जाता है कि अनुमोदित पुनरीक्षित परिमाण विपन्न के मद एवं मदों की मात्रा, दर, इकाई, गणना आदि की जॉच आप अपने स्तर से भी कर संतुष्ट होने के पश्चात् ही अग्रेत्तर कार्रवाई करेंगें। किसी प्रकार की त्रुटि पाये जाने पर अधोहस्ताक्षरी से आवश्यक सुधार हेतु प्रस्तुत करेंगे।

क. सं	पथ का नाम	लम्बाई (कि.मी)	प्रशासनिक स्वीकृति की राशि (लाख में)	तकनीकी स्वीकृति की राशि (लाख में)	अनुमोदित परिमाण विपन्न की राशि
And the latest and the same and	Kavahi to Royahi Bhaya prathmik school	3.285	278.71	220.96	Rs. 2,20,99,017.00

अन्0:-यथोक्त।

विश्वासभाजन,

(ई0 रामदेव चौधरी) अधीक्षण अभियन्ता,

मामीण कार्य विभाग, कार्य अंचल, दरभंगा।

422414-1HB1-

Executive Engineer
Rural Works Department
Works Division, Jaynagar

hder inviting Authority: Engg-in Chief RWD Patna Name of Work: Construction of Road & CD Works for Kavahi To royahi Bhaya Parathmik School VALIDATE In Block Unde Contract No: Civil Works/ HELP Bidde Excess (+) Name: SCHEDULE OF WORKS Description of work No. or SI. Unit Estimated Rate THUOMA Qty. No. Rs. p Figure Words Providing & Fixing of Working benchmark Pillars Rupees One Thousand 01 nos, per km & 04 Nos, of reference pillars 14,00 Seven Hundred & Sixty No 1767,81 required for 1 Km. as per drawings given and Seven and Paise Eighty One 24749,00 direction of E/I Only 2 Clearing and Grubbing Road Land (By manual means) including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300mm, removals of stumps of such trees cut Rupees Thirty Five earlier & disposal of unserviceable materials & Thousand Eight Hundred & 2.13 Hect 35831.97 stacking of serviceable materials to be used or 76322.00 Thirty One and Paise Ninety auctioned upto a lead of 1000 m including removal Seven Only and disposal of top organic soil not exceeding 150mm in thickness as per technical specification clause 201.1 and direction of E/I Remohat of Hume Pipe 600 mm Rupees One Hundred & Comora 30.00 RM 109.60 3288.00 Nine and Paise Sixty Only Remohat of Hyme Pipe 900 mm Rupees One Hundred & emoval 15.00 RM 163.03 Sixty Three and Paise Three 2445.00 Only Construction of embankment with approved material obtained from borrow pits with a lift upto 1.5 m, transporting to site, spreading, grading to required slope and compacting to meet Rupees One Hundred & 3867.62 Cum 144.99 requirement of Tables 300.1 and 300.2 with a lead Forty Four and Paise Ninety 560766.00 upto 100 m as per Technical Specification Clause Nine Only 301.5 Construction of embankment with approved material obtained from borrow pits with a lift upto 1.5 m, transporting to site, spreading, grading to required slope and compacting to meet 2578.00 Rupees One Hundred & Cum 166.05 requirement of Tables 300.1 and 300.2 with a lead Sixty Six and Paise Five Only 428077,00 upto 1000 m as per Technical Specification Clause 301.5 Construction of Subgrade and Earthen Shoulders: Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, Rupees One Hundred & spreading, grading to required slope and 2332.67 Cum 167.52 Sixty Seven and Paise Fifty compacted to meet requirement of Table 300.2 390769.00 Two Only with lead upto 1000 m as per Technical Specification Clause 303.1. Granular Sub-base with Well Graded Material (Table 400.1) :-Grading- II Construction of granular sub-base by providing well graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method Rupees Two Thousand Six with rotavator at OMC, and compacting with 2135.67 Cum 2612.17 Hundred & Twelve and smooth wheel roller to achieve the desired 5578733.00 Paise Seventeen Only density, complete as per Technical Specification Approved as Corr Clause 401 WBM Grading 2 :- Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN static roller in Rupeles Pour Thousand Six Gircle, Darbhanga stages to proper grade and camber, applying and brooming, crushable screening to fill-up the 850.30 Cum interstices of coarse aggregate, watering and 4658.01 Hundred & Fifty Eight and 3960706,00 compacting to the required density Grading 2 as Paise One Only per Technical Specification Clause 405. Approved as C

Y22/21H THAT TSIGNATURE OF TENDERER WITH SEAL

Executive Engineer **Rural Works Department** Works Division, Jaynagar

R.W.D., Walter Carcin Direchaligue ginee

Rural Works Department Works Division, Jaynages

ning Authority: Engg-in Chief RWD Patna of Work: Construction of Road & CD Works for Kavahi To royahi Bhaya Parathmilk School Nock Unde iontract No: Civil Works/ Adder Excess (+) lame: SCHEDULE OF WORKS Description of work No. or Estimated Pate Oty. AMCUNET. Fig. Figure Wiscoln. WBM Grading 3 :- Providing, laying, spreading 10 and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN static roller in Rupees Four Thousand Five stages to proper grade and camber, applying and 881.54 Cum 4512.78 Hundred & Twelve and 3887941.00 brooming, crushable screening to fill-up the Paise Seventy Eight Only interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405. Prime Coat :- Providing and applying primer coat with Bitumen emulsion (SS-1) on prepared surface of granular base including deaning of road Rupees Forty Nine and surface and spraying primer at the rate of 0.70-11333,82 Sqm 49.09 1.0 kg/sqm using mechanical means as per 556357,00 Paise Nine Only Technical Specification Clause 502. 12 Tack Coat :- Providing and applying tack coat with bitumen emulsion using emulsion pressure distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared granular surface tretaed with Rupees Seventeen and 11333,52 Sam 17.07 Primer and clened with hydriloc broom as per 193465.00 Paise Seven Only technical specification adouse 503, Providing laying and rolling of close - graded 13 premix surface material 20 mm thickness composed of 11.2 mm to 0.9 mm (Type - A) or 13.2 mm to 0.9 mm (Type - B) aggregates using Rupees One Hundred & penetration grade bitumen to required line ,grade 11333.62 Sqm 197.22 Minety Seven and Paise 2242017.09 and level to serve as static roller and finising to Eighty Two Only required level and grades as per Technical Specification Clause 509 Seal Coat Providing and laying seal coat sealing the voids in a bituminous surface laid to the specified levels, grade and cross fall using Type 11333.82 Rupees Suty Nine and 68.94 B, as per Technical Specification Clause 510 752573,08 Paise Ninety Four Only Cement Concrete Pavement M30 :- Construction of un-reinforcedplain cement thickness as perdesign, over a prepared sub-base with 43 grade cement or any other type as per clause 1501.2.2 M 30 grade coarse and fine aggregate maximum size of aggregate not exceding 25mm, mixed in a concrete of not less than 0.2cum capacity and appropriate weigh batcher using approved mix design , laid in approved fixed side formwork (steel channel , laying and fixing of 125 micron thick plythene film ,wedges ,steel plates including levelling the formwork as per drawing) Rupees Seven Thousand spreading the concrete with shovels, rakes 257,28 Four Hundred & Seventy Cum 7471.64 compacted using needle, screed and plate One and Paise Sody Four 1922303.00 vibrators and finished in continuous operation Only including provision of contraction and expansion, constrution joints ,applying debonding strips , primer , sealant , dowel bars , near approaches to bridge/ culvert and construction joints, admixtures Approved as Corrected as approved, curing of concrete slab for 14 days curing compound (where specified) and water finishing to lines and grade as per drawing and Technical specification clause 1501. T. S. Works Circle, Darbhanga Reinforced cement concrete M15 grade kilometre 16 local stone of standard design asper IRC:8 fixing in position including painting and printing, etc as

132(314. 1ASI-Signature of Tenderer with seal

1703. Km stone

per drawing and technical specification clause

11

Executive Engineer Rural Works Department Works Division, Jaynagar

Each

2571.44

4.00

W.

Pural Works Departmen

Rupees Two Thousand Five

and Paise Forty Four Only

Hundred & Seventy One

Authority: Engg-in Chief RWD Patna Work: Construction of Road & CD Works for Kavahi To royahi Bhaya Parathmik School iontract No: Civil Works/ ildder Excess (+) jame: **SCHEDULE OF WORKS** Description of work **Estimated Rate** AMOUNT Qty. Re. Figure Words Reinforced cement concrete M15 grade kilometre local stone of standard design asper IRC:8 fixing Rupees Six Hundred & in position including painting and printing, etc as 12.00 Each 677,20 Seventy Seven and Paise 8126,00 per drawing and technical specification clause Twenty Only 1703, 200 m stone Providing and fixing of retro-reflectorised 18 cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm Rupees Two Thousand & firmly fixed to the ground by means of properly 1.00 Each 2074.50 Seventy Four and Palse Fifty 2075.00 designed foundation with M15 grade cement Only concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801 (600 mm equilateral & triangle) Providing and fixing of retro-reflectorised 19 cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm Rupees Two Thousand Two firmly fixed to the ground by means of properly 1.00 Each 2279.89 Hundred & Seventy Nine designed foundation with M15 grade cement 2280.00 and Paise Eighty Nine Only concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801 (600 mm x 450 mm rectangular) 20 Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm Rupees Two Thousand Four firmly fixed to the ground by means of properly 2.00 Each 2401,60 Hundred & One and Paise designed foundation with M15 grade cement 4803.00 concrete 450 mm x 450 mm x 600 mm, 600 mm Sixty Only below ground level as per drawings and Technical Specification Clause 801 (900 mm octagon stop board) (I)Providing and Fixing of typical MMGSY informatory sign board with Logo as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos. 75mm x 75 mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 450mm x 450mm x 600mm, 600mm below ground level. The top most diamond plate will be Rupees Two Thousand Nine welded to middle plate by 47mm x 47mm of 12 1.00 Each 2986.91 SWG steel plate tube. All M.S. will be stove Hundred & Elghty Six and 2987.00 enameled on both sides. Lettering and printing Paise Ninety One Only arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1 922(21H)4 Signature of Tenderer with seal Executive Engineer W.D., Works Circle, Darblis Rural Works Department Works Division, Jaynagar

ming Authority: Engg-In Chief RWD Patna Work: Construction of Road & CD Works for Kavahi To royahi Bhaya Parathmik School Swifted No: Civil Works Excess (+) SCHEDULE OF WORKS AMOUNT Estimated Rate No. or Description of work Pis, Qty. Words Figure (I)Providing and Fixing 'Logo' of Maintenance VO Project :- Providing and fixing of typical MMGSY 22 informatory sign board with Logo as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos. 75mm x 75 mm of 12 SWG sheet tubes posts duly Rupees Nine Thousand One embedded in cement concrete M-15 grade blocks 9168.00 Hundred & Sixty Seven and of 450mm x 450mm x 600mm, 600mm below 9167.55 Each Paise Fifty Five Only 1.00 ground level. The top most diamond plate will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1 (I)Providing and Fixing 'Logo' of Maintenance Project :- Providing and fixing of typical MMGSY 23 informatory sign board with Logo as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos. 75mm x 75 mm of 12 SWG sheet tubes posts duly Rupees Three Thousand 3000.00 embedded in cement concrete M-15 grade blocks 3000.00 Only of 450mm x 450mm x 600mm, 600mm below Each 1.00 ground level. The top most diamond plate will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer Approved as Corres and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1 8. E. [VI Pardhanga Alamana Valuation | 123 Executive Engineer

Rural Works Department Works Division, Jaynagar

4225314 (HA-Signature of Tenderer with seal

Executive Engineer Works Division, Jaynagar Rural Works Departme

Authority: Engg-In Chief RWD Patna Work: Construction of Road & CD Works for Kavahi To royahi Bhaya Parathmik School Flock Unde Contract No: Civil Works/ Excess (+) idder ame: SCHEDULE OF WORKS AMOUNT **Estimated Rate** Description of work No. or Unit Rs. Qty. Words Figure (I)Providing and Fixing informatory sign board with Logo as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos. 75mm x 75 mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 450mm x 450mm x 600mm, Rupees Nine Thousand Five 9500.00 9500.00 1.00 Each 600mm below ground level. The top most Hundred Only diamond plate will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1 Road Marking with Hot Applied Thermoplastic 25 Compound with Reflectorising Glass Beads on Bituminous Surface :- Providing and laying of hot applied thermoplastic compound 2.5 mm thick Rupees Eighty Four and 49909.00 including reflectorising glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of 84.88 588.00 Sqm Paise Eighty Eight Only surface applied glass beads as per IRC:35 .The finished surface to be level, uniform and free from streaks and holes. Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 26 Rupees One Hundred & including setting out, construction of shoring and 56250.00 bracing, removal of stumps and other deleterious Eighty Seven and Paise 187.63 Cum 299.79 Sixty Three Only material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material.

Executive Engineer

Rural Works Department

Rural Works Division, Jaynagar

Works Division, Jaynagar

W.D., Works Circle, Darbhanga

Executive Engineer
Rural Works Department
Works Division, Jaynagar

03.11.23

4721719-1 - Signature of Tenderer with seal

Q

- 180 BEELDON Juni

me o	Inviting Authority: Engg-In Chief RWD Patna [Work: Construction of Road & CD Works for Kava k Unde		Wand or Desired Parketing Street		T I	HISLP
Bloc	t No: Civil Works/			Excess (+)	%	
PRIVATE TO						THUOMA
idder ame:		No. or	JLE OF WO	(NS	stimated Rate	Rs. P
	Description of work	Qty.		Figure	Words	2.11.42.11.11.11.11.11.11.11.11.11.11.11.11.11
•				Figure		
	Granular Sub-base with Well Graded Material (Table 400.1):-Grading- Il Construction of granular sub-base by providing well graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification	33.35	Cum	3452.07	Rupees Three Thousand Four Hundred & Fifty Two and Paise Seven Only	115127.00
28	Clause 401. Providing M15 (PCC 1:2.5:5) as levelling course in foundation: — Providing PCC M 15 (1:2.5:5) concrete for plain concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203	21.89	Cum	6175.53	Rupees Six Thousand One Hundred & Seventy Five and Paise Fifty Three Only	135182.00
29	Brick masonry work in cement mortar 1:3 in Sub Strature complete excluding pointing and plastering as per drawing and technical specifications Clauses 600,1202 and 1203	218.49	Cum	6493.54	Rupees Six Thousand Four Hundred & Ninety Three and Paise Fifty Four Only	1418774.00
30	Providing and laying RCC pipe NP-3 for culverts on first class bedding of PCC M10 material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works,backfilling concrete and masonary works in head walls and parapets as per clause 1106 (50.00	Cum	2696.11	Rupees Two Thousand Six Hundred & Ninety Six and Paise Eleven Only	134806.00
31	Providing and laying RCC pipe NP-3 for culverts on first class bedding of PCC M10 material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling concrete and masonary works in head walls and parapets as per clause 1106 (1000 mm Dia) doubale Row	15.00	Cum	5475.51	Rupees Five Thousand Four Hundred & Seventy Five and Paise Fifty One Only	82133.00
32	Painting with cement mortar (1:4) 15 mm thick on brick work in sub-structure as per Technical Specifications Clauses 6134	223.85	Sqm	51.06	Rupees Fifty One and Paise Six Only	11430.00
33	Plastering with cement mortar (1:4) 15 mm thick on brick work in sub-structure as per Technical Specifications Clauses 613.4 & 1204	29.54	Sqm	167.82	Rupees One Hundred & Sixty Seven and Paise Eighty Two Only	4957.00
	Boulder (Pitching):— Providing and laying Pitching on slopes laid over prepared filter media including boulder apron laid dry in front of toe of embankment complete as per drawing and Technical specifications	127.50	Cum	3784.93	Rupees Three Thousand Seven Hundred & Eighty Four and Paise Ninety Three Only	482579.00
	Providing and laying Filter material underneath pitching in slopes complete as per drawing and Technical specification	33.12	Cum	4148.53	Rupees Four Thousand One Hundred & Forty Eight and Paise Fifty Three Only	137399,0
	Back filling in foundation trenches complete as per drawing & technical specification clause 1204.3 & sandt Material	49.81	Cum	627.56	Rupees Six Hundred & Twenty Seven and Paise Fifty Six Only	31259,0
1				Total C	ost of Construction:	23332651.00
37	Five Year Mauntenance cost	20.000	Quarly		Rupees Sixty One Thousand & Ninety and Paise Sixty Only	
Total Cost of Maintenance :-						
Joted I	278 27	Rupe F	ees Tw	o Crore Fo	ve Year Maintenance : rty Fixe Lakh Fifty Fo kty Three and Paise 1	up-Thousand
	Signature of Tenderer with seal Works Departure Division, Jan	unagar ument	Exec	utive Er	ngineer T.	Darbhanga