) यह दी टील ल जिन्द्र के जिन्हें क

Schedule XLV-Form No.-134 NABANAD

arbhanaa

DIVISION

bar SUB-DIVISION

3252

MEASUREMENT BOOK

Brayer, Charles

Scanned with CamScanner

9thm Alex	f And	Bill-	dt.	05/07/	23
Sch. XLV-F	orm No		54	To.	
Particulars	Details	of actua	al meası	rement	Contents
	No.	L.	В.	D.	of area
Mame of co	9YX) -	Conet	metter e	frond	form
			Car. 11		to timbi
Market and an artist	pul 2			-	
					zhhanga.
Agreemen.					
Date of com	nence	ment	60 per	Worde	81/50/18
Actual de	chion	es per	W/orde	9: .	03/07/2019
Actual dat					
		leas (1)	men	- N	
Brun	2023	10/0	dest.	Law-M	Material V
03	Je.	No.	74	tern	(30 N
		A PROPERTY AND A PROP	Armin		
	OBS	TRAC	T 05	COST	
Stem NO-01					
	Bench			Elt	
1-19-1	Pty		15 of T	1	
4 N	3. @ B	10.0	1	agh = Ps	. 16822.0
9tem No-02		4	Piximp		
	79.1	mca Pi	3 RA WY		1
- Table 1	Gty	19. 4	45 67	THB	Li.
274	9. Q.	1924	1.67 e	ach = B	
Stem No. 03	ci-	ering	1 grat	bing	4244
	Stran		- A - A		11
	9		45 of	$\neg$	
1. 4 667 9ton No -04	1112		86 98		
J. Co. No.	-	mete	4 mb		CAPT OF
Marie M.	A. Section	The contract of	To	Had = B	.L 1 8301.10
			Continual	поп	
A PROPERTY.	FF920		100		

S	ch. XLV	-Form N	5:	5		
		Detalle	of actu			
1 - n-	articulars	No.	L.	В.	D.	Contents of area
1	11.		* 5 -	B-F	- B	118301.00
		lead !	upto 10	m at	1	10302.00
		-	V/P.4	- 1	g .	
2928.	94 m	Barg.	172.17	ferm3	B.	504276.00
Stem No.	-00	- 1	chian of		1	
	- 1		ate otals		·E/1	
-		1 To 1 to	uptolor	- 1	1	
	g	ty 1/	P-46 0	TMA		
6834.L	9 m3	@ B.	163.30	Porus.		1,1710-2
Hem No-0	6	one the	ction of		- Kp.	1116023,00
-		Pty v	19-46	of	. 6/1	
2831-28	me	4 -264	2.12 04	3 3		
Item No-0			ng Aust			18 3252.00
A PROPERTY.	1		A dai	E) Spree	eling	
		ompact	0	eost -	TT .	
She is		-	-46 of		-	
1204.4	5 m20	B. 378	32-87 F	er vn3 =	P. 45	556 <u>278</u> .0
9 tem No-08	Pro	wiling	and a	top ly m	5	
1000			1	1		74950.00
3.60	4		P-46 of			
14917.0	2		5.28 Pe		-	75442.∞
Stem No -05	1	1	g and			
	4	400	etuthe	_		To reduce to
42.1	10 350		V/P-4			
14917.0	2	0				27037.00
				and sol		
9 tam NO-1	ζ.	P MC			- E/E	
	7		19-47	of TM O		
14917.	רט אין		194.94			29 07 920 .00
		- 0.				7588 529.00
NAME OF TAXABLE			Contin	nuation		

Scanned with CamScanner

THA VIP-48 of THE

Continuation

2 a Mi = B.

Total : 1 1904969 1.00

9860.

Scanned with CamScanner

Sch XL	V-Form N	5	0		
4	Details	of actu	al mana	7 7	77.17
Particula	No.			rement	Contents of area
	140.	L	B	D.	
21.2			BF		13844 494
	e a b		29 Per	3-14.	3255.10
Stem No-1		Hmy M	5 p. ce		11
	1:2.5;	5) as him	lling Con	se et	
-	T	y VIP	4901	мв.	
16.25	m3 @ F	. 5913-9	2 perun	3 = B.	96101.00
9tem No-2		id wall	1		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	magona	- 1	-		_
	- 1	V/P-49			
159.10	4	- 1			
9+cm No -25	1		- 1	- 1	985623.00
	Troom	ng on	dlaying	r	
3 - 10-1	bein for	read to	mend	-	distribution of
The same of	Concrete	- pipe r	UPS of a	Los	
	1000	M 1/ 1	49 5%	EII	
				TMB.	187673000
45. 40	mag	1170	50 PG	meg	187013.00
94cm No-26	MI-al h	ring	reth co	ment	
-	plaste	0.1.0	21/1/	.,,,,,,	
	morte		lm -	El í	
	morte		lm -	El í	
	morte	r(1:4)	(m ·	Elí	3575010
205.25	morte	7 (1:4)	1m . 19 of to	Eli 18 . m = B	
205.25	morta Oto m² @	8·17	1m - 19 of TO	1B. m=B	231 5889617
205.25	morta Oto m² @	r(1:4)	1m - 19 of TO	1B. m=B	211 5889617
205.25	morta Oto m² @	8·17	1m - 19 of TO	1B. m=B	211 5889617
205.25	morte  Oto  m² @  0_10	8·17	1m . 19 of TO	18. 18. 1 = B. es per	211 5889617
205.25 Legs	morte  Oto  m² @  0_10	3.174	1m. 19 of The 18 Per Tole below ment	18.  15 B.  1 5 B.  20 Per	2115896·≈
205.25 Legs	morte  Oto  m² ©  10  tendo	8.174 .00 /	1m. 19 of The 18 Per Tole below ment	18.  15.  15.  25.  25.  25.  26.  26.  26.  26.  2	2115896·≈
205.25 Legs	morta Oto m² © 10 tendo	3.174 .00 /	1m - 19 of To	18.  15.  15.  25.  25.  25.  26.  26.  26.  26.  2	21158896·~ 2115890·≈ 19043806·∞
205.25 Legs	morta Oto m² © 10 tendo	3.174 .00 /	1m - 19 of To	18.  18.  15.  15.  15.  15.  15.  15.	2115896·≈ 2115890·≈ 19043806·≈ 1850569•≈
205.25 Legs	morte  Oto  m² @  10  tende  vip.53	8.17 e	1m - 19 of Tole 18 Per Tole below Tole Tole Tole Tole Tole Tole Tole Tole	18.  18.  15.  15.  15.  15.  15.  15.	2115896·≈ 2115890·≈ 19043806·≈ 1850569•≈
205.25 Legs	morta Oto m² © 10 tendo	8.17 e	1m - 19 of To	18.  18.  15.  15.  15.  15.  15.  15.	2115896·≈ 2115890·≈ 19043806·≈ 1850569•≈



RATE:- 10% (TEN) Below From B.O.Q. Rate

Note on standard Form of Agreement .

The supplementary cost of agreement of Rs. 6,93,867.00 due to revision of estimated cost.

### AGREEMENT NO:- ......SBD(supplementary)/2022-23 (State Scheme- Nabard)

The Agreement no. 21 SBD/2018-19 (Nabard) of Construction of Road with Maintenance Works from Kachhari Tol Chhaprar to Tinhi Pul including Five Years Maintenance work under Bahadurpur block is being revised on the Advantage of Maintenance work under Engineer R.W.D. (w) division Darbhanga-1 (here in after called the "Employer") of the one part, and Anwarul Haq, At+P.O- Jamalpur, Anchal-Kiratpur, Dist- Darbhanga (here in after called "contractor") of the other part revised from Rs.2,07,89,289=00 to Rs. 2,14,83,156.00 (Rs.Two Crore Fourteen Lakh Eighty Three Thousand One Hundred Fifty Six) only.EMD details at reverse page.

Contractor Sign.

R.W.D. Works Division

R.W.D.Works Division Darbhanga-1

griftens.

## अधीक्षण अभियन्ता का कार्यालय, ग्रामीण कार्य विभाग, कार्य अंचल, दरभंगा।

पत्रांकः - ९२७ अन्०/दरमंगा।

दिनांक :- 17/5/2023

प्रेषक.

ई0 दीप नारायण प्रसाद, अधीक्षण अभियंता।

सेवा में.

कार्यपालक अभियंता, ग्रामीण कार्य विभाग कार्य प्रमंडल, दरभंगा-1

विषय:-

NABARD राज्य योजनान्तर्गत बहादुरपुर प्रखंड के अधीन कचहरी टोल छपरार से टीनही पुल तक पथ के निर्माण कार्य का पुनरीक्षित परिमाण विपत्र अनुमोदन के संबंध में।

प्रसंग:-

आपका पत्रांक-929 अनु0, दिनांक-04.05.2023

महाशय,

उपर्युक्त विषयक प्रासंगिक पत्र के संबंध में कहना है कि NABARD राज्य योजनान्तर्गत निम्नांकित पथ का पुनरीक्षित परिमाण विपत्र अनुमोदित कर मूल रूप में अग्रेतर कार्रवाई हेतु भेजी जाती है।

साथ ही निदेश दिया जाता है कि अनुमोदित परिमाण विपन्न के मद एवं मदों की मात्रा, दर, इकाई, गणना आदि की जॉच आप अपने स्तर से भी कर संतुष्ट होने के पश्चात् ही अग्रेत्तर कार्रवाई करेंगें। किसी प्रकार की त्रुटि पाये जाने पर अधोहस्ताक्षरी को आवश्यक सुधार हेतु प्रस्तुत करेंगे।

क्र. सं	एथ का नाम	लम्बाई (कि.मी)	अनुमोदित परिमाण विपत्र की राशि
1	बहादुरपुर प्रखंड के अधीन कचहरी टोल छपरार से टीनही पुल तक	4.200	238.70
अन0	:–यथोक्त।	7.1	•

विश्वासभाजन,

अधीक्षण अभि

ग्रामीण कार्य विभाग, कार्य अंचल, दरभंगा।

Darbhanga-1

#### Revised BOQ

Name of Road: Kachhari Tol Chhaprar to Tinhi Pul Road.

Block :- Bahadurpur

RWD

Works Division Darbhanga-1

NABARD

I.No.	Description of work	No. or Qty.	Unit	Estimated Rate	AMOUNT Rs.
1	Providing & fixing of Bench Mark Pillars @ one no. per Km as per drawing and direction of E/I.	4.00	Nos	4205.49	16821.96
2	Providing & fixing of Reference Mark Pillars @ four nos. per Km as per drawing and direction of E/I.	17.00	Nos	1924.67	32719.39
3	Clearing and Grubbing Road Land Clearing and Grubbing Road Land including uprooting wild vegetation, grass, bushes, shurbs, saplings and trees of girth upto 300mm, removal of stumps of such trees cut earlier and unseviceable materials & stacking of serviceable materials to be used or auctioned upto a lead of 1000m including removal and disposal of top organic soil not exceeding 150mm in thickness as per technical specification(clause201.1)	1,47	Hect	46880.98	68915.04
4	Construction of embankment with approved materials obtained from borrow pits with a lift upto 1.5 m, transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 100 m. (Rate of Sum of 3.3 and 3.5).	2937.40	Cum	172.17	505732.16
5	Construction of embankment with approved materials obtained from borrow pits with a lift upto 1.5 m, transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m. as per Technical Specification Clause 301.5	6853.94	Cum	163.30	1119248.40
6	Construction of granular sub-base grading-I by providing well graded material, spreading in uniform layers with tractor mounted grader arrangement on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401.	2832.34	Cum	2642.13	7483410.48
7	WBM Grading 3 Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405.	1204.87	Cum	3782.87	4557866.5
8	Prime Coat (Low Porosity) Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0kg/sqm using mechanical means as per Technical Specification Clause 502	14917.50	Sqm	45.28	675464.4
9	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25-0.30kg per sqm on the prepared granular surfaces treated with primer & cleaned with Hydraulic broom as per Technical Specification Clause 503.	14917.50	Sqn	15.22	2 227044.3
10	Mix Seal Surfacing With waste Plastic Providing, laying and rolling of close-graded premix surfacing material of 20 mm thickness composed of 11.2 mm to 0.9 mm (Type-A) or 13.2 mm to 0.9 mm (Type-B) aggregates using penetration grade bitumen to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 8-10 kN static roller and finishing to required level and grades as per Technical Specification Clause 509	1/017 50	Sqn	n 194.94	4 2908017.4

4-101(14 EB

R.W.D. Works Division

25-1

Approved as Corrected

R.W.D., Works Circle, Darbhanga

Executive Engineer R.W.D. Works Division Darbhanga-1

	CementConcretePavement ConcretePavement				
	Construction of un-reinforced, plain comment concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement or any other type as per Clause 1501.2.2 M30 (Grade), coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick polythene film, wedges, with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous-operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs for 14-days, using curing compound (where specified) and water finishing to lines and grade as per drawing and Technical Specification Clause 1501	181.80	Cum	7348.49	1335955.48
	Laying Brick soling layer on prepared sub-grade with brick on end edging according to lines, graded and cross-section shown on the drawing filling joints with sand and earth, spreading 25 mm thick layer of earth over brick soling, watering and rolling the same with three wheel road roller 80-100 kn as per Technical SpecificationClause 412		Sqm	525.00	78750.00
13	Kilometre Stone Reinforced cement concrete M15 grade kilometre stone/local stone of standard design as per IRC:8 fixing in position including painting and printing, etc as per drawing and Technical Specification Clause 1703 5 th Kilometer Stone	1.00	Each	4341.08	4341.08
14	Kilometre Stone Reinforced cement concrete M15 grade kilometre stone/local stone of standard design as per IRC:8 fixing in position including painting and printing, etc as per drawing and Technical Specification Clause 1703 Kilometer Stone	4.00	Each	2404.05	9616.20
15	Kilometre Stone Reinforced cement concrete M15 grade kilometre stone/local stone of standard design as per IRC:8 fixing in position including painting and printing, etc as per drawing and Technical Specification Clause 1703 200 m stone	21.00	Each	608.87	12786.27
16	Nabard Sign Board Providing and fixing of typical Nabard informatory sign board with Logo as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos. 75mm x 75 mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 450mm x 450mm x 600mm, 600mm below ground level. The top most diamond plate will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1	2.00	Each	9860.27	19720.54
17	Retro-reflectorised Traffic Signs Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of property designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801.600 mm equilateral & triangle.	2.00	Each	1646.76	3293.52

51-101(101 600)

R.W.B. Works Division

Sery-

Approved as Corrected

R.W.D., Works Circle, Darbhangs

Executive Engineer R.W.D. Works Division Darbhanga-1

6	Petro reflectorized Treffic Ci-	A CONTRACTOR OF THE PARTY OF TH			
	Retro-reflectorised Traffic Signs Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause fron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 801.600 mm side circle.	2.00	Each	1714.00	3428.00
	Retro-reflectorised Traffic Signs Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801.600 mm x 450 mm rectangular	2.00	Each	1707.12	3414.24
20	Road Marking with Hot Applied Thermoplastic Compound with Reflectorising Glass Beads on Bituminous Surface & Cement Concrete Pavement Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35 .The finished surface to be level, uniform and free from streaks and holes.	780.00	Sqm	914.98	713684.40
21	Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material.	290.94	Cum	244.76	71210.47
22	Type B (First Class) Bedding :- Laying (First Class) bedding on well compacted Local Sand, approved material	21.36	Cum	433.29	9255.07
23	Providing M15 (PCC 1:2.5:5) as levelling course in foundation :- Providing PCC M15 (1:2.5:5) for plain concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203	16.26	Cum	5913.92	96160.34
24	Head wall in Brick masonry work in cement mortar (1:4) in foundation complete excluding pointing and plastering, as per drawing and technical specification Clauses 602, 603, 604, 1202, & 1204.	160.50	Cum	6194.99	994295,90
25	Providing and laying reinforced cement concrete pipe NP3 (1000 mm dia) for culverts on first class bedding of PCC M10 material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling, concrete and masonary works in head walls and parrapets clauses 1106	45.00	м	4170.50	187672.50
26	Plastering with cement mortar (1:4), 15 mm thick on brickwork in substructure as per technical specification Clauses 613.4 & 1204	207.78	Sqm	174.18	36191.12
27	Providing and laying bolder pitching on slopes laid over prepared filter media as per drawings & technical specification Clause 1302	14.18	Cum	3639.42	51606.98
28	Providing and laying filter material (Local Sand) underneath pitching in slopes complete as per drawings & technical specification Clause 1302	5.17	Cum	433.29	2240.11
29	Protection Work (Apron):- Providing and laying bolder apron for bed protection with stone bolders of minimum size and weight as per table 1300.1 no. fragment weighing not less than 25 kg as per drawings & technical specification Clause 1301.	28.26	Cum	3675.82	103878.67

51-19111M ES

TR.W.D. Works Division

Sent Hours

R.W.D., Works Circle, Darbhanga

Approved as Corre

A63/17/05/23

Executive Engineer R.W.D. Works Division Darbhanga-1

	1st year Maintal				
10	1st year Maintainance			358.87	59349.92
- 1	estoration of Raincuts in the embankment and shoulder/Berms with soil.moorumeto	165.38	Cum		49759.50
M	taking up of Berms/shoulder, stripping excess soil from the shoulder surfaces to	918.75	Sqm	54.16	
a	chieve level etc.	916.75		9513.76	6526A,39
R	tepair of Pot holes filled with 75 mm BM X 1.25	6.86	Cum		23304.98
P	ratch repair over pot holeves with 20 mm premix carpet with seal coat type B	91.41	Sqm	254.95	
			_	270.00	24680.70
P	Patch repair over bituminous surface with 20 mm premix carpet with seal coat type B	91.41	Sqm	270.00	
			Nos.	1067.89	8543.12
N	Maintenance of C/D works (Hume Pipe Culvert)	8.00	and the same of	99.87	797.36
	cutting of branches of trees and shrubs	8.00	Nos.	6.12	238.68
C	Cutting of shrubs from roadway	39.00	Nos.	2.04	199,92
	Frimming of grass and weeds	98,00	Sgmi	15.68	2634.24
	White washing of parapet walls of CD work and tree truncks	168.00	8gm		234772.81
-	Total of 1st year Maintainance				
-					71217.75
1	2nd year Maintainance Restoration of Raincuts in the embankment and shoulder/Berms with soil.moorumeto	198.45	Cum	358.87	7.12
18	Restoration of Raincuts in the embankment and shoulder/Berms with some modern services and services are services and services and services and services and services are services and services are services and services and services are ser	19074			59711.40
-	the standard to the standard to	1102.50	Sqmi	54.16	
	Making up of Berms/shoulder, stripping excess soil from the shoulder surfaces to	1102.50		9513.76	130433.6
	achieve level etc.	13.71	Cum		
1	Repair of Pot holes filled with 75 mm BM X 1.25		Sqm	254.95	46607.A
3	Patch repair over pot holeves with 20 mm premix carpet with seal coat type B	182.81	Sq		
- 1			Cam	270.00	49358.7
4	Patch repair over bituminous surface with 20 mm premix carpet with seal coat type B	182.81	Sqm		8543.1
		8.00	Nos.	1067.89	4308.9
5	Maintenance of C/D works (Hume Pipe Culvert)	4.20	Km	1025.95	
6	Maintenance of Road Signs	4.20		575,53	2417.2
7	Maintenance of 200 m and Km stones	8.00		99.67	797.3
18	Cutting of branches of trees and shrubs	39.00	-	6.12	238.6
19	Cutting of shrubs from roadway			2.04	199.9
_	Trimming of grass and weeds	98.00	-	15.68	2634.2
50	the state of personal walls of CD work and tree truncks	168.00	Sqiii		376468.4
51	White washing of parapet walls of CD work and the garden of 2nd year Maintainance			-	
	2rd year Maintainance			-	7.1
	Restoration of Raincuts in the embankment and shoulder/Berms with soil.moorumetc	231.53	Cum	358.87	83089.1
52					
	Making up of Berms/shoulder, stripping excess soil from the shoulder surfaces to	1286.25	Sqm	54.16	69663.
53	achieve level etc.		-		195698.
	1 CP + helps filled with 75 mm BM X 1.25	20.57	Cum	9513.76	190090.
54	the leaves with 20 mm premix carpet with seal coat type b	274.22	Sam	254.95	69912.
55					
	Patch repair over bituminous surface with 20 mm premix carpet with seal coat type B	274.22	0 000	270.00	
					74039
56	Patch repail over bitanings constant	214.22	2 Sqn		
	No.	8.00	<u> </u>		8543
57	Maintenance of C/D works (Hume Pipe Culvert)		) Nos	1067.89	8543
57 58	Maintenance of C/D works (Hume Pipe Culvert)  Cutting of branches of trees and shrubs	8.00	Nos	1067.89 99.67	8543 797
57 58 59	Maintenance of C/D works (Hume Pipe Culvert)  Cutting of branches of trees and shrubs  Cutting of shrubs from roadway	8.00	0 Nos	1067.89 99.67 6.12	8543 797 238
57 58 59 60	Maintenance of C/D works (Hume Pipe Culvert)  Cutting of branches of trees and shrubs  Cutting of shrubs from roadway	8.00 8.00 39.00 98.0	Nos Nos Nos Nos Nos	1067.89 99.67 6.12	8543 797 238 - 199
57 58 59	Maintenance of C/D works (Hume Pipe Culvert)  Cutting of branches of trees and shrubs  Cutting of shrubs from roadway  Trimming of grass and weeds  Trimming of grass and weeds	8.00 8.00 39.00 98.00 168.0	Nos Nos Nos Nos Nos	1067.89 99.67 6.12	8543 797 238 - 199 2634
57 58 59 60	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks Total of 3rd year Maintainance	8.00 8.00 39.00 98.00 168.0	Nos Nos Nos Nos Nos	1067.89 99.67 6.12	8543 797 238 - 199 2634
57 58 59 60	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks Total of 3rd year Maintainance	8.00 8.00 39.00 98.00 168.0	0 Nos 0 Nos 0 Nos 0 Sqr 0 Sqr	1067.89 99.67 6.12 n 2.04 n 15.68	8543 797 238 - 199 2634 504815
57 58 59 60	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks Total of 3rd year Maintainance  4th year Maintainance	8.00 8.00 39.00 98.00 168.0	0 Nos 0 Nos 0 Nos 0 Sqr 0 Sqr	1067.89 99.67 6.12 n 2.04 n 15.68	8543 797 238 - 199 2634 504815
57 58 59 60 61	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks Total of 3rd year Maintainance  4th year Maintainance Restoration of Raincuts in the embankment and shoulder/Berms with soils.	8.00 8.00 39.00 98.00 168.00 264.6	D Nos D Nos D Nos D Sqr D Sqr	1067.89 99.67 6.12 n 2.04 n 15.68	8543 797 238 - 199 2634 504815
57 58 59 60 61	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks Total of 3rd year Maintainance  4th year Maintainance Restoration of Raincuts in the embankment and shoulder/Berms with soils in the shoulder surfaces.	8.00 8.00 39.00 98.00 168.0	D Nos D Nos D Nos D Sqr D Sqr	1067.89 99.67 6.12 n 2.04 n 15.68	8543 797 238 - 199 2634 504815
57 58 59 60 61	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks Total of 3rd year Maintainance  4th year Maintainance Restoration of Raincuts in the embankment and shoulder/Berms with soils and the shoulder surface to the shoul	8.00 8.00 39.00 98.00 168.00 264.6	0 Nos 0 Nos 0 Nos 0 Nos 0 Sqr 0 Sqr 0 Cur	1067.89 99.67 6.12 n 2.04 n 15.68 m 358.87	8543 797 238 - 199 5 2634 504815 7 94957 6 79615
57 58 59 60 61	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks Total of 3rd year Maintainance  4th year Maintainance Restoration of Raincuts in the embankment and shoulder/Berms with soils achieve level etc.	8.00 8.00 39.00 98.00 168.00 264.6	0 Nos 0 Nos 0 Nos 0 Nos 0 Sqr 0 Sqr 0 Cur	1067.89 99.67 6.12 n 2.04 n 15.68 m 358.87	8543 797 238 - 199 5 2634 504815 7 94957 7 79615
57 58 59 60 61	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks Total of 3rd year Maintainance  4th year Maintainance Restoration of Raincuts in the embankment and shoulder/Berms with soils achieve level etc.  Making up of Berms/shoulder, stripping excess soil from the shoulder surface achieve level etc. Repair of Pot holes filled with 75 mm BM X 1.25 Repair of Pot holes filled with 75 mm BM X 1.25	8.00 8.00 39.00 98.00 168.00 264.6 1470.0	0 Nos 0 Nos 0 Nos 0 Sqr 0 Sqr 0 Cur 0 Sqr	1067.89 99.67 6.12 0 2.04 0 15.68 m 358.87 m 54.16 m 9513.70	8543. 797. 238. 199. 2634. 504815. 7. 94957. 6. 260867.
57 58 59 60 61 62	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks Total of 3rd year Maintainance 4th year Maintainance Restoration of Raincuts in the embankment and shoulder/Berms with soils Making up of Berms/shoulder, stripping excess soil from the shoulder surfaces Repair of Pot holes filled with 75 mm BM X 1.25 Patch repair over pot holeves with 20 mm premix carpet with seal coat type B	8.00 8.00 39.00 98.00 168.00 264.6 1470.0 27.4	0 Nos 0 Nos 0 Nos 0 Sqr 0 Sqr 0 Cur 00 Cur	1067.89 99.67 6.12 0 2.04 0 15.68 m 358.87 m 54.16	8543. 797. 238. 199. 2634. 504815. 7. 94957. 6. 260867.
57 58 59 60 61 62	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks Total of 3rd year Maintainance  4th year Maintainance Restoration of Raincuts in the embankment and shoulder/Berms with soils achieve level etc. Repair of Pot holes filled with 75 mm BM X 1.25 Patch repair over pot holeves with 20 mm premix carpet with seal coat type B	8.00 8.00 39.00 98.00 168.00 264.6 1470.0 27.4 365.6	0 Nose 0 Nose 0 Nose 0 Sqr 0 Sqr 0 Cur 0 Sq 10 Sq 10 Sq 10 Sq 10 Sq 10 Sq 10 Sq	1067.89 99.67 6.12 0 2.04 0 15.68 m 358.87 m 54.16 m 9513.76	8543 797 238 - 199 3 2634 504815 7 94957 6 79615 6 26086 5 93211
57 58 59 60 61 62 63	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks  Total of 3rd year Maintainance  4th year Maintainance Restoration of Raincuts in the embankment and shoulder/Berms with soils achieve level etc. Repair of Pot holes filled with 75 mm BM X 1.25 Patch repair over pot holeves with 20 mm premix carpet with seal coat type B	8.00 8.00 39.00 98.00 168.00 264.6 1470.0 27.4	0 Nos 0 Nos 0 Nos 0 Sqr 0 Sqr 0 Cur 00 Sqr 00 Sqr 00 Sqr 00 Sqr	1067.89 99.67 6.12 n 2.04 n 15.68 m 358.87 m 54.16 m 9513.76	8543 797 238 - 199 3 2634 504815 7 94957 6 79615 6 26086 5 93211
57 58 59 60 61 62 63 64 65	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks Total of 3rd year Maintainance 4th year Maintainance Restoration of Raincuts in the embankment and shoulder/Berms with soils achieve level etc. Repair of Pot holes filled with 75 mm BM X 1.25 Patch repair over pot holeves with 20 mm premix carpet with seal coat type B Patch repair over bituminous surface with 20 mm premix carpet with seal coat type B Maintenance of C/D works (Hume Pipe Culvert)	8.00 8.00 39.00 98.00 168.00 264.6 1470.0 27.4 365.6	0 Nos 0 Nos 0 Nos 0 Sqr 0 Sqr 0 Sqr 0 Sqr 33 Sq 33 Sq	1067.89 99.67 6.12 2.04 n 15.68 m 358.87 m 9513.71 m 254.90 m 270.0	8543 797 238 - 199 5 2634 504815 7 94957 6 26086 5 93211
57 58 59 60 61 62 63 64 65 66	Maintenance of C/D works (Hume Pipe Culvert)  Cutting of branches of trees and shrubs  Cutting of shrubs from roadway  Trimming of grass and weeds  White washing of parapet walls of CD work and tree truncks  Total of 3rd year Maintainance  4th year Maintainance  Restoration of Raincuts in the embankment and shoulder/Berms with soils achieve level etc.  Repair of Pot holes filled with 75 mm BM X 1.25  Patch repair over bituminous surface with 20 mm premix carpet with seal coat type B  Patch repair over bituminous surface with 20 mm premix carpet with seal coat type B  Maintenance of C/D works (Hume Pipe Culvert)	8.00 8.00 39.00 98.00 168.00 264.6 1470.0 27.4 365.6 8.0	0 Nos 0 Nos 0 Nos 0 Sqr 0 Sqr 0 Sqr 0 Sqr 33 Sq 33 Sq 00 No	1067.89 99.67 6.12 2.04 n 15.68 m 358.87 m 9513.70 m 254.90 m 270.0	8543 797 238 - 199 8 2634 504815 7 94957 6 26086 5 9321 0 9672 9 854
57 58 59 60 61 62 63 64 65 66 66	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks  Total of 3rd year Maintainance  4th year Maintainance Restoration of Raincuts in the embankment and shoulder/Berms with soils Making up of Berms/shoulder, stripping excess soil from the shoulder surface in achieve level etc. Repair of Pot holes filled with 75 mm BM X 1.25 Patch repair over pot holeves with 20 mm premix carpet with seal coat type B Patch repair over bituminous surface with 20 mm premix carpet with seal coat type B Maintenance of C/D works (Hume Pipe Culvert) Maintenance of Road Signs Maintenance of 200 m and Km stones	8.00 8.00 39.00 98.00 168.00 264.6 1470.0 27.4 365.6 8.0 4.1	00 Nos 00 Nos 00 Nos 00 Sqr 00 Sqr 00 Sqr 00 Sqr 00 Sqr 00 Sqr 00 Sqr 00 Sqr 00 Sqr 00 Sqr	1067.89 99.67 6.12 0 2.04 1 15.68 m 358.87 m 9513.76 m 270.0 m 270.0 m 1067.8 m 1067.8	8543 797 238 - 199 5 2634 504815 7 94957 6 26086 5 93211 0 98720 9 854
57 58 59 60 61 62 63 64 65 66 66 66	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks  Total of 3rd year Maintainance  4th year Maintainance  Restoration of Raincuts in the embankment and shoulder/Berms with soils Making up of Berms/shoulder, stripping excess soil from the shoulder surface in achieve level etc.  Repair of Pot holes filled with 75 mm BM X 1.25 Patch repair over pot holeves with 20 mm premix carpet with seal coat type B  Patch repair over bituminous surface with 20 mm premix carpet with seal coat type B  Maintenance of C/D works (Hume Pipe Culvert) Maintenance of Road Signs Maintenance of 200 m and Km stones Maintenance of typenches of trees and shrubs	8.00 8.00 39.00 98.00 168.00 264.6 1470.0 27.4 365.6 8.0 4.1 4.1	0 Nos 0 Nos 0 Nos 0 Sqr 0 Sqr	1067.89 99.67 6.12 10 2.04 11 15.68 11 358.87 11 254.9 11 270.0 12 1067.8 11 1025.9 12 1067.8	8543 797 238 - 199 5 2634 504815 7 94957 6 26086 5 93217 0 98720 9 854 5 430 3 241
57 58 59 60 61 62 63 64 65 66 66 67	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks Total of 3rd year Maintainance  4th year Maintainance Restoration of Raincuts in the embankment and shoulder/Berms with soils Making up of Berms/shoulder, stripping excess soil from the shoulder surface in achieve level etc. Repair of Pot holes filled with 75 mm BM X 1.25 Patch repair over pot holeves with 20 mm premix carpet with seal coat type B Patch repair over bituminous surface with 20 mm premix carpet with seal coat type B Maintenance of C/D works (Hume Pipe Culvert) Maintenance of Road Signs Maintenance of should signs Maintenance of should signs Maintenance of should signs Cutting of should from roadway	8.00 8.00 39.00 98.00 168.00 264.6 1470.0 27.4 365.6 8.0 4.1 4.1 8.1	00 Nos 00 Nos 00 Nos 00 Sqr 00 Sqr	1067.89 99.67 6.12 0 2.04 1 15.68 1 358.87 1 254.90 1 270.0 1 1025.9 1 1025.9 1 1025.9	8543 797 238 - 199 3 2634 504815 7 94957 6 26086 5 93217 0 98720 9 854 5 430 3 241 77 79
57 58 59 60 61 62 63 64 65 66 66 67 77	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks Total of 3rd year Maintainance  4th year Maintainance Restoration of Raincuts in the embankment and shoulder/Berms with soil. Making up of Berms/shoulder, stripping excess soil from the shoulder surface level etc. Repair of Pot holes filled with 75 mm BM X 1.25 Patch repair over pot holeves with 20 mm premix carpet with seal coat type B Patch repair over bituminous surface with 20 mm premix carpet with seal coat type B Maintenance of C/D works (Hume Pipe Culvert) Maintenance of Road Signs Maintenance of 200 m and Km stones Cutting of shrubs from roadway Cutting of shrubs from roadway Cutting of shrubs from roadway	8.00 8.00 39.00 98.00 168.00 264.6 1470.0 27.4 365.6 8.0 4.1 4.1 8.1 8.1 8.1 8.1	00 Nos 00 Nos 00 Nos 00 Sqr 00 Sqr	1067.89 99.67 6.12 1067.89 99.67 6.12 10.04 15.68 10.05 10.07 10.00 10.0	8543. 797 238 - 199 2634 504815 7 94957 6 260867 6 260867 0 98720 9 8544 6 4300 3 241 7 79 12 23
57 58 59 60 61 62 63 64 65 66 66 67 77 77	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks  Total of 3rd year Maintainance  4th year Maintainance  Restoration of Raincuts in the embankment and shoulder/Berms with soils Aking up of Berms/shoulder, stripping excess soil from the shoulder surface in achieve level etc. Repair of Pot holes filled with 75 mm BM X 1.25 Patch repair over pot holeves with 20 mm premix carpet with seal coat type B  Patch repair over bituminous surface with 20 mm premix carpet with seal coat type B  Maintenance of C/D works (Hume Pipe Culvert) Maintenance of Road Signs Maintenance of 200 m and Km stones Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks	8.00 8.00 39.00 98.00 168.00 264.6 1470.0 27.4 365.6 8.0 4 8.0 39.00 98.00 168.00 264.6 1470.0 27.4 365.6 8.0 98.00 98	00 Nos 00 Nos 00 Nos 00 Sqr 00 Sqr	1067.89 99.67 6.12 1067.89 99.67 6.12 1067.89 1067.89 1067.89 1067.8 1067.8 1067.8 1067.8 1067.8 1067.8 1067.8 1067.8 1067.8 1067.8 1067.8 1067.8 1067.8	8543 797 238 - 199 5 2634 504815 7 94957 6 260867 6 260867 5 93217 0 98720 9 8543 5 4308 3 2411 7 79 12 23
57 58 59 60 61 62 63 64 65 66 66 67 77 77	Maintenance of C/D works (Hume Pipe Culvert) Cutting of branches of trees and shrubs Cutting of shrubs from roadway Trimming of grass and weeds White washing of parapet walls of CD work and tree truncks Total of 3rd year Maintainance  4th year Maintainance Restoration of Raincuts in the embankment and shoulder/Berms with soils Making up of Berms/shoulder, stripping excess soil from the shoulder surface in achieve level etc. Repair of Pot holes filled with 75 mm BM X 1.25 Patch repair over pot holeves with 20 mm premix carpet with seal coat type B Patch repair over bituminous surface with 20 mm premix carpet with seal coat type B Maintenance of C/D works (Hume Pipe Culvert) Maintenance of Road Signs Maintenance of should signs Maintenance of should signs Maintenance of should signs Cutting of should from roadway	8.00 8.00 39.00 98.00 168.00 264.6 1470.0 27.4 365.6 8.0 4 8.0 39.00 98.00 168.00 264.6 1470.0 27.4 365.6 8.0 98.00 98	00 Nos 00 Nos 00 Nos 00 Sqr 00 Sqr	1067.89 99.67 6.12 1067.89 99.67 6.12 10.04 15.68 10.05 10.07 10.00 10.0	8543 797 238 - 199 3 2634 504815 7 94957 6 26086 5 9321 0 96720 9 854 5 430 3 241 17 79 12 23 14 19

D. A. D. Works Division

Executive Engineer R.W.D. Works Division Approved as Corrected S. E. R.W.D. Works Circle, Darbhangs

	5th year Maintainance				
14	Restoration of Raincuts in the embankment and shoulder/Berms with soil moorumeto	297.68	Cum	358.87	106828.42
75	Making up of Berms/shoulder, stripping excess soil from the shoulder surfaces to achieve level etc.	1653.75	Sqm	54.16	89567.10
	Repair of Pot holes filled with 75 mm BM X 1.25	34.28	Cum	9513.76	326131.69
76	Patch repair over pot holeves with 20 mm premix carpet with seal coat type B	457.03	Śqm	254.95	116519.80
78	Patch repair over bituminous surface with 20 mm premix carpet with seal cost type B	457.03	Sgm	270.00	123398.10
	100		Nos.	1067.89	8543.12
79	Maintenance of C/D works (Hume Pipe Culvert)	8.00		99.67	797,38
80	Cutting of branches of trees and shrubs	8.00	Nos.	6.12	238.68
81	Cutting of shrubs from roadway	39.00	Nos.	2.04	199.92
82	Trimming of grass and weeds	98.00	Sqmi	15.68	2634.24
83	White washing of parapet walls of CD work and tree truncks	168.00	Sgm	15.00	774858.4
	Total of 5th year Maintainance				2537431.8
(B)	Total 5years Maintainance Cost				
(A+B)	Grand Total:-				23870172.9

Construction Cost Rs. 31332741.11 5 Years Maintenance Cost Rs. 25.37 43 1.87

Total Amount of BOQ Rs. 23870172.93

Revived BOR approved for h 238,70172.00 ( for two - crove thirty eight law seventy thousand one hundred - and seventy two) my

3/191(M Ean

Superintending Engineer R.W.D. works circle

Darbhanga



# OFFICE OF THE EXECUTIVE ENGINEER R.W.D WORKS DIVISION, DARBHANGA-1 Standard From of Agreement

AGREEMENT NO:- .....SBD/2018-19 (NABARD)

NAME OF WORK:- Construction of Road with Maintenances Work
From Kachhari tol Chhaprar to Tinhi Pul Under
Bahadurpur Block (Tender ID-59350)

NAME OF AGENCY:- Anwarul Hak, Darbhanga (Bid ID-257182)

ESTIMATED COST:- Rs.2,30,99,210=00( Two Crore Thirty Lakh Ninty Nine Thousand Two Hundred and Ten) only.

AGREEMENT VALUE:- Rs.2,07,89,289=00( Two Crore Seven Lakh Eighty Nine thousand Two Hundred and Eighty Nine) only.

RATE:- 10.00(ONE ZERO DECIMAL ZERO ZERO)% Below From B.O.Q Rate

EMD- NSC/FD/TD Rs. 12680000

DATE OF COMPLETION:-...?....?.....?......

Contractor Sig.

For Anwarul Haque

R.W.D.Works Division Darbhanga 1





### **Standard From of Agreement**

RATE:-

(

(

10.00(ONE ZERO DECIMAL ZERO ZERO)% Below From B.O.Q Rate

Note on standard Form of Agreement.


The Agreement shuld incorporate any correction of modifications to the Bid resulting from correction of errers (Instruction to Bidders.Clause26)

Standard Form:

NABARD AGREEMENT

AGREEMENT NO:- ...2./...SBD/2018-19 (NABARD)

Contractor Sig.



R.W.D.Works Division Darbhanga-1

## HOW THIS AGREEMENT WITHNESSETH AS FOLLOWS:-

- 1. In this words and expression shall have the same meanings as are respectively assigned to them in the conditions of contract hereinafter referred to, and they shall be demed to form and be read and construed as per part of this Agreement.
- 2. In this Agreement of the payment to be made by the employer to the Contractor as hereinafter mentioned, the contractor hereby covenants with the employer to execute and complete the works and remedy any defects there in conformity in all aspects with the provision of the Contract.
- 3. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the works and the remedying the defect where in the contract price or such sum as may become payble under the provision of the contractor at the times and in the manner prescribed by the contract.
- 4. Following documents shall be deemed to form and be read and construed as part of this Agreement, viz:
  - (i) Letter of Acceptance
  - (ii) Notice of proceed with the works.
  - (iii) Contractor's Bid
  - (iv) Contract data
  - (v) Special conditions of contract and general condition of contract.
  - (vi) Specification MORD
  - (vii) Drawings
  - (viii) Bill of Quantities and
  - Other document listed in the contract data as forming part of the contract. In witness where of the partied there to have caused this Agreement to be executed the day and year first before written.

The common seal of..... Was hereunto affixed in the presence of Signed, Sealed and delivered by the said......

In the presence of:

Binding Signature of Contractor......

Proprietor

For Anwarul Haque

Proprietor

R.W.D.(W) Division Da