

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, पालीगंज।

पत्रांक:- 1609 (अभियंता)

पालीगंज / दिनांक:- 13/12/22

प्रेषक :

कार्यपालक अभियंता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, पालीगंज।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी,
-सह-सचिव,
बिहार ग्रामीण पथ विकास, अभिकरण
ग्रामीण कार्य विभाग, पटना।

विषय:- शीर्ष-MR, 3054 Under-Bihar Rural Road Maintenance Policy-2018 योजना अन्तर्गत आवंटन का
अधियाचना के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि शीर्ष-MR, 3054 Under-Bihar Rural Road
Maintenance Policy-2018 योजना अन्तर्गत पथों का अधियाचना का माँग विहित प्रपत्र में तैयार कर
Signed Hard Copy of Recorded IRI के साथ अधियाचना हेतु भेजी जा रही है।

अतः अनुरोध है कि उक्त योजना का आवंटन उपलब्ध करने की कृपा की जाय, ताकि संवेदक
का भुगतान हो सके।

अनु:- यथोक्त।

विश्वासभाजन



13/12/22

कार्यपालक अभियंता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल पालीगंज।


13/12/2022

Requisition Format for Scheme Head -Mm (3054) Under Bihar Rural Road Maintenance Policy 2018(Initial Rectification and surface Renewal)
Name Of Work division- Paliganj

Requisition Format for Scheme Head -MR (3054) Under Bihar Rural Road Maintenance Policy 2018(Initial Rectification and Surface Rectification)																		
Name Of Work Division- Paliganj																		
Sl	Package No	Name Of Road	Project ID as per MIS	Administra the Approval (AA) Letter No & Date	Administrative		Agreement Amount		Date of completion as per Agreement	Actual Date of completion	Value of Irr(in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in Lakh)	Up-to - date expenditure as per MIS (in Lakh)	Requisitio n against work done (in Lakh)	Remarks	
					Length (in km)	Amount of (in lakh)	Initial Rectificati on with Surface Renewal (in lakh)	5 Year Maintena nee (in lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
MR-N/19-20	MASS/ID- SARDA	SAIDABAD	NEA22000897	lt no 6459 dt 13.12.2019	1.0	40.58600	30.95700	10.67190	05/MBD/ 2020-21 & 18.06.202	17.03.2021	24.06.2022	2.57800 (SDBC)	25 mm	5.01%	17.32894	17.32894	3.75749	Work is Completed as per specification & Verification of Surface by a bump indicator machine 100% Measurement checked by AE & 50% by EE
1	Paliganj/08	Sahrampur - Mahaspura via Aachouli	NEA220001592	lt no 6459 dt 13.12.2019	2.83	80.28300	77.10000	29.80626	05/MBD/ 2020-21 & 18.06.202	17.03.2021	28.08.2022	4.565185 (SDBC)	25 mm	5.11%	66.81393	66.81393	0.70744	Work is Completed as per specification & Verification of Surface by a bump indicator machine 100% Measurement checked by AE & 50% by EE
MR-N/19-20	Paliganj/08	Palma jila antargat nauksipur prastand ke antargat nauksipur prastand ke P.W.D path se mahadali tota tak path himsaan.	101000509001	lt no 6459 dt 13.12.2019	1.574	33.03300	39.89900	16.71681	05/MBD/ 2020-21 & 18.06.202	17.03.2021	26.08.2022	4.11 (SDBC)	25 mm	5.07%	32.77399	32.77399	3.22657	Work is Completed as per specification & Verification of Surface by a bump indicator machine 100% Measurement checked by AE & 50% by EE

27/12/22
Divisional Accounts Officer
Rural Work Department
Works Division Paliganj

27/12/22
Executive Engineer
Rural Works Deptt.
Work Division Paliganj

01/12/2022

FORM GFR 19-A


(See Government of India's Decision (1) below Rule-150)
Form of utilisation Certificate up to the end of 5th December 2022

PIU: RWD Works Division , Paliganj

Sl No.	Name of Scheme	Sanction No. & Date with Amount	Amount Received (In Rs.)	Particulars
1	Construction of Rural roads under MR New maintenance policy		236259347.00	Certified that out of Rs 236259347.00 received upto the year 2022-23 in favour of Ex. Engineer, RWD, Works Div. Paliganj Bihar a sum of Rs 232311988.00 has been utilized for the purpose of const of road under Schemes as given in the margin for which it was sanctioned and that the balance of Rs. 3947359.00 remaining unutilized at the end to the period under
Total			236259347.00	

2. Certified that I have satisfied myself that the conditions of which the grants sanction Sanctioned have been duly fulfilled/are being fulfilled and I have exercised the checks to see the money was actually utilised for the purpose for which it was sanctioned.


07/12/22
Divisional Accounts Officer
Rural Work Department
Works Division Paliganj


07/12/22
Executive Engineer
Rural works Deptt.
Works Division, Paliganj


Name of work : Saccabad Masjid -Sarda Chhapra Path

Name of customer : SANTOSH KUMAR

(R)Rural Road

Good	Average	Poor
< 4000	4001 - 5000	> 5000


Date	Time	Test No	Distance(m)	Total Distance(m)	BUM(cm)	Speed(Km/Hr)	Ullam(Km)	Corrected LI (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction	Remarks
29/01/22	19:02:42	9	100	100	25.0 cm	5.5 Km/Hr	2500.0 mm/Km	2380	3.28	Good	25.41485877	N	84.7925038	E	Breaker
29/01/22	19:03:15	9	100	200	21.0 cm	12.1 Km/Hr	2100.0 mm/Km	2012	2.82	Good	25.4174032	N	84.7924987	E	Breaker
29/01/22	19:03:32	9	100	300	28.0 cm	17.2 Km/Hr	2800.0 mm/Km	2473	3.39	Good	25.4174032	N	84.7924987	E	Breaker
29/01/22	19:03:49	9	100	400	14.0 cm	22.9 Km/Hr	1400.0 mm/Km	1368	2	Good	25.41592021	N	84.7913904	E	Normal
29/01/22	19:04:04	9	100	500	13.0 cm	24.1 Km/Hr	1300.0 mm/Km	1274	1.88	Good	25.41592021	N	84.7913904	E	Normal
29/01/22	19:04:20	9	100	600	14.0 cm	22.9 Km/Hr	1400.0 mm/Km	1365	2	Good	25.4148590	N	84.7906122	E	Normal
29/01/22	19:04:35	9	100	700	15.0 cm	24.3 Km/Hr	1500.0 mm/Km	1458	2.12	Good	25.4148590	N	84.7906122	E	Normal
29/01/22	19:04:50	9	100	800	12.0 cm	23.4 Km/Hr	1200.0 mm/Km	1182	1.75	Good	25.4148590	N	84.7906122	E	Normal
29/01/22	19:05:10	9	100	900	31.0 cm	16.1 Km/Hr	3100.0 mm/Km	2934	3.95	Good	25.4148590	N	84.7906122	E	Normal
29/01/22	19:05:33	9	100	1000	19.0 cm	18.8 Km/Hr	1900.0 mm/Km	1827	2.59	Good	25.4148590	N	84.7906122	E	Normal

U. 2-2-21
S.E.
S.E.

Subodh Kumar

12/12
S.E.

AT Sharp Actimax Control
No of Customer SANTOSH KUMAR Machine no: 19206 . Road: Saidabad Masjid -Sarda Charra Path . Date: 04-02-22 . Section No: 09 . Elevation: $\gamma = 0.322 \times 75.3$
1.03



[Signature]
4.02.22
S.K.

[Signature]
S.K.

[Signature]
S.K.

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग , क्षेत्रीय प्रयोगशाला, गुलजारबाग
पटना - 800007

पत्रांक : 32/315
प्रेषक ,

पटना / दिनांक : 19-01-2022

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
क्षेत्रीय प्रयोगशाला, गुलजारबाग पटना-7

सेवा में ,
कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमण्डल पालीगंज

विषय :- योजना / गैर योजना शीर्ष N.R. 3034 अंतर्गत निर्माणाधीन पथ/पुल/पुलिया कार्यों
में प्रयुक्त निर्माण सामग्रियों की गुणवत्ता के जाँचफल प्रतिवेदन के संबंध में।

प्रसंग :- कार्यपालक अभियंता / सहायक अभियंता कार्य प्रमण्डल / कार्य अवर प्रमण्डल पालीगंज
का पत्रांक 46(2120) 27/1/22

महाशय ,
उपर्युक्त बिषयक प्रासंगिक पत्र के संदर्भ में योजना / गैर योजना शीर्ष अंतर्गत
निर्माणाधीन पथ/पुल/पुलिया कार्यों में प्रयुक्त निर्माण सामग्रियों के गुणवत्ता जाँचफल प्रतिवेदन आवश्यक
कारवाई हेतु भेजी जाती है जो निम्नवत है:-

क्रम संख्या	पथ/पुल/पुलिया का नाम	जाँच का प्रकार
1.	Saidabad Masjid to Sarda Chakra	Stone chips (3.2mm to 9mm) sore chips Bitumen content for sore
2.		

अनु० :- यथोक्त

विश्वासभाजन
19/01/22
कार्यपालक अभियंता
ग्रामीण कार्य विभाग
क्षेत्रीय प्रयोगशाला, गुलजारबाग पटना-7

OFFICE OF THE EXECUTIVE ENGINEER

REGIONAL LABORATORY, R. W. D., GULZARBAGH, PATNA - 7

PHYSICAL AND GRADATION TEST OF COARSE AGGREGATE

Name of Project/Road :- Saidabadi Masjid to Sarda Chobra

Name of Scheme :- MR-3059

Name of Agency :- Sanjesh Kumar

Nature of sample : Mix seal (13.2mm to 0.075mm) Date of Collection/Received :- 12/1/2022

Location :- 750M Date of Test :- 19/1/2022

Ref :- Material sent by E.E./A.E. R.W.D. WORKS Division/Sub Division Patna

vide letter No. 46(24)dt. 23/12/21

Agreement No / Package No. : 05/0230/2020-21

Sl. No.	A.I.V.	
	Average Test Value	Required Value(Max)
1.		30%

Sl. No.	Sieve Size in (mm)	Weight of Sample Taken Kgs <u>19.365</u>				Required Value		Remarks
		Weight Retd.	% of Wt. Retained	% of Cum. Retained	% of Passing	Type A	Type B	
1	13.2	<u>0.000</u>	<u>0.00</u>	<u>0.00</u>	<u>100</u>	-----	100	
2	11.2	<u>0.881</u>	<u>4.55</u>	<u>4.55</u>	<u>95.45</u>	100	88-100	
3	5.6	<u>8.685</u>	<u>44.85</u>	<u>49.40</u>	<u>50.60</u>	52-88	31-52	
4	2.8	<u>5.383</u>	<u>27.80</u>	<u>77.20</u>	<u>22.80</u>	14-38	5-25	
5	0.09	<u>3.747</u>	<u>19.35</u>	<u>96.55</u>	<u>3.45</u>	0-5	0-5	

Patna
12/1/2022
Regional Laboratory
R.W.D. Guljarbagh
patna - 7

19/01/2022
A.E.
Regional Laboratory
R.W.D Guljarbagh
patna - 7

Patna
19/01/22
E. E.
Regional Laboratory
R.W.D. Guljarbagh
patna - 7

OFFICE OF THE EXECUTIVE ENGINEER

REGIONAL LABORATORY, R. W. D., GULZARBAGH, PATNA - 7

PHYSICAL AND GRADATION TEST OF COARSE AGGREGATE

Name of Project/Road :- Saidabad masjid to sarda chakra
Name of Scheme:- MR-3554
Name of Agency :- Santosh Kumar
Nature of sample : Semi Dense Bituminous Concrete Date of Collection/Received :- 12/01/22
Location :- 750m Date of Test :- 19/01/22
Ref :- Material sent by E.E./A.E. R.W.D. WORKS Division/Sub-Division - Paliganj
vide letter No. 46(23) 22/12/22
Agreement No / Package No. : 05(MR30/2020-2)

Sl.No	A.I.V.	
	Average Test Value	Required Value(Max)
1.		30%

Sl. No	Sieve Size in (mm)	Weight of Sample Taken Kgs 18.760				Required Value	Remarks
		Weight Retd.	% of Wt. Retained	% of Cumm. Retained	% of Passing		
1	13.2	0.000	0.00	0.00	100	100	
2	9.5	0.854	4.55	4.55	95.45	90-100	
3	4.75	9.146	48.75	53.30	46.70	35-51	
4	2.36	2.645	14.10	67.40	32.60	24-39	
5	1.18	0.788	4.20	71.60	28.40	15-30	
6	0.300	2.073	11.05	82.65	17.35	9-19	
7	0.075	2.383	12.70	95.35	4.65	3-8	

R. W. D.
19/01/22
Regional Laboratory
R.W.D. Guljarbagh
patna - 7

S.
19/01/22
A.E.
Regional Laboratory
R.W.D. Guljarbagh
patna - 7

E. E.
19/01/22
Regional Laboratory
R.W.D. Guljarbagh
patna - 7

Letter No. _____

Date ____/____/____

OFFICE OF THE EXECUTIVE ENGINEER

REGIONAL LABORATORY, R. W. D., GULZARBAGH, PATNA - 7

Bituminous mix

Name of Project/Road :- Saidabad Majid to Sarda Chabra

Name of Scheme:- MR-3054

Name of Agency :- Sardar Leeman

Nature of sample :- Bitumen content for - S.D.B.C

Location :- 240 m/s

Date of Collection/Received :- 12/11/22

Date of Test :- 14/12/22

Ref :- Material sent by E.E./A.E. R.W.D. WORKS Division/Sub Division Rajgarh vide letter No. 99/3452/30/12/22

Agreement No / Package No. :- 55/m30/2022-23

Sl. NO.	SAMPLE NO.	1	2	3	REMARKS
1	Wt. of mix taken before extraction (a)	509.00	506.00	505.00	
2	Wt. of Dry chips after extraction (b)	483.48	480.30	479.65	
3	Percentage of bitumen (in the mix) [(a-b)*100/a] (%)	S.01	S.00	S.02	
4	Average % bitumen	S.01			

Regional Laboratory
R.W.D.Gulzarbagh patna - 7

Rajgarh
A.E.

Regional Laboratory
R.W.D.Gulzarbagh patna - 7

12/11/22
A.E.

Regional Laboratory
R.W.D.Gulzarbagh patna - 7

14/12/22
E.E.