

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, जयनगर

पत्रांक.....216.....

जयनगर, दिनांक...15.2.23

प्रेषक :- कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमण्डल, जयनगर

सेवा में,
नोडल पदाधिकारी (3054)
ग्रामीण कार्य विभाग
ब्राडा, पटना।

विषय :- **MR-3054 (NMP)** योजनान्तर्गत चल रहे योजनाओं हेतु आवंटन उपलब्ध कराने के सम्बंध में।

महाशय,

उपर्युक्त विषयक के सम्बंध में कहना है कि **MR-3054 (NMP)** योजना हेतु अधियाचना विहित प्रपत्र में आवश्यक कार्रवाई हेतु समर्पित की जाती है।

अनु०- यथोक्त।

विश्वासभाजन

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमण्डल, जयनगर

Xth
15.2.23



IR(3054) Under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)
Name of Works Division. Jaynagar

1 Package No	Name of the Road (English)	Project ID as per MIS	Administrative Approval (AA) Letter no Date	Administrative Approval (AA)		Agreement Amount (In Lakh)		Agreement No & Date	Date Completion as per Agreement	Actual Date of Completion	Value of IRI (In mm/Km)	Thickness of Bitumen Layer (In mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (In Lakh)	Up to Date Expenditure as per MIS	Requisition against work done (In Lakh)	Remarks
				Length (in KM)	Amount of Lakh	Initial Rectification and Surface Renewal (In Lakh)	Five Years Routine Maintenance (In Lakh)										
2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
RM MAJAY/ 19/0006	Uchhal to Bhabhandel Chowk	31910002155	Li-1862 Dt-24.06.2019	2.200	91.43280	71.60479	15.82983	54/MBD 21-22 20.10.2021	19.10.2022	-	3098	25 mm	5%	0.00000	0.00000	47.29695	
RM MAJAY/ 19/0007	P.W.D to suryahi	31909601020	Li-1862 Dt-24.06.2019	5.300	149.43700	101.74800	35.43123	68/MBD 21-22 10.01.2022	09.01.2023	20.11.2022	2799	25 mm	5%	0.00000	0.00000	89.46354	
RM MAJAY/ 19/0003	Basha to navnagar	31909601001	Li-1862 Dt-24.06.2019	2.500	77.36700	52.377	18.46920	66/MBD 20-21 03.10.2020	02.10.2021	20.12.2022	2703	25 mm	5%	42.59265	42.52813	9.78435	

1 Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed.

2 Up-to-date Physical Progress has been uploaded in MIS

Executive Engineer
RWD, Works Division, Jaynagar

[Signature]

[Signature]

FORM GFR -19 -A

(see Govt. of India's decision (i) below rule 150)

Form of Utilisation Certificate upto October

Rural Road Maintenance policy-2018

PIU:- R.W.D. Works, Division , Jaynagar

Sl. No.	Name of Scheme	Sanction No.& Date with amount (in Rs. Lakh)	Amount Received (in Rs. Lakh)	Particulars
1	2	3	4	5
1	Construction of Road Under Rural Road Maintenance policy-2018	1846.43854	1846.43854	Certified that out of Rs.1846.43854 Lakh received till date in favour of Ex.Engineer, R.W.D. Works Division, Jaynagar a sum of Rs.1816.23018 Lakh has been utilized for the purpose of Rural Road Maintenance policy-2018 Scheme as given in the margin for which it was sanctioned and that the balance of Rs.30.20836 Lakh remaining unutilized at the end of the period under the time of completion.
		1846.43854	1846.43854	

- 2 Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the propose for which it was sanctioned.

Kind of Checks Exercised :-

- Workers have been supervised by Executive Engineer/ Superintending Engineer
- Periodical inspection has been conducted by Executive Engineer/Superintending Engineer
- Construction materials have been tested.
- Measurments have been recorded in the MB's and test check conducted by the Assistant
- All other codal formalities have overserved


Executive Engineer
Rural works Department
Works Division, Jaynagar

XHU
15.2.23



15.2.23


प्रमाण-पत्र

शीर्ष :- 3054 एम0 आर0 (बिहार ग्रामीण पथ अनुरक्षण निति-2018)

योजना :- Uchchal to Bhabhandei chowk (Package No.- RM/MA/JAY/19/0006)

1. मपीपुस्त पर इस आशय का प्रमाण-पत्र दर्ज है कि कार्य गुणवत्तापूर्ण कराया गया है।
2. कराये गये कार्यों के सभी अवयवों के अवयववार 100 प्रतिशत कार्य का दर्ज मापी का सत्यापन कनीय अभियंता, 50 प्रतिशत मापी का सत्यापन सहायक अभियंता एवं 10 प्रतिशत मापी का सत्यापन कार्यपालक अभियंता द्वारा किया गया है।


कनीय अभियंता
कार्यप्रशाखा, बासोपट्टी


सहायक अभियंता
कार्य अवर प्रमंडल, बासोपट्टी


कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमण्डल, जयनगर

Name of work : Uchhal to Bhabhandei Chowk	
Name of customer : Ramchandra yadav	
(R) Rural Road	
Good	Average
< 4000	4001 - 5000
	Poor
	> 5000

Date	Time	Test No	Distance(m)	Total Distance(m)	BUM(P/cm)	Speed(Km/Hr)	U/m(Km)	Corrected UI (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks
08/02/23	19.01.23	149	0	0	0.0 cm	0.0 Km/Hr	0.0 mm/Km	196	0.35	Good	26.595379	N	86.0804377	E	Normal
08/02/23	19.02.59	149	100	100	23.0 cm	3.2 Km/Hr	2300.0 mm/Km	2328	3.21	Good	26.5959495	N	86.0229959	E	Normal
08/02/23	19.03.17	149	100	200	24.0 cm	19.8 Km/Hr	2400.0 mm/Km	2421	3.33	Good	26.5993767	N	86.0221339	E	Normal
08/02/23	19.03.35	149	100	300	36.0 cm	20.2 Km/Hr	3600.0 mm/Km	3534	4.66	Good	26.5601816	N	86.0206537	E	Normal
08/02/23	19.03.50	149	100	400	21.0 cm	23.8 Km/Hr	2100.0 mm/Km	2143	2.93	Good	26.5907233	N	86.0199908	E	Normal
08/02/23	19.04.05	149	100	500	36.0 cm	24.4 Km/Hr	3600.0 mm/Km	3534	4.66	Good	26.5913661	N	86.0189981	E	Normal
08/02/23	19.04.20	149	100	600	35.0 cm	24.0 Km/Hr	3500.0 mm/Km	3441	4.55	Good	26.5615320	N	86.0187845	E	Normal
08/02/23	19.04.35	149	100	700	31.0 cm	23.1 Km/Hr	3100.0 mm/Km	3070	4.11	Good	26.5626154	N	86.0173044	E	Normal
08/02/23	19.04.51	149	100	800	35.0 cm	23.4 Km/Hr	3500.0 mm/Km	3441	4.55	Good	26.5628462	N	86.0160611	E	Normal
08/02/23	19.05.05	149	100	900	29.0 cm	24.1 Km/Hr	2900.0 mm/Km	2985	3.89	Good	26.5637102	N	86.0158014	E	Normal
08/02/23	19.05.20	149	100	1000	36.0 cm	24.5 Km/Hr	3600.0 mm/Km	3534	4.66	Good	26.5637102	N	86.0158014	E	Normal
08/02/23	19.05.34	149	100	1100	32.0 cm	25.7 Km/Hr	3200.0 mm/Km	3163	4.22	Good	26.5649214	N	86.0141153	E	Normal
08/02/23	19.05.48	149	100	1200	34.0 cm	26.2 Km/Hr	3400.0 mm/Km	3348	4.44	Good	26.5652685	N	86.0134439	E	Normal
08/02/23	19.06.02	149	100	1300	37.0 cm	25.9 Km/Hr	3700.0 mm/Km	3026	4.77	Good	26.5655655	N	86.0123224	E	Normal
08/02/23	19.06.16	149	100	1400	32.0 cm	25.8 Km/Hr	3200.0 mm/Km	3163	4.22	Good	26.5657320	N	86.0114756	E	Normal
08/02/23	19.06.29	149	100	1500	33.0 cm	25.9 Km/Hr	3300.0 mm/Km	3255	4.33	Good	26.5658140	N	86.0110331	E	Normal
08/02/23	19.06.43	149	100	1600	39.0 cm	26.2 Km/Hr	3900.0 mm/Km	3812	4.99	Good	26.5661459	N	86.0094080	E	Normal
08/02/23	19.06.57	149	100	1700	35.0 cm	25.7 Km/Hr	3500.0 mm/Km	3441	4.55	Good	26.5663039	N	86.0086451	E	Normal
08/02/23	19.07.12	149	100	1800	31.0 cm	24.9 Km/Hr	3100.0 mm/Km	3070	4.11	Good	26.5665731	N	86.0071955	E	Normal
08/02/23	19.07.32	149	100	1900	36.0 cm	18.0 Km/Hr	3600.0 mm/Km	3534	4.66	Good	26.5666590	N	86.0059595	E	Normal
08/02/23	19.08.01	149	100	2000	37.0 cm	11.8 Km/Hr	3700.0 mm/Km	3626	4.77	Good	26.5667009	N	86.0050921	E	Normal

Executive Engineer
R.W.D. Works Division, Jaynagar



Name of work		Uchhal to Bhabhandei Chowk													
Name of customer		Ramchandra yadav													
		(R) Rural Road													
		Good		Average				Poor							
		< 4000		4001 - 5000				> 5000							
08/02/23	19/08/24	149	100	2100	36.0 cm	16.2 Km/Hr	3600.0 mm/Km	3534	4.65	Good	26.5666876	N	86.0041971	E	Normal
08/02/23	19/08/44	149	100	2200	32.0 cm	18.2 Km/Hr	3200.0 mm/Km	3163	4.22	Good	26.5666876	N	86.0041971	E	Normal

avg — 3098


18/10/23

15/10/23

Executive Engineer
R.W.D. Works Division, Jaynagar

18/10/23

Name of Customer: Ramchandra yadav , Machine no: 19195 , Road: Tachal to Bhabhandei Chowk , Date: 08/02/23 , Section No: 149 , Equation: $Y = 0.927 X + 196.3$



Only 19195

19195

19195
Executive Engineer
R.W.D. Works Division, Jaynagar



पत्रांक :- 69(अ७)

दरभंगा / दिनांक :- 04.02.2023

प्रेषक,

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
क्षेत्रीय प्रयोगशाला, दरभंगा

सेवा में,

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमंडल...मसनगर.....

विषय :- जाँच फल प्रतिवेदन के संबंध में।

महोदय,

उपर्युक्त विषय के संबंध में कहना है कि आपके प्रमंडलाधीन पथों के निरीक्षण के क्रम में संग्रहित किये गये सामग्रियों के नमूनों की जाँच कर जाँच-फल प्रतिवेदन आपके आवश्यक कार्यवाही हेतु प्रेषित किया जाता है।

अनु:- मथोक्त
Const of road from Uchchal to Bhatthanderi

निर्वासभाजन
04/2/23

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
क्षेत्रीय प्रयोगशाला, दरभंगा
02/02/2023

OFFICE OF THE EXECUTIVE ENGINEER, REGIONAL LABORATORY, R.W.D, DARBHANGA (BIHAR)

BITUMEN PERCENTAGE TEST

Name of the Scheme Const. of road from Verhal.
 to Shabhandel.
 Package No. S.H.M.B.D./21-22
 Sample collected by Lab. Staff & A.E.
 Date of sample collection 2.4.01.22

Name of the works Division R.W.D. Jyngar.
 Name of the work circle S. Darbhanga.
 Name of Agency S. Ram chandra Yadav
 Date of test 02.02.22

CH = 920 M.S.D. B.C

Sl No	Sample No	1	2	3
1	Wt. of mix taken before extraction (A) gm	500.160		
2	Wt. of filter paper before extraction (B) gm	4.920		
3	Wt. of mix after extraction (C) gm	471.060		
4	Wt. of filter paper after extraction (D) gm	5.710		
5	Wt. of filler collected from extract after allowing for setting (E) gm	2.980		
6	Wt. of filler collected in filter paper (D-B)=F gm	6.790		
7	Wt. of aggregate + filter paper (C+E+F)=G gm	474.830		
8	Percentage of Bitumen (in the mix) [(A-G)x100/A]	5.06%		

[Signature]
 02/02/2023
 Laboratory Assistant
 R.W.D, Regional Laboratory
 Darbhanga (Bihar)

[Signature]
 02/02/2023
 Assistant Engineer
 R.W.D, Regional Laboratory
 Darbhanga (Bihar)

[Signature]
 02/02/23
 Executive Engineer
 R.W.D, Regional Laboratory
 Darbhanga (Bihar)

