

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग कार्य प्रमंडल झंझारपुर।

पत्रांक 16 अगु

दिनांक 04/01/2023

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, झंझारपुर।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी -सह- सचिव,
बिहार ग्रामीण पथ विकास अभिकरण,
ग्रामीण कार्य विभाग,
बिहार, पटना।

विषय:- शीर्ष MR 3054 (NEW MAINTENANCE POLICY - 2018) में आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में कहना है शीर्ष MR 3054 (NEW MAINTENANCE POLICY - 2018) अन्तर्गत पथ में संलग्न विवरणी के अनुसार आवंटन उपलब्ध कराने की कृपा की जाय ताक संवेदक का भुगतान किया जा सके।

अनु०-

1. अधियाचना प्रमाण पत्र 1 पृष्ठ में।
2. उपयोगिता प्रमाण पत्र एक प्रति।
3. मापी पुस्त की छायाप्रति।

विश्वासभाजन

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, झंझारपुर।

FORM GFR 19-A

(See Government of India's Decision (I) below Rule-150)

Form of Utilisation Certificate Upto the month of Dec. 2022**New Maintenance policy - 2018**

PIU – Executive Engineer, R.W.D (W) Division, Jhanjhapur.

SL. No	Name of Scheme	Sanction No. & Date with Amount (In Rs. lacs)	Amount Received (In Rs. lacs)	Particulars
1	Construction of Rural roads under New maintenance policy - 2018	Authorisation letter No. 35 anu, Dt. 13.10.2022	982.52534	Certified that out of 982.52534 lac received during the years up to 2022-23 in favour of Ex. Engineer, RWD (W) Division Jhanjhapur, Madhubani, Bihar, a sum of Rs. 982.52534 has been utilized for the purpose of New maintenance policy -2018 (MR3054) heme as given in the margin for which the balance of Rs 0.00000 Lac remaining unutilized at the end of the period under.

2. Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised :-

- Works have been supervised by Executive Engineer/Superintending Engineer.
- Periodical inspection has been conducted by Executive Engineer/Superintending Engineer.
- Construction materials have been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/Executive Engineer.
- All other codal formalities have been observed.

3. Physical Progress achieved :-

- Construction of Road Works.
- Construction of CD Works.


Sr. D.A.O
R.W.D (W) Division
Jhanjhapur


Executive Engineer
R.W.D (W) Division
Jhanjhapur

Requisition Formate for Scheme Head - MR 3054 under Bihar Rural Road Maintenance policy - 2018 (In Rectification and surface Renewal)

Name of Division :- Rural works Department, Works Division, Jhajnharpur

Name of Division :- Rural works Department,																	
Sl No.	Package No.	Name of road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (in lac)		Date of completion as per Agreement	Actual date of completion	value of IRI (in km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in %	Previous Total Allotted Amount (in lac)	Upto date Expenditure as per MIS (in lac)	Requisition Against work done (in lac)	Remarks
					Length (in km)	Amount (in lac)	Initial Rectification on with Surface Renewal (in Lac)	5 Years Routine Maintenance (in lac)									
1	MR-N/20-21/JHANNHARPUR/01	Birpur to Rambag Chowk	31909801009	Lt. No.- 1861 Dt. 24-06-2019	3.276	81.6548	66.86867	23.17813	12.04.2023	16.12.2022 14.08.2022	3987.93	25 mm	5.01	0.00	0.00	66.73073	
		CHUNNI - KARHARA	31909802035		2.800	76.898	61.25465	23.00096				-	-	-	-	-	
		Rohua Sangram to Janaki Nagar	31909802184		2.510	120.663	106.25424	26.10874			3978.43	25 mm	5.00	0.00	0.00	94.42805	
		BANKI - BIRPUR BUDDH	31909802024		1.760	33.242	26.23883	13.15267				-	-	-	-	-	
		SIKARIA - RAM CHANDRA	31909802080		2.630	64.5361	49.14657	25.14454				-	-	-	-	161.15878	
Total																	

255823

[Signature]
Executive Engineer,
R.W.D(W)Div. Jhajnharpur.

Sr. D.A.O
R.W.D(W)Div. Jhajnharpur.

Name of work :	Rahua Sangram To Janki Nagar
Name of customer :	Pushpa Jha

(R) Rural Road

Poor															
Average															
4001 - 5000															
Direction															
Latitude															
Status															
Longitude															
Direction1															
Remarks															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															
Normal															

Executive Engineer
Rural Works Department
Jharkhand Division, Jhariaharpur

The graph plots ultrasonic velocity (U/V in mm/km) on the y-axis against distance (Distance * 1000 m) on the x-axis. The y-axis ranges from 1700 to 3500 with major ticks every 1000 units. The x-axis ranges from 0 to 1.7 with major ticks every 0.1 units. The data is represented by a jagged line with several sharp peaks and troughs. The peaks occur at approximately x = 0.2, 0.4, 0.6, 0.8, 1.0, 1.2, 1.4, and 1.6. The troughs occur at approximately x = 0.1, 0.3, 0.5, 0.7, 0.9, 1.1, 1.3, and 1.5. The velocity values range from a minimum of about 1750 mm/km to a maximum of about 3450 mm/km.

Distance * 1000 m	U/V in mm/km
0.1	1750
0.2	3450
0.3	1750
0.4	3450
0.5	1750
0.6	3450
0.7	1750
0.8	3450
0.9	1750
1.0	3450
1.1	1750
1.2	3450
1.3	1750
1.4	3450
1.5	1750
1.6	3450
1.7	1750

(Handwritten signature)