

126

[illegible]

## Sch. XLV-Form No. 134

| Particulars                                | Details of actual measurement |        |          | Contents of area |
|--------------------------------------------|-------------------------------|--------|----------|------------------|
|                                            | No.                           | L.     | B.       |                  |
| SK & Sindal Bill (cont'n work completed)   |                               |        |          |                  |
| Name of work + Paraisala More To Paraisala |                               |        |          |                  |
| Under T. B. 518 in Kargahar block          |                               |        |          |                  |
| Agency + Shambh. Sharan Singh, Ward No-05  |                               |        |          |                  |
| Aurangabad, Dist- Aurangabad.              |                               |        |          |                  |
| Ag. No +                                   | 5013B01                       | 20-21. |          |                  |
| Date of start +                            | 16-03-20.                     |        |          |                  |
| Date of completion -                       | 09-03-21.                     |        |          |                  |
| Actual date of completion -                | 12-03-22.                     |        |          |                  |
| Smallest measurement -                     | Nil                           |        |          |                  |
| Measured by                                | SK                            |        |          |                  |
|                                            | 14-12-22                      |        | 14/12/22 |                  |

J. E. Kargahar

SK &amp; Sindal Bill (construction work completed)

Abstract of cost.

|                                                                                  |                      |            |
|----------------------------------------------------------------------------------|----------------------|------------|
| (1) Cost of setting out & pillars - do - E/R                                     |                      |            |
| 0.5001000                                                                        | wide T.H.B. page 24. |            |
| 0.27300.03100                                                                    |                      | 13,650.00  |
| (2) clearing & grubbing road bed - do - E/R                                      |                      |            |
| 0.18 Hec wide T.H.B. page 24.                                                    |                      |            |
| 0.58321.70 Hec                                                                   |                      | 10,498.00  |
| (3) Cost of embankment with material obtained from borrow pit & local road - E/R |                      |            |
| 655.23 m <sup>3</sup> wide T.H.B. page 24.                                       |                      |            |
| 0.16669 m <sup>3</sup>                                                           |                      | 109,220.00 |

Continuation



| Particulars                                                                                                  | Details of actual measurement |    |       | Contents of area |
|--------------------------------------------------------------------------------------------------------------|-------------------------------|----|-------|------------------|
|                                                                                                              | No.                           | L. | B.    |                  |
| (4.) Constn of subgrade & foundation below with approved material obtained from below pits lead 100m do E/P. | 320.91                        | 3  | T.N.B | Page 25.         |
| c 199.56                                                                                                     | 100 <sup>3</sup>              |    |       | 64041.00         |
| (5.) P.V. G.S.B. Gr.I (with coarse sand) & well graded material as per T.S. clause 402 do do E/P.            | 321.18                        | 3  | T.N.B | Page 25.         |
| c 3080.63                                                                                                    | 100 <sup>3</sup>              |    |       | 989437.00        |
| (6.) P.V. with Gr. III (with stone screening) Type B' 11.2 cm.                                               |                               |    |       |                  |

|                                       |                  |                               |          |           |
|---------------------------------------|------------------|-------------------------------|----------|-----------|
| as per T.S. clause 405 do E/P         |                  |                               |          |           |
| c 142.03                              | 3                | T.N.B                         | Page 25  |           |
| c 4291.98                             | 100 <sup>3</sup> |                               |          | 609590.00 |
| (7.) P/A Price cost with emulsion SS, |                  |                               |          |           |
| c 0.85                                | 100 <sup>2</sup> | as per T.S. clause 502 do E/P |          |           |
| 1136.25                               | 2                | T.N.B                         | Page 25. |           |
| c 51.77                               | 100 <sup>2</sup> |                               |          | 58824.00  |
| (8.) P/A Total cost with emulsion SS, |                  |                               |          |           |
| c 0.275                               | 100 <sup>2</sup> | as per T.S. clause 503 do E/P |          |           |
| 1136.25                               | 2                | T.N.B                         | Page 25  |           |
| c 17.46                               | 100 <sup>2</sup> |                               |          | 19839.00  |
| (9.) P/V 20 cm thick mass (by Paver)  |                  |                               |          |           |
| finishing with stone chips 13.2 cm do |                  |                               |          |           |
| 0.09                                  | 100              | Type B' with bitumen          |          |           |

Continuation

## Sch. XLV-Form No. 134

| Particulars                           | Details of actual measurement |    |          | Contents of area |
|---------------------------------------|-------------------------------|----|----------|------------------|
|                                       | No.                           | L. | B.       |                  |
| Q-1 on BT surface                     |                               |    |          | 2111.00          |
| 60.00 m <sup>2</sup> wide T.N.B       |                               |    | Page 27. |                  |
| Q 830.58 m <sup>2</sup>               |                               |    |          | 49835.00         |
| Q-1 on C.C. Pavement                  |                               |    |          | 10133.00         |
| 40.00 m <sup>2</sup> wide T.N.B       |                               |    | Page 27. |                  |
| Q 947.73 m <sup>2</sup>               |                               |    |          | 37909.00         |
| (14) P/F of N.W. G.S. 27 by 27 by 27  |                               |    |          | 1312.00          |
| size board citizens road board        |                               |    |          |                  |
| 4 mainline concrete board - do - E/L. |                               |    |          |                  |
| 3 nos wide T.N.B                      |                               |    | Page 27- | 728.00           |
| Q 9894.28 nos                         |                               |    |          | 29683.00         |
| 153.76 m <sup>2</sup>                 |                               |    |          | 516              |

|                                              |          |     |  |           |
|----------------------------------------------|----------|-----|--|-----------|
| (15) P/F in excavation for foundation of     |          |     |  |           |
| structure                                    | do       | E/L |  | 131.00    |
| 45.459 m <sup>3</sup> wide T.N.B             | Page 27. |     |  | 131.00    |
| Q 304.33 m <sup>3</sup>                      |          |     |  | 13835.00  |
| (16) P/F P.C.C. 15 cm foundation - do - E/L. |          |     |  |           |
| 5.016 m <sup>3</sup> wide T.N.B              | Page 27  |     |  | 131.00    |
| Q 5230.40 m <sup>3</sup>                     |          |     |  | 2636.00   |
| (17) P/L R.C.C. 15 cm foundation - do - E/L. |          |     |  |           |
| 7.50 m wide T.N.B                            | Page 27  |     |  |           |
| Q 1276.76 m                                  |          |     |  | 9576.00   |
| (18) B/P 20 cm (1:4) in Road work - do - E/L |          |     |  |           |
| 41.61 m <sup>3</sup> wide T.N.B              | Page 28  |     |  |           |
| Q 6127.40 m <sup>3</sup>                     |          |     |  | 954961.00 |
| (19) Paving work - do - (1:4)                |          |     |  |           |



## Sch. XLV-Form No. 134

| Particulars                               | Details of actual measurement |    |          | Contents of area |
|-------------------------------------------|-------------------------------|----|----------|------------------|
|                                           | No.                           | L. | B.       | D.               |
| 1.90 kg/m <sup>2</sup>                    |                               |    | do       | E/P.             |
| 1136.25 m <sup>2</sup> wide T.N.B         |                               |    | Page 26. |                  |
| 2491.57 m <sup>2</sup>                    |                               |    |          | 883,574.00       |
| (10) Conting Unreinforced cc Pavement     |                               |    |          |                  |
| P130 with coarse fine off road            |                               |    | do       | E/P.             |
| with 43 gms cement.                       |                               |    | do       | E/P.             |
| 121.20 m <sup>3</sup> wide T.N.B          |                               |    | Page 26. |                  |
| 6993.39 m <sup>3</sup>                    |                               |    |          | 847,599.00       |
| (12) P/F K.R. Stone do-E/P.               |                               |    |          |                  |
| 2 Nos wide T.N.B                          |                               |    | Page 26. |                  |
| 22274.19 m <sup>3</sup>                   |                               |    |          | 454800           |
| 122) P/F 200 mm Stone do-E/P              |                               |    |          |                  |
| 2 Nos wide T.N.B                          |                               |    | Page 26. |                  |
| 633.58 m <sup>3</sup>                     |                               |    |          | 126700           |
| 122) P/F 600 mm Trisulphur bond do-E/P    |                               |    |          |                  |
| 4 Nos wide T.N.B                          |                               |    | Page 26  |                  |
| 3811.16 m <sup>3</sup>                    |                               |    |          | 1524500          |
| 122) P/F 600 X 450 mm section do-E/P      |                               |    |          |                  |
| 2 Nos wide T.N.B                          |                               |    | Page 26. |                  |
| 5060.78 m <sup>3</sup>                    |                               |    |          | 10,12200         |
| 122) P/F 600 mm circular do-E/P           |                               |    |          |                  |
| 1 Nos wide T.N.B                          |                               |    | Page 26  |                  |
| 5147.46 m <sup>3</sup>                    |                               |    |          | 514700           |
| 122) P/L of Pot applied the same as above |                               |    |          |                  |
| Compound 2.5 m thick do-E/P               |                               |    |          |                  |

Continuation