कार्यपालक अभियंता का कार्यालय ग्रामीण कार्य विभाग, कार्य प्रमण्डल, रजौली।

Mob No. 8986915851.

Email I.D. - eerwdrajauli@gmail.com

पत्रांक:- 79

रजौली. दिनांक:-14/01/2023

प्रेषक.

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमण्डल, रजौली।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी—सह—सचिव, बिहार ग्रामीण पथ विकास अभिकरण, ग्रामीण कार्य विभाग, विश्वेश्वरैया भवन, बेली रोड, बिहार पटना।

विषय:-New Maintenance Policy-2018 योजना अंतर्गत स्वीकृत कायों के पंचवर्षीय रूटीन अनुरक्षण मद अंतर्गत आवंटन उपलब्ध कराने के संबंध में।

प्रसंगः— अभियंता प्रमुख, ग्रामीण कार्य विभाग,बिहार,पटना के पत्रांकः— मु०अ०— ४(मु०) 3054—04—229 / 2021—1135 अनु० / पटना,दिनांक—09.03.2022 । महाशय,

उपर्युक्त विषय से संबंधित विहित प्रपत्र में वांछित सूचना उपलब्ध कराते हुए अनुरोध है कि आवंटन उपलब्ध कराने की कृपा की जाय। ताकि संवेदक को अनुरक्षण कार्य का भुगतान किया जा सके।

अतः अनुरोध है आवंटन उपलब्ध कराने की कृपा की जाय। अनु0— पथ विवरणी, उपयोगिता प्रमाण—पत्र एवं Formate for Road Quaterly Statement की छायाप्रति।

विश्वासभाजन

. १०/ । १०१ ३ कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, रजौली।

FORM GFR -19A

(See Government of India's Decision (I) below Rule-150)

Name of PIU: Rural Works Department, Works Division, Rajauli

Head: New

Maintenance Policy-

2018 (MR-3054)

(Maintenance Fund)

Form of Utilization Certificate for the month of January-2023

SL. No.	Name of Scheme	Sanctioned No. & Date	Amount (Rs.)	Particulars
1	Construction of Rural Roads under New Maintenance Policy-2018 (MR-3054) (Maintenance Fund)	Letter No38 Dated;- 18.10.2022 Letter No45 Dated;- 18.11.2022	<u>57,59879</u>	Certified that out of Rs.18721283/- Orgrants upto the year 2022-23 in favour of RWD (W) Division, Rajauli (Bihar) a sum of Rs.18477543 / has been utilized for the purpose Schemes as given in margin for which it was given in which it was sanctioned and that the balance Rs243740/- remaining unutilized at the end of the period under report.

2. certified that I have satisfied myself that the conditions on which the grants in aid was sanctioned have been duly fulfilled / are being fulfilled and that I have excercised the following checks to see that money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks excercised:

(i)	Works have veen supervised by Executive Engineer/ Superintending Engineer
	David I'm I'm

Periodical inspection has been conducted by Executive Engineer/ (ii) Superintending Engineer

(iii) Construction materials have been tested

Measurements have been recorded in MBs and test check conducted by

(iv)

Assistant Engineer/ Executive Engineer

(v) All other codal formalities have been observed

3 Physical Progress achieved

(i) Construction of Road works

(ii) Construction of CD works

Executive Engineer RWD(W) Division, Rajauli

Maintenance Requisition Formate for Scheme Head-MR (3054) under Bihar Rural Road Maintenance Policy - 2018 (Intial Rectification and Surface Renewal) As Per State MIS
Name of works Division-Rajauli

Remarks

Г	_	-	ž.	٦	Nan
	Hisua - Khamwan Road (Kachpura More) to Sinduari Road		ľ		IE OF WOLK
	Hisua - Khamwan Road (Kachpura AJ/19/0010 Morei to Sinduari Road		Hard Ve	Road Dreath	ASTRE OF WOLKS DIVISION. DATAMI
	10502601023	-	7	Talk .	UNRING
Total	25-09-20	ű	Artual Dars of Midel week Midelreasers Mide Work Completion amount amount Amount		
24.86	24.86	٥	Nide out	Ź	
15.18	15.18	,	Maintenance	A.A Draille	
24.60	24.60	×	• Main Werl		
1.12	LIZ	٥	Malarmance Agreement Amount lat		
1,43	1.43	10	- Agreement		
3.97	3.97	=	Agreemen	Agree	
1.84	1.84	1.2	Agreement	Agreement Details	
4.26	4.26	ē	,		
12.61	12.61	π	Agreement Agreement Total Malot.		
1.40	Ē	5	". Longth		
0.00	0.00	Io			
0.00	0.00 0.00 0.00 0.00 0.00	17	let Year 2nd Year 3rd Year Maint. Maint. Maint. Exp. Exp. Exp.	Actus	
0.00 0.00	0.00	is	Nat A	Actual Maintenance I	
	0.00	19	Natural Park	ance Esper	
0.00	0.00	2.9		Espenditure	
0.00	0.00	13	Total Maint. Exp.		
0.00	0.00	22	l et quader	Frevious	
0.00	0.00	23	Sth Year Total Teesl Maint, Misiet, 14 quater Malatemane Exp. Exp. e FXP	Frevious Maintenance Exp	
1.40	1.40	¥	Length as per Bump Report 1st year		1
3157.57	3157.57	13	Length as per Hump IRI As Per Report 1st bump Report year		1
0.00000	00000*0	×	i d quader		
0.00000	0,0000	27	Ind quare		
0.00000 0.00000	0.00000	Lt.	1	servent Deman	
0.62050	0.62050	24.	Ind genier bei quier ich genier	arrent Demand for Maintenance Amount	
0.62050 0.00000	0.00000 0.62050 0.00000	e.	55 444	mee Amount	
0.62050	0.62050	ıţ	ī		
+	8	+	-		

Executive Engineer

RWD Works Division, Rajauli

STANDARD FORMAT FOR ROADS QUARTERLY STATEMENT

PIU Name : Rural Works Department, Works Division, Rajauli

1	Name of Road	Hisua - Khanwan	Road (Kachpura Mo	re) to Sinduari Road
2	Batch No.		RM/NA/RAJ/19/001	0
3	Project ID		10502601023	
4	Total Length of Road (in Km)		1.400	
5	Length of Road to Meet Required Service Level [Completed Length] (in Km) [1]		1.46	
6	No. of Total Quarte (ie 3 Months as a Unit) in 5 Years		20	a .
7	Ordinary Maintenance Cost as per Schedule [Agreement Amount for Maintenance] (in Lakh)		12.61	
8	Quarterly Payment: 1/20 of Ordinary Maintenance Cost as per Schedule (in Lakh) [2]		0.6305	
		Non- C	ompliance	
Compliance Critera	Standard Job Description	Length Non - Compliant [3]	Weighted Value for Payment Reduction (%) [4]	Reduction Payment [6] = [3]/[1]*[2]*[4]
Ī	PAVED ROADS (CARRIAGE WAY)	0.00	60%	0.0
П	SHOULDERS AND EMBANKEMENTS	0.200	10%	0.009
III	CROSS DRAINAGE INCLUDING CULVERTS AND BRIDGES	0 . 60	15%	0.00
IV	SIGNAGE AND ROAD SAFETY	0.00	10%	0.00
v	VEGATION	002·0	5%	0.001
TOTAL PAY	MENT REDUCTION FOR THE QUARTER (in L	akh) [5]		0.0100
O BE PAID	FOR THE QUARTER / DEMAND (in Lakh)	[6]		0.6205

Date of inspection by/E/I or his agent Prepared by Contractor's self Control Unit

5000

Junger

Name and Designation o Executive Engineer

Signature) Executive Engineer

Date 28/9/21

Signature of person inspecting road


Certify by E/I [signature] Date:


Contractor- Kanhaiya Kumar Speed OR FEGORY IIII Latitude No. in km in mm Rate mm/km UIV ROAD 4.36 24.80596 43 0.1 380 10.1 3800 3621 G 4.76 24.80596 43 0.1 380 10.1 3800 3621 G 4.76 24.80596 43 0.1 380 30.3 3800 3621 G 4.76 24.80598 43 0.1 380 30.3 3800 3621 G 4.76 24.80598 43 0.1 380 30.3 3800 3621 G 4.76 24.80534 43 0.1 380 30.3 3800 3621 G 4.76 24.80534 43 0.1 350 30.3 3800 3621 G 4.76 24.80533 43 0.1 350 30.3 3500 3365 G 4.46 24.80637 </th <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>16/10/22 9:</th> <th>16/ 10/ 22 9: 47: 0</th> <th>16/ 10/ 22 9:</th> <th>\perp</th> <th></th> <th>+</th> <th></th> <th>16/10/22 9:</th> <th>16/10/22 9:</th> <th>16/10/22 9:4</th> <th>16/ 10/ 22 9: 4</th> <th>3.0</th> <th>Date</th> <th>Nan</th> <th></th>							16/10/22 9:	16/ 10/ 22 9: 47: 0	16/ 10/ 22 9:	\perp		+		16/10/22 9:	16/10/22 9:	16/10/22 9:4	16/ 10/ 22 9: 4	3.0	Date	Nan	
Rate mm/km UIV ROAD A.36 24.80596 85.42162 Normal			01.40	51. 43	48.0	48.0	47: 33	47: 0	47: 0	46: 23	46: 23	46: 0	46: 0	16:0	15: 47	15: 12	15:0	No.		ne of Contr	
Speed OR FEGORY IRI Latitude Longitude Evert		Total	44	1	42 5	3 6	43	43	43	43	43	43	43	43	43	43	45	in l		actor- K	
Speed OR FEGORY IRI Latitude Longitude Evert			0.1	2.1	0.1		0	0.1	0.1	0.1	0.1	· 0.1	0.1	0.1	0.1	0.1	0.1		Length	anhaiya	Z
16 85.42162 Normal 4 85.42153 Speed Brea 9 85.42091 Normal 4 85.41909 Normal 4 85.41724 Curve 1 85.41382 Normal 9 85.41382 Normal 1 85.41263 Curve 1 85.41263 Curve		4560.000	370	230	240	200	220	310	300	350	350	380	330	380	.370	380	340		Bumps	Kumar	ime of F
tch No- RM/NA/RAJ le Longitude Event 6 85.42162 Normal 4 85.42163 Speed Bred 9 85.42091 Normal 8 85.41909 Normal 4 85.41909 Normal 1 85.41724 Curve 3 85.4164 Normal 9 85.41539 Curve 4 85.41263 Normal 1 85.41263 Curve		242.400	0	10.1	10.1	20.2	200	20.2	20.2	30.3	20.2	30.3	30.3	30.3	10.1	10.1	0		Speed		Road- Hi
tch No- RM/NA/RAJ le Longitude Event 6 85.42162 Normal 4 85.42163 Speed Bred 9 85.42091 Normal 8 85.41909 Normal 4 85.41909 Normal 1 85.41724 Curve 3 85.41539 Curve 4 85.41382 Normal 9 85.41263 Normal 1 85.41263 Curve		45600.0	3700	. 2300	2400	Onc7	2000	3100	3000	3500	3500	3800	3300	3800	3700	3800	3400	mm/km	OR		isua - Kl
tch No- RM/NA/RAJ le Longitude Event 6 85.42162 Normal 4 85.42153 Speed Bred 9 85.42091 Normal 8 85.41909 Normal 4 85.41909 Normal 1 85.41724 Curve 3 85.41539 Curve 4 85.41382 Normal 9 85.41281 Normal 1 85.41281 Normal 1 85.41281 Normal		44206.0			Ī	Γ								3621		3621	3280	AIN			anwan
tich No- RM/NA/RAJ le Longitude Event 6 85.42162 Normal 4 85.42153 Speed Bred 9 85.42091 Normal 8 85.41909 Normal 4 85.41909 Normal 1 85.41724 Curve 3 85.4164 Normal 9 85.41725 Curve 4 85.4167 Curve 4 85.4175 Curve 5 85.4168 Normal 9 85.4168 Normal 9 85.4168 Curve 1 85.4168 Curve 1 85.4168 Curve 1 85.4168 Curve			ଦ	G	G	C	0 0	G	G	G	G	G	G	G	G	G	G .	ROAD	TEGORY		Road (Ka
tich No- RM/NA/RAJ le Longitude Event 6 85.42162 Normal 4 85.42153 Speed Brea 9 85.42091 Normal 8 85.41909 Normal 4 85.41909 Normal 1 85.41724 Curve 2 85.41724 Curve 3 85.41539 Curve 4 85.4164 Normal 9 85.4175 Curve 4 85.4175 Curve 1 85.41281 Normal 7 85.41281 Normal 1 85.41281 Normal 1 85.41263 Eurve			4.66	3.22	3.33		200	4 05	3.95	4.46	4.46	4.76	4.25	4.76	4.66	4.76	4.36		IRI		achpura
b No- RM/NA/RAJ Longitude Event 85.42162 Normal 85.42153 Speed Brea 85.42091 Normal 85.41909 Normal 85.41909 Normal 85.41724 Curve 85.41724 Curve 85.41639 Curve 85.41382 Normal 85.41382 Normal 85.41281 Normal 85.41281 Normal 85.41281 Normal 85.41281 Normal			24.80581	24.8073	24.8067	24.80663	24.00044	24 80644	24.80609	24.80603	24.80571	24.80553	24.80534	24.80508	24.80489	24.80514	24.80596		Latitude	Bat	
Frent Y = 0 * X ^ 2 + 0.854 * X + 376.5 Normal X = 2917 Speed Brea Y = 2867 Normal Normal Good Average Poor Curve <4000 4001-5000 > 5001 Normal Curve Curve Curve Curve Curve Cu			85.41263	85.41242	85.41281	85.41382	07.41470	85 41475	85.41539	85.4164	85.41724	85.4181	85.41909	85.42	85.42091	85.42153	85.42162		ongitude	ch No- RA	o Sindus
Y = 0 * X ^ 2 + 0.854 * X + 376.5 X = 2917 Y = 2867			Clirve	Normal	Normal	Normal	Curve	Charle	Curve	Normal	Curve		Normal	Normal	Normal	Speed Brea	Normal			1/NA/RAJ	ıri Road
7 2 + 0.854 * X + 376.5 7 A 2 + 0.854 * X + 376.5 8 A 2 + 0.854 * X + 376.5 9 A 2 + 0.854 * X + 376.5 1 A 3 + 0.854 * X + 376.5 1 A 4 + 0.854 * X + 376.5 1 A 5 + 0.854 * X + 376	•										<4000	Good	(R) RURA			Y = 2867	X = 291	Y = 0 * X		/19/0010	•
4 * X + 376.5 Poor Poor >5001											4001-500	Average	L ROAD				7	$^{2} + 0.85$			
376.5											>5001	Poor						4 * X +			
																		376.5			٠

19.10.22

13/0/22







10, 10, 20 10/22 10, 10, 20, 10/22

Distance * 1000 m

OM104 OM301 OM300 OM202 OM201 OM101 Length of Road :-1.400 Inspector :-Road From:-Hisua - Khanwan Road (Kachpura More) to Sinduari Road Package No.- RM/NA/RAJ/19/0010 RWD, Works Division Rajauli OM200 OM303 107 106 105 Rural Works Department Government Of Bihar N_o Sealed payment Embankment Repair Crack Sealing Surface Depression and Rut patching Other activities(Whilw washing) Culvert and pit Repair Surface Drains & Verge Drainage including culverts major (c) Holding water Shoulder Edge Repair Crocodile Cracking (b) Bleeding / Flushing (a) Loss of Agreegate (SurfacebRavelling) Surface Treatment Pothole Patching Standard Of Work Item Culvert Cleaning (a) Edge Drop-off Concreate pavement Other activities (Rain Cuts) (b) Roughness, Scouring or Potholes Other activities **Insealed Shoulder** Requisition Formet for Scheme Head-MR-(3054) Under Bihar Rurak Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal) Name Work Z, No. Lm Z, Lm Lm Fm m₂ m² ₽2 m² 32 m3 Lm 32 59.063% 393.75 32.813 32.813 2.461 0.098 1400 2 SUMMARY OF ORDINARY MAINTENANCE INSPECTION REPORT To:-Unit OF Required in each Kilometere Position :-Executive Engineer RWD, Works Division Rajauli 9 10 Comments

Kanhaiya Rumar Bidder

Standard Of Work Item	Work				Unit O	Unit OF Required in each Kilo	in each Kilo	metere			
No Name	Unit	-	2	w	4	5	6	7	∞	9	5
OM400 Versetation						,			0	7	10
Grass Control											
(a) Roadside- General Tidy	На										
(b) Clear near Safety signs, kilometer posts	ik										
and roadside furniture	На										
Tree and Shrub Management	N _o										
OM402 Cutting Of Branches Of Trees	N ₀	3.00									
Cutting Of Shrubs From Road Way	No	1400									
Other activities (Trimming of Grass)	M,	3150									
OM500 Safety Signage and Road											
OM501 Signs Maintanence	No	1 400									
		1									
	F	7.6									
OM503 Distance Stones	No	1.400									
OM504 Road Marking	M ₂	-				× (i a				
Other activities					ſ						

Appendix

Executed Engineer
Rural works Department
Works Division, Rajauli