

Yojana Under MMGSY (SC)

Neeraj Constructrion Pvt. Ltd. Add- Kanchan
Kunj, Lane 1/E, Shivpuram, Rukunpura,
Danapur, Patna, Bihar Pin Code-800014,
Mob-9546742759, Pan- AABCN7484R,
Email-neplpatna@gmail.com,
GST-10AABCN7484R3ZW



SUPPLEMENTARY

Agreement

Construction & Five Years Maintenance of
Road from Oriyara Domkhana Se Nadawari
Oriyara Road in Dhanarua Block (Tender ID-
97375) Under MMGSY(SC)

Supplementary Agreement No.- SBD

Supp Agreement
29/SBD/2020-21

Accepted Rate:- TS.0.00 Rate

Agreement Value:- _____

Start Date:- _____


Intended Date of Completion:- _____



leg
01.08.22

Executive Engineer
Rural Works Department.

Neeraj Construction Pvt. Ltd.
Neeraj
Managing Director

SUPPLEMENTARY Agreement

Neeral Construction Pvt. Ltd

Managing Director


01-08-22
Executive Engineer
R.W.D. Works Div. Masaurhi

01/8

भारतीय गैर न्यायिक INDIA NON JUDICIAL

एक हजार रुपये
रु.1000

ONE THOUSAND RUPEES
Rs.1000



बिहार BIHAR

क्रमांक 8728 तिथि 13.7 मूल्य 1000/- सीट/नं. 921708
2022
मेता का नाम व पता श्री राजेश चरण फाउण्डेशन शिवपुरा

This Supplementary Agreement made the day 25/8/2022 between श्री विजय कुमार, मुद्रांक विक्रेता
Masaurhi (hereinafter called "The employer (First Part) and Neera Construction Pvt. Ltd. Add- Kanchan Kunj, Lane
I/E, Shivpuram, Rukunpura, Danapur, Patna, Bihar Pin Code-800014, Mob-9546742759, Pan- AABCN7484R, Email-
ncplpatna@gmail.com, GST-10AABCN7484R3ZW Herein after the contractor of the contractor of the other part)

Where the employer is desirous that the contractor execute Supplementary/Revise BOQ for Road From Oriyara
Domkhana Se Nadawari Oriyara Road in Dhanarua Block (Tender ID-97375) Under MMGSY(SC) , (herein after
called the work and the employer has accepted the bid by the contractor for rupees 1,02,66,862=00, (Rs One Crore Two
Lakh, Sixty Six Thousand Eighty Hundred Sixty Two Rupees only) rupees with is substituted with 1,08,52,846 ((Rs
One Crore Eight Lac Fifty Two Thousand Eight Hundred & Forty Six Only) as per the revised BOQ sanctioned S.E.
RWD Circle Patna vide Letter no. 857 we dated 20-06-2022

NOW THIS SUPPLEMENTARY AGREEMENT WITNESSETH AS FOLLOW:-

1. In this supplementary Agreement, work and expression shall have the same Meaning as are respectively assigned to them in the conditions of contract hereinafter referred to and they shall be deemed to from and be read and construed as part of this Supplementary Agreement.
2. In consideration of the payment to be made by the Employer to the Contractor as hereinafter mentioned, the contractor hereby covenants with the Employer to all aspects with the provisions of the contract.
3. The Employer hereby covenants to pay the contractor in consideration of the Executive and completion of the works and the remedying the defects wherein contract price or such other sum as may become payable under the provision of the contract as the time and in the manner prescribed by the Contract.

Neera Construction Pvt. Ltd.
Managing Director

Executive Engineer
R.W.D. Works Div. Masaurhi

In witness whereof the parties thereto have caused this Agreement to be executed
the day and year first before written.

The Common Seal of


was hereunto affixed in the presence of :

Signed, Sealed and Delivered by the said

in the presence of :


Binding Signature of Employee

Neeral Construction Pvt. Ltd




Managing Director

Binding Signature of Contractor


01/08/20

~~Executive Engineer~~

L. W. D. Works Div. Mysuru


01/08/20

प्रेषक ००७ (अनु०)

अधीक्षण अभियंता
ग्रामीण कार्य विभाग
कार्य अंचल, पटना।

सेवामें,

कार्यपालक अभियंता,
ग्रा०का०वि०, कार्य प्रमंडल, मसौदी।

विषय:- शीर्ष एम०एम०जी०एस०वाई० (सामान्य एवं एस०सी०) योजना अन्तर्गत ०२ (दो) पथों के निर्माण/मरम्मत कार्य के पुनरीक्षित परिमाण विपत्र अनुमोदन के संबंध में।

प्रसंग:- आपका पत्रांक-608, 609 अनु०, दिनांक-03.06.2022 मद्दशय,

उपर्युक्त विषयक प्रासंगिक पत्र द्वारा प्राप्त कुल ०२ (दो) अदद पथों का पुनरीक्षित परिमाण विपत्र अनुमोदन कर वापस की जाती है। सभी पृष्ठ अनुमोदित है। पुनरीक्षित एकरारनामा का दर मूल एकरारनामा के दर के समान होगा। अपने स्तर से भी अनुमोदित पुनरीक्षित परिमाण विपत्र की जांच कर ली जाय। त्रुटि दृष्टिगोचर होने पर इसका समाधान के पश्चात् ही पुरक एकरारनामा किया जाय।

क्रमांक	योजना का नाम	पुनरीक्षित परिमाण विपत्र की राशि (रूपया में)	प्रशासनिक अनुमोदन की राशि (निर्माण, अनुरक्षण, एवं आकस्मिक कार्य) (लाख में)	पुनरीक्षित तकनीकी स्वीकृति की राशि (निर्माण एवं, अनुरक्षण, कार्य) (लाख में)
1.	Oriyara Domkhana Se Nadawari Oriyara Road	Rs. 1,08,52,846.00	100.883	108.528
2.	Pamerha Marha Bigha Road to Asharepur Road	Rs. 1,34,30,299.00	138.163	134.302

अनु०-यथोक्त।

विश्वासभोजन

अधीक्षण अभियंता

ग्रामीण कार्य विभाग, कार्य अंचल, पटना

Neeral Construction Pvt. Ltd
Managing Director

Executive Engineer
W.D. Works Div. Masauri

SUPPLEMENTARY BOQ

Inviting Authority: Engg-in Chief RWD Patna

Work: CONSTRUCTION AND 5 YEAR MAINTENANCE OF ROAD FROM ORIYARA DOMKHANA SE NADAWARI ORIYARA ROAD

Contract No: Civil Works/

Name of the
Bidding Firm /
Company :

PRICE SCHEDULE

This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only.)

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT in Words
1	2	4	5	6	54	55
①	Providing & Fixing of Working benchmark Pillars 1 nos. per km & 4 Nos. of reference pillars required for 1 Km. as per drawings given and direction of E/I	1.10 ✓	km	11268.24 ✓	12384.06 ✓	INR Twelve Thousand Three Hundred & Eighty Four and Paise Six Only
②	Clearing and Grubbing Road Land (By manual means) including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300mm, removal of stumps of such trees cut earlier & disposal of unserviceable materials & stacking of serviceable materials to be used or suctioned upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150mm in thickness as per technical specification clause 201.1 and direction of E/I	0.33 ✓	Ha	52998.20 ✓	17489.41 ✓	INR Seventeen Thousand Four Hundred & Eighty Nine and Paise Forty One Only
③	Construction of Embankment with material obtained from borrow pits with a lift upto 1.5 m, transporting to the site spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m as per Technical Specification Clause 301.5. (Including Royalty & Labour Cess).	2430.55 ✓	cum	222.60 ✓	541040.43 ✓	INR Five Lakh Forty One Thousand & Forty and Paise Forty Three Only
④	Construction of Embankment with material obtained from borrow pits with a lift upto 1.5 m, transporting to the site spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m as per Technical Specification Clause 301.5. (Including Royalty & Labour Cess).	551.28 ✓	cum	185.15 ✓	102065.79 ✓	INR One Lakh Two Thousand & Sixty Five and Paise Seventy Nine Only

Construction Pvt. Ltd

Managing Director

Estimator
R.W.D.

प्राक्कलन पदाधिकारी
ग्रामीण कार्य विभाग

तकनीकी सेलाहकार
ग्रामीण कार्य विभाग

Executive Engineer
APPROVED AS CORRECTED
Superintending Engineer
RURAL WORKS DEPARTMENT

5	Construction of subgrade and earthen shoulders Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead upto 1000 m as per Technical Specification Clause 303.1.	2539.00 ✓	Cum	220.58 ✓	560052.62 ✓	INR Five Lakh Sixty Thousand & Fifty Two and Paise Sixty Two Only
6	Filling in foundation Trench as per drawing and Technical Specification Clause 305.3.9 with Coarse Sand	832.25 ✓	Cum	1924.09 ✓	1601323.90 ✓	INR Sixteen Lakh One Thousand Three Hundred & Twenty Three and Paise Ninety Only
7	GSB-II-Construction of granular sub-base by providing well graded material, spreading in uniform layers with tractor mounted grader arrangement on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401.	823.34 ✓	cum	2548.89 ✓	2098803.09 ✓	INR Twenty Lakh Ninety Eight Thousand Six Hundred & Three and Paise Nine Only
8	WSM-III-Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand pecking, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405.	315.56 ✓	cum	3378.50 ✓	1066435.02 ✓	INR Ten Lakh Sixty Six Thousand Four Hundred & Thirty Five and Paise Two Only
9	Providing and applying primer coat with Bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.90-1.2 kg/sqm using mechanical means as per Technical Specification Clause 502.	2677.50 ✓	Sqm	43.69 ✓	116979.98 ✓	INR One Lakh Sixteen Thousand Nine Hundred & Seventy Nine and Paise Ninety Eight Only
10	Providing and applying tack coat with bitumen emulsion using emulsion pressure distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared granular surface treated with Primer and cleaned with hydriloc broom as per technical specification adouse 503.	2677.50 ✓	Sqm	14.80 ✓	39627.00 ✓	INR Thirty Nine Thousand Six Hundred & Twenty Seven Only

Neeral Construction Pvt. Ltd
Managing Director
19/6/22

Estimator

प्राक्कलन पदाधिकारी
ग्रामीण कार्य विभाग

लघुनियंत्रण सेल
ग्रामीण कार्य विभाग

APPROVED & CORRECTED
Superintending Engineer
RURAL WORKS DEPARTMENT
Works Circle, Patna

11	Providing, laying and rolling of close -graded premix carpet of 20 mm thickness composed of 13.2 mm to 5.6 mm aggregates either using penetration grade bitumen or emulsion to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 80-100 kN static roller capacity, finished to required level and grades to be followed by seal coat of either Type A or Type B or Type C as per Technical Specification Clause 508.	2677.50 ✓	Sqm	193.82 ✓	518953.05 ✓	INR Five Lakh Eighteen Thousand Nine Hundred & Fifty Three and Paise Five Only
12	Construction of un-reinforced, dowel jointed at expansion and construction joint only, plain cement thickness as per design, over a prepared sub base with 43 grade cement or any other type as per clause 1501.2.2 M 30 grade coarse and fine aggregate maximum size of aggregate not exceeding 25mm, mixed in a concrete of not less than 0.2cum capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick plythane film, wedges, steel plates including levelling the formwork as per drawing) spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slab for 14 days curing compound (where specified) and water finishing to lines and grade as per drawing and Technical specification clause 1501.	244.80 ✓	cum	6368.85 ✓	1559094.48 ✓	INR Fifteen Lakh Fifty Nine Thousand & Ninety Four and Paise Forty Eight Only
	Reinforced cement concrete M15 grade kilometre local stone of standard design as per IRC-8 fixing in position including painting and printing, etc as per					INR Zero Only
13	II) Km stone	2.00 ✓	Nos	2219.16 ✓	4438.32 ✓	INR Four Thousand Four Hundred & Thirty Eight and Paise Thirty Two Only
14	III) 200 m stone	5.00 ✓	Nos	617.78 ✓	3088.90 ✓	INR Three Thousand & Eighty Eight and Paise Ninety Only
15	Reinforced cement concrete M15 grade boundary pillars/ local stone of standard design as per drawing and Technical Specification Clause 1704	40.00 ✓	Nos	517.60 ✓	20704.00 ✓	INR Twenty Thousand Seven Hundred & Four Only

General Construction Pvt. Ltd.
Managing Director

Estimator
R.W.D.
Works Circle, Patna

प्राक्कलन पदाधिकारी
ग्रामीण कार्य विभाग
कार्य अंचल पटना

सह-निर्देशक सहायक
ग्रामीण कार्य विभाग
कार्य अंचल, पटना

Executive Engineer
R.W.D. Works Div. Masaurhi
APPROVED & CORRECTED
Superintending Engineer
RURAL WORKS DEPARTMENT
Works Circle, Patna

Le/ 01-08-22

	Providing and fixing of retro-reflectorisrd cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by					Zero Only
16	600 mm equilateral & triangle,	4.00 ✓	Nos	3468.50 ✓	13874.00 ✓	INR Thirteen Thousand Eight Hundred & Seventy Four Only
17	600 mm Circular	2.00 ✓	Nos	4522.54 ✓	9045.08 ✓	INR Nine Thousand & Forty Five and Paise Eight Only
18	800 mm x 600 mm rectangular	2.00 ✓	Nos	5262.22 ✓	10524.44 ✓	INR Ten Thousand Five Hundred & Twenty Four and Paise Forty Four Only
19	Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35. The finished surface to be level, uniform and free from streaks and holes.	140.00 ✓	Sqm	722.30 ✓	101122.00 ✓	INR One Lakh One Thousand One Hundred & Twenty Two Only
20	Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35. The finished surface to be level, uniform and free from streaks and holes.	80.00 ✓	Sqm	753.08 ✓	60246.40 ✓	INR Sixty Thousand Two Hundred & Forty Six and Paise Forty Only
21	Planting of trees by the road side Adventure trees in 0.60 m dia holes, 1 m deep dug in the ground, mixing the soil with decayed farm / sludge manur, planting the saplings, backfilling the trench, watering, fixing the tree guard and maintaining the plants for one year	70.00 ✓	Each	1150.18 ✓	80512.60 ✓	INR Eighty Thousand Five Hundred & Twelve and Paise Sixty Only
22	Providing and laying RCC pipe NP-3 for 300 mm dia	30.00 ✓	RM	833.65 ✓	25009.50 ✓	INR Twenty Five Thousand & Nine and Paise Fifty Only
23	Providing and erecting direction and place identifications of retro reflectorisrd sign as per IRC:67 made of high intensity grade sheeting vide clause 801.3, fixed over aluminium sheeting, 2 mm thick with area not exceedig 0.9 sqm supported on a M.S. Single angle iron post 75x75x6mm firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per approved drawing and Technical Specification Clause 1701	1.00 ✓	cum	2111.22 ✓	2111.22 ✓	INR Two Thousand One Hundred & Eleven and Paise Twenty Two Only

General Construction Pvt. Ltd.
Managing Director

Estimator
R.W.D.
Works Circle, Patna

प्राक्कलन पदोधिकारी
ग्रामीण कार्य विभाग
कार्य अंचल पटना

तकनीकी सलाहकार
ग्रामीण कार्य विभाग
कार्य अंचल पटना

Executive Engineer
R.W.D. Works Circle, Masaurhi
APPROVED & CORRECTED
Superintending Engineer
RURAL WORKS DEPARTMENT
Works Circle, Patna

24	Providing and fixing of typical MGSY Informatory sign board with Logo as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos. 75mm x 75 mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 450mm x 450mm x 600mm, 600mm below ground level. The top most diamond plate will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1	5.00 ✓	Nos	9436.42 ✓	47182.10 ✓	INR Forty Seven Thousand One Hundred & Eighty Two and Paise Ten Only
25	Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material.	31.32 ✓	cum	305.42 ✓	9565.76 ✓	INR Nine Thousand Five Hundred & Sixty Five and Paise Seventy Five Only
26	Providing PCC M 15 (1:2.5:5) concrete for plain concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203	5.89 ✓	cum	5245.23 ✓	29845.36 ✓	INR Twenty Nine Thousand Eight Hundred & Forty Five and Paise Thirty Six Only
27	Providing PCC M 20 (1:2.5:5) concrete for plain concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203	27.74 ✓	cum	5686.85 ✓	157753.22 ✓	INR One Lakh Fifty Seven Thousand Seven Hundred & Fifty Three and Paise Twenty Two Only
28	Providing and laying RCC pipe NP-3 for culverts on first class bedding of PCC M10 material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling concrete and masonry works in head walls and parapets as per clause 1106, 600 MM DIA	15.00 ✓	RM	1140.22 ✓	17103.30 ✓	INR Seventeen Thousand One Hundred & Three and Paise Thirty Only

General Construction Pvt. Ltd.
Managing Director

15/6/22
Estimator
R.W.D.

15/6/22
प्रत्यक्ष निरीक्षक
ग्रामीण कार्य विभाग

तकनीकी सहायक
ग्रामीण कार्य विभाग

Executive Engineer
R.W.D. Works Div. Masaurhi
APPROVED & CORRECTED
15/6/22
Superintending Engineer
RURAL WORKS DEPARTMENT
Works Circle, Patna

29	Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new, plastered / concrete surfaces as per drawing and Technical Specification Clause 1701	121.68	Sqm	100.44	12221.54	INR Twelve Thousand Two Hundred & Twenty One and Paise Fifty Four Only
30	1st Year Maintenance cost	1.00	Year	45390.00	45390.00	INR Forty Five Thousand Three Hundred & Ninety Only
31	2nd Year Maintenance cost	1.00	Year	54784.00	54784.00	INR Fifty Four Thousand Seven Hundred & Eighty Four Only
32	3rd Year Maintenance cost	1.00	Year	227732.00	227732.00	INR Two Lakh Twenty Seven Thousand Seven Hundred & Thirty Two Only
33	4th Year Maintenance cost	1.00	Year	76528.00	76528.00	INR Seventy Six Thousand Five Hundred & Twenty Eight Only
34	5th Year Maintenance cost	1.00	Year	248061.00	248061.00	INR Two Lakh Forty Eight Thousand & Sixty One Only
35	LABOUR CESS @1%				94908.92	INR Ninety Four Thousand Nine Hundred & Eight and Paise Ninety Two Only
36	GST @12%				1138906.99	INR Eleven Lakh Thirty Eight Thousand Nine Hundred & Six and Paise Ninety Nine Only
37	SEIGNORANCE AMOUNT				128138.89	INR One Lakh Twenty Eight Thousand One Hundred & Thirty Eight and Paise Eighty Five Only
Total in Figures					10852846.32	One Crore Eight Lakh Fifty Two Thousand Eight Hundred & Forty Six and Paise Thirty Two Only
Noted Rate in Figures			Select		= 10852846.32	INR Zero Only
Noted Rate in Words		INR Zero Only				

Teeraj Construction Pvt. Ltd.
Managing Director

Estimator
R.W.D.

प्रायकलन पदाधिकारी
ग्रामीण कार्य विभाग

EXECUTIVE ENGINEER
RWD MASAUHRI

तकनीकी सलाहकार
ग्रामीण कार्य विभाग

Executive Engineer
R.W.D. Works Div. Masaurhi
APPROVED & CORRECTED
Superintending Engineer
RURAL WORKS DEPARTMENT
Works Circle, Patna

Received Bill of Quantity Approved as corrected for Item No.

① to ⑥ for Rs. 0853546.7 (Rupees 8,53,546.70 only)

Including Five Years Maintenance.

Estimator

R.W.D.

Works Circle, Patna

प्रारंभिक पदाधिकारी
ग्रामीण कार्य विभाग
कार्य अंचल पटना

तकनीकी सलाहकार
ग्रामीण कार्य विभाग
कार्य अंचल, पटना

Superintending Engineer
R.W.D. WORKS CIRCLE, PATNA

Neeral Construction Co. Pvt. Ltd.

Managing Director

1/10/2018

Yojana Under MMGSY (SC)

Neeraj Construcrtion Pvt. Ltd. Add- Kanchan
Kunj, Lane 1/E, Shivpuram, Rukunpura,
Danapur, Patna, Bihar Pin Code-800014,
Mob-9546742759, Pan- AABCN7484R,
Email-ncplpatna@gmail.com,
GST-10AABCN7484R3ZW



Agreement

Authenticated by

April
2020

Executive Engineer
R.W.D. Works Div. Masaurhi

Construction & Five Years Maintenance of Road from Oriyara Domkhana Se Nadawari Oriyara Road in Dhanarua Block (Tender ID- 97375) Under MMGSY(SC)

Agreement No.- SBD ²⁹ 29/SBD/2020-21.

Accepted Rate:- 0.00 1. below

Agreement Value:- ₹-102668622

Start Date:- 18-3-2020

Intended Date of Completion:- 12-3-2021

(12 months)

Neeraj Construction Pvt. Ltd.
Managing Director

Executive Engineer
R.W.D. Works Div. Masaurhi
Executive Engineer
Rural Works Department,
Work Division, Masaurhi