Government of Bihar



RURAL WORKS DEPARTMENT

REVISED AGREEMENT

Name of Work: Construction and 5-Year Maintenance of Road from

1. PWD ROAD to Bhagwanpur Panchayat Bhawan Milki Tola

2. Road No. 14 Khagra to Kanki tola via Gonarchak and sheoshahi tola

3. NH 31 to Laxmipur (Revised)

Name of Agency: VIJAY SINGH.

At- DC-10, Lohiya Nagar, PC Colony, Kankarbag, Patna 800020

Agreement Cost: INR 1,46,19,480 (One Crore Forty Six Lakh Nineteen Thousand Four Hundred and Eighty Only)

Rate: 2.10 % (Two Point One Zero percent) below the estimate cost

Revised Agreement at Original

Agreement No: - .0.6..../SBD of Year 20.2.0.- .2.1

Date of Work Start - 25/02/2021

Date of Work Complete - 24/11/2021

Executive Engineer Rula Works Deputation

Works Division Navgac

fany Togo

REVISED AGREEMENT

Agreement No...../SBD/20....-

Name of Work: Construction and 5-Year Maintenance of Road from

- PWD ROAD to Bhagwanpur Panchayat Bhawan Milki Tola
- 2. Road No. 14 Khagra to Kanki tola via Gonarchak and sheoshahi tola
- 3. NH 31 to Laxmipur (Revised)

Name of Agency: VIJAY SINGH.

At- DC-10, Lohiya Nagar, PC Colony, Kankarbag, Patna 800020

Agreement Cost: INR 1,46,19,480 (One Crore Forty Six Lakh Nineteen Thousand Four Hundred and Eighty Only)

Previously Deposited Security Amount

STDR:-	Rs.
STDR:-	Rs.
STDR:-	Rs


Agreement No: -/SBD of Year 20....-

Date of Work Start -

Date of Work Complete -

2022 R W. D. W. D. Neur

Rate: 2.10 % (Two Point One Zero percent) below the estimate cost



REVISED AGREEMENT

Where as the Employer is desirous that the Contractor execute Construction & 5-Year Maintenance of Road from Package no. MR-N/19-20 NAVGACHHIYA/05 under MR-3054 Scheme in Navgachia Block Details In BOQ (Which is Part of Agreement Paper) [name and identification number of contract] (hereinafter called "the works") and Employer has accepted the Bid by the Contractor for the execution and completion of such works and the remedying of any defects therein at a cost:

विग्र दिल

Executive Baselia W. D. W. D. Naugachia

SI No.	Road Name	Length (in Km)	Construction Cost (in Lakh)	Maintenance Cost (in Lakh)	Total Cost
1	PWD ROAD to Bhagwanpur Panchayat Bhawan Milki Tola	1.400	20.79296	8.89935	29.69231
2	Road No. 14 Khagra to Kanki tola via Gonarchak and sheoshahi tola	2.000	29.48145	12.83931	42.32076
3	NH 31 to Laxmipur	1.150	63.49086	10.69087	74.18173
	(Revised) Total	4.550	113.76527	32.42953	146.1948

NOW THIS AGREEMENT WITHNESSETH as follows:

- 1. In this Revised Agreement, words and expression shall have the same meaning as are respectively assigned to them in the conditions of contract hereinafter referred to and they shall be deemed to form and be read and construed as a part of this Revised Agreement.
- 2. In consideration of the payment to be made by Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all aspects with the provisions of the contract.
- 3. The Employer hereby covenants to pay the contractor in consideration of the Execution and completion of the Works and remedying the defects wherein Contract price or such other sum as may become payable under the provision of the Contract at the times and in the manner prescribed by the Contract.

Executive Engineer

4. The following documents shall be deemed to form and be ready and construed as part of this Agreement viz. Letter of Acceptance; i. Notice to proceed with the works; ii. Contractor's Bid iii. iv. Contract Date Special Conditions of Contract and General Conditions of Contract; V. vi. Specification Drawings vii. viii. Bill of Quantities and Any other document listed in the Contract Data as forming part of the ix. contract. In witnessed whereof the parties there to have caused this Agreement to be executed the day and year first before written. The Common Seal of was here unto affixed in the presence of: Signed, Sealed and Delivered by the said In the presence of: Binding Signature of Employer.....

Binding Signature of Contractor.....

Executive Engineer
8 W. D. W. D. Naugachia

fany 180

B.O.O. For the M/R. Road Name of Work: Output & Performance based Maintence of Road & CD work-

ON: ct No	NAYGACIIHIYA	BLOCK:-	NAVGA	СННІУА	LENGTH:-	1.150 KM
				Excess (+)	0.00 %	
	SCHED	ULE OF WOR	C			
-	Description of work	No.or	Unit		stimated Rate	AMOUNT
2	Schedule-1 Initial Rectification including Surface Renewal:-	Qty.		Figure	Words	Rs. P
1	Clearing and Grubbing Road Land (By manual means) including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300mm, removals of stumps of such trees cut earlier & disposal of unserviceable materials & stacking of serviceable materials to be used or auctioned upto a lead of 1000 m including removal and disposal of top brganic soil not exceeding 150mm in thickness as per technical specification clause 201.1 and direction of E/I	0.2300	На	49496.70	Rupees Forty Nine Thousand Four Hundred Ninety Six And Seventy Paise Only	11384.00
2	Construction of Embankment with material obtained from borrow pits with a lift upto 1.5 m, transporting to the site spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m & 100 m as per Technical Specification Clause 301.5. (Including Royality & Labour Cess). For 1000 m leau @ 30 %	979.8100	Cum	175.11	Rupees One Hundred Seventy Five And Eleven Paise Only	171575.00
3	Construction of Subgrade and Earthen Shoulders Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead upto 1000 m as per Technical Specification Clause 303.1.	1090.0000	Cum	176.75	Rupees One Hundred Seventy Six And Seventy Five Paise Only	192658.00
4	Granular Sub-base with Well Graded Material (Table 400.1)(By mix in place method) For Grading II Material Construction a granular sub-base by providing well graded material spreading in uniform layers with motor grader on pre, ared surface, mixing by mix in place method with mayorar at OMC, and compacting with smooth whee aller to achieve the desired density, complete as per achieves the desired density, complete as per achieves the desired density.	123.8480	Cum	1557.70	Rupees One Thousand Five Hundred Fifty Seven And Seventy Paise Only	192918.00
5	WBM Grading 2 y Mechanical Means) Providing, 1 spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, along with three wheel 80-100 kN static roller in stages to open grade and camber, applying and brooming, crush the screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density and grading 2 as per Technical Specification	81.8030	Cum	2695.13	Rupees Two Thousand Six Hundred Ninety Five And Thirteen Paise Only	220470.00
6	WBM Grading? Providing, lay spreading and compacting stone specification in the stages to propose to prooming, stone stages aggregate and camber, applying and screening to fill-up the interstices of watering and compacting to the required densit spreading and compacting to the spreading and compacting stone aggregate and compacting stone aggregates of the spreading aggregates aggregates aggregates of the spreading aggregates aggre	323.4400	Cum	2464.55	Rupees Two Thousand Four Hundred Sixty Four And Fifty Five Paise Only	797134.00

		Name of Works Out B.O.C	. For the M/	R. Road				
		7	mance bases	1 Mainten	ce of Road &	CD work -		
É	NAYGACHHIYA	NII31		W KOND				
	(p: 118		BLOCK:	- NAVG	АСННІУА	LENGTI	I:- 1.150 KM	
		SCU	EDIUEORIUS		Excess (+)	0.00 %		
	Þ	ription of work	No.or	Unit		Estimated Data	AMOUNT	
_	Cement Concrete	rement Construction of un	Otv.	Oint	Figure	Estimated Rate Words	Rs. P	
	reinforcedplain cement prepared sub base with as per clause 1501.2 aggregate maximum simixed in a concrete of appropriate weigh basin approved fixed similar and fixing of 125 microplates including levelling spreading the concrete using needle, screed a continuous operation and expansion, consistrips, primer, sealar bridge/ culvert and approved, curing of compound (where specifical).	thickness as perdesign, over a 13 grade cement or any other type M 30 grade coarse and fine	696.9000	Cum	5653.05	Rupees Five Thousand Six Hundred Fifty Three And Five Palse Only	3939611.00	
	IZI a matera et ann	asper 1013 fixing in position nting, up as per drawing and se 1703.	3.0000	No.	1958.54	Rupees One Thousand Nine Hundred Fifty Eight And Fifty Four Palse Only	5876.00	
	ii) Km stone					Rupees Five Hundred		
_	iii) 200 m stone		4.0000	No.	559.32	Fifty Nine And Thirty	2237.00	
	Retro-reflectorised Transported and fixin mandatory and information for encapsulated lens to 1701.2.3 fixed over supported on a mild state of mm firmly fixed to designed foundation with mm x 450 mm x 600 mper drawings and Te	signs etro-ref can see cautionary, y sign as per the 67 made of flective sheeting ade Clause nium sheeting 1.5 mm thick ingle from rost 7.5 mm x 75 mm e ground a means of properly M15 grad rement concrete 450 400 mm aclass around level as 1 Specification Clause 801	3.0000	No.	3059.02	Rupees Three Thousand Fifty Nine And Two Paise Only	9177.00	
_	600 mm equilateral &	le	1.0000	No.	3122.29	Rupees Three Thousand One Hundred Twenty Two And Twenty Nine	3122.00	
_	600 mm x 450 mm reat	lar	2.0000	No.	3014.69	Rupees Three Thousand Fourteen And Sixty Nine	6029.00	
_	Road Marking with I with Reflectorising Gi Providing and layin compound 2.5 mm that beads @ 250 gms per secularity of surface at the control of the control	ds on B compound surface hot ap d to toplastic arcluding reflected ing glass in area, thickness of 2.5 mm is glass between the compound of the compound for the	230.0000	Sqm	735.40	Rupees Seven Hundred Thirty Five And Forty Paise Only	169142.00	

Tany Res

and holes.

Dy

Executive Engine

		Name of Work: Cotput & Perfor	U.O.O. For the M/R. Road Vork: Cutput & Performance based Maintence of Road & CD work - NH31 TO LAXMIPUR ROAD BLOCK: NAVGACHIHYA LENGTH:- 1.150 KM					
for	N:NAVGACHHIYA	NITT	LENGTH:-	LENGTH:- 1.150 KM				
fer ac:					Excess (+)	0.00	%	
51.		SCHEPULE OF WORKS			T	stimated Rate	AMOUNT	
No.		Lescription of work	No or Oty.	Unit	Figure	Words	Rs. P	
14	frame of 25mm x 2, the lower most plat will be welded to 2 tubes posts duly grade blocks of 45 to middle plate by tube. All MS, will bettering and powith ready mixed quality in require framed posts and and two coats of	of typical MMGSY alormatory sign or MORD is lifeate as and drawing, man thick, top and middle plate duly iron 25mm x 5m size on back on the will be welded with MS angle iron and flat from frame of middle plate is, 75mm x 75 mm of 12 SWG sheet abedded in terms of oncrete M-15 in x 450mm x 600m is, 600mm below most distributed plate will be welded mm x 47mm of 12 SWG steel plate is stove a similar of 12 SWG steel plate is stove a similar of 12 SWG steel plate in the stove is meled on both sides, arrows, a der et will be painted in the stop in the painted in the pain	2.0000	No.	8924.80	Rupees Eight Thousand Nine Hundred Twenty Four And Eighty Palse Only	17850.00	
	Annexure 17			1			5739183.0	
-	TAL CONSTITUTE	ON COST		-	-		688702.0	
	A D GST @ 12			-			57392.00	
		1 %					6485277.0	
		DULE-		-			136191.0	
	110000	reemer	- 1 · · · · · · · · · · · · · · · · · ·	-			6349086.0	
5	retal Construction	interacte Quate in TULSIPUR Road - each - 2 each	20.0000	Quaterly	48319.40	Rupees Forty Eight Thousand Three Hundred Nineteen And	966388.0	
				1			966388.0	
17	TLA MAIN I	1700		1			115967.0	
1.	GST @ 1			 			9664.00	
1	LABOUT	%		1			1092019.0	
17.		UI					22932.0	
-		econd!		 			1069087.	
	al Maintena 65			-			7418173.	

Executive Engineer R W. D. W. D. Naugachia

Revised B.O. Improved for RS-74, 18, 173 = 00 (Rupees Seven four lakh i threem housand one hundred seventy three

onty.

Executive Engineer
R W. D. W. D. Naugachia

Superintentin Engineer Rural Works Department Works Circle, Bhagalpur