

Sch. XLV—Form No. 134

[illegible]

| ABSTRACTS OF COST |                                               |   |         |
|-------------------|-----------------------------------------------|---|---------|
| 1                 | Setting out B.M & R.P. Lines                  |   |         |
|                   | Qty vide Page No 37 in TMB                    |   |         |
|                   | 3.40 KM @ Rs 2975 = 401 KM                    | B | 1121162 |
| 2                 | Cleaning & Graveling RD Land                  |   |         |
|                   | Qty vide Page No 37 in TMB                    |   |         |
|                   | 1.175 Hec @ 57133 = 761 Hec                   | B | 601232  |
| 3.7               | Constn of Embankment                          |   |         |
| 5                 |                                               |   |         |
|                   | Qty vide Page No 37 in TMB                    |   |         |
|                   | 156.25 M <sup>3</sup> @ 74216/M <sup>3</sup>  | B | 115882  |
| 4.7               | Constn of Embankment                          |   |         |
| 7                 |                                               |   |         |
|                   | 193.75 M <sup>3</sup> @ 292571/M <sup>3</sup> | B | 27722   |
| 5.7               | Constn of Embankment                          |   |         |
| 7                 |                                               |   |         |
|                   | 81.91 M <sup>3</sup> @ 175222/M <sup>3</sup>  | B | 143522  |

Continuation

| Particulars                                  | Details of actual measurement |    |    |    | Contents of area |
|----------------------------------------------|-------------------------------|----|----|----|------------------|
|                                              | No.                           | L. | B. | D. |                  |
| 6.7 Constn of Embankment                     |                               |    |    |    |                  |
| 8                                            |                               |    |    |    |                  |
| Side slope face No 38 in TMB                 |                               |    |    |    |                  |
| $327.656 \text{ m}^3 @ 135.12 \text{ m}^3$   |                               |    |    | R  | 442732           |
| 7.7 Constn of Embankment                     |                               |    |    |    |                  |
| 10                                           |                               |    |    |    |                  |
| Side slope face No 33 in TMB                 |                               |    |    |    |                  |
| $1872.00 \text{ m}^3 @ 1762.86 \text{ m}^3$  |                               |    |    | R  | 3310822          |
| 8.7 Constn of Earth Shoulder                 |                               |    |    |    |                  |
| 9                                            |                               |    |    |    |                  |
| Side slope face No 38 in TMB                 |                               |    |    |    |                  |
| $2391.725 \text{ m}^3 @ 1762.86 \text{ m}^3$ |                               |    |    | R  | 4230002          |
| 9.7 Constn of GSB (2.0 m)                    |                               |    |    |    |                  |
| 11                                           |                               |    |    |    |                  |
| Side slope face No 38 in TMB                 |                               |    |    |    |                  |
| $1799 \text{ m}^3$                           |                               |    |    |    |                  |
| @ 19722304                                   |                               |    |    | R  | 5481682          |

|                                             |  |  |  |   |          |
|---------------------------------------------|--|--|--|---|----------|
| 10.7 Constn of GSB (C.C. Portion)           |  |  |  |   |          |
| 16                                          |  |  |  |   |          |
| Side slope face No 38 in TMB                |  |  |  |   |          |
| $264.57 \text{ m}^3 @ 19722304 \text{ m}^3$ |  |  |  | R | 52181120 |
| 11.7 Fin in excavation                      |  |  |  |   |          |
| 36                                          |  |  |  |   |          |
| Side slope face No 38 in TMB                |  |  |  |   |          |
| $89.354 \text{ m}^3 @ 294231 \text{ m}^3$   |  |  |  | B | 263352   |
| 12.2 P.C.C. M-15 in foundation              |  |  |  |   |          |
| 37                                          |  |  |  |   |          |
| Side slope face No 38 in TMB                |  |  |  |   |          |
| $8.386 \text{ m}^3 @ 5205204 \text{ m}^3$   |  |  |  | B | 462612   |
| 13.7 Brick Masonry Work in C.M.             |  |  |  |   |          |
| 38                                          |  |  |  |   |          |
| Side slope face No 38 in TMB                |  |  |  |   |          |
| $91.821 \text{ m}^3 @ 648717 \text{ m}^3$   |  |  |  | B | 5956582  |

Continuation

| Particulars                                                           | Details of actual measurement |    |    |    | Contents of area |
|-----------------------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                                       | No.                           | L. | B. | D. |                  |
| 14.7 Pipe Laying R.C.C. Pipes<br>39<br>Qty vide Paper No 39 in PMB    |                               |    |    |    |                  |
| 22.50 M @ 3556 = 6747 M                                               |                               |    |    | B  | 800252           |
| 15.7 Plaster with (1:4)<br>40<br>Qty vide Paper No 39 in PMB          |                               |    |    |    |                  |
| 199.24 M <sup>2</sup> @ 358 = 304 M <sup>2</sup>                      |                               |    |    | B  | 713902           |
| 16.7 Cement Punning 15mm<br>41<br>Qty vide Paper No 39 in PMB         |                               |    |    |    |                  |
| 42.66 M <sup>2</sup> @ 50 = 75 M <sup>2</sup>                         |                               |    |    | B  | 21652            |
| 17.7 Irrigation pipe duct<br>49<br>Qty vide Paper No 39 in PMB        |                               |    |    |    |                  |
| 105 M @ 1585 = 208 M                                                  |                               |    |    | B  | 1665752          |
| 35<br>Sign Board with Logo<br>Qty vide Paper No 39 in PMB             |                               |    |    |    |                  |
| 5 Nos @ 9411227 each                                                  |                               |    |    | B  | 470572           |
| 19.7 Concrete WBM 75 mm<br>12<br>Qty vide Paper No 39 in PMB          |                               |    |    |    |                  |
| 364.22 M <sup>3</sup> @ 2764241 M <sup>3</sup>                        |                               |    |    | B  | 2665502 =        |
| 20.7 Gravel A in Pavement<br>17<br>Qty vide Paper No 39 in PMB        |                               |    |    |    |                  |
| 424.20 M <sup>3</sup> @ 7254282 M <sup>3</sup>                        |                               |    |    | B  | 31199192         |
| 21.7 Hand Shovel<br>18<br>688 M <sup>2</sup> @ 5042691 M <sup>2</sup> |                               |    |    | B  | 3472222          |
| 23.7 Primer Coat (S-1)<br>13<br>Qty vide Paper No 39 in PMB           |                               |    |    |    |                  |
| 10216.37 M <sup>2</sup> @ 45269 M <sup>2</sup>                        |                               |    |    | A  | 4667862          |

Continuation

| Particulars | Details of actual measurement |      |    |    | Contents of area |
|-------------|-------------------------------|------|----|----|------------------|
|             | No.                           | L.   | B. | D. |                  |
| 23.7<br>14  | D.V. Tack-leaf CR-12          |      |    |    |                  |
|             | D.V. Tack-leaf CR-12          |      |    |    |                  |
|             | 10216.37                      | 15.5 | 11 |    | 158660           |
| 24.7<br>15  | M.S.S. (S-10)                 |      |    |    |                  |
|             | D.V. Tack-leaf CR-12          |      |    |    |                  |
|             | 10216.37                      | 15.5 | 11 |    | 158660           |
| 25.7<br>16  | M.S.S. (S-10)                 |      |    |    |                  |
|             | D.V. Tack-leaf CR-12          |      |    |    |                  |
|             | 10216.37                      | 15.5 | 11 |    | 158660           |
| 26.7<br>17  | M.S.S. (S-10)                 |      |    |    |                  |
|             | D.V. Tack-leaf CR-12          |      |    |    |                  |
|             | 10216.37                      | 15.5 | 11 |    | 158660           |
| 27.7<br>18  | M.S.S. (S-10)                 |      |    |    |                  |
|             | D.V. Tack-leaf CR-12          |      |    |    |                  |
|             | 10216.37                      | 15.5 | 11 |    | 158660           |
| 28.7<br>19  | M.S.S. (S-10)                 |      |    |    |                  |
|             | D.V. Tack-leaf CR-12          |      |    |    |                  |
|             | 10216.37                      | 15.5 | 11 |    | 158660           |
| 29.7<br>20  | M.S.S. (S-10)                 |      |    |    |                  |
|             | D.V. Tack-leaf CR-12          |      |    |    |                  |
|             | 10216.37                      | 15.5 | 11 |    | 158660           |

|            |                      |      |    |  |        |
|------------|----------------------|------|----|--|--------|
| 30.7<br>21 | M.S.S. (S-10)        |      |    |  |        |
|            | D.V. Tack-leaf CR-12 |      |    |  |        |
|            | 10216.37             | 15.5 | 11 |  | 158660 |
| 31.7<br>22 | M.S.S. (S-10)        |      |    |  |        |
|            | D.V. Tack-leaf CR-12 |      |    |  |        |
|            | 10216.37             | 15.5 | 11 |  | 158660 |
| 32.7<br>23 | M.S.S. (S-10)        |      |    |  |        |
|            | D.V. Tack-leaf CR-12 |      |    |  |        |
|            | 10216.37             | 15.5 | 11 |  | 158660 |
| 33.7<br>24 | M.S.S. (S-10)        |      |    |  |        |
|            | D.V. Tack-leaf CR-12 |      |    |  |        |
|            | 10216.37             | 15.5 | 11 |  | 158660 |
| 34.7<br>25 | M.S.S. (S-10)        |      |    |  |        |
|            | D.V. Tack-leaf CR-12 |      |    |  |        |
|            | 10216.37             | 15.5 | 11 |  | 158660 |
| 35.7<br>26 | M.S.S. (S-10)        |      |    |  |        |
|            | D.V. Tack-leaf CR-12 |      |    |  |        |
|            | 10216.37             | 15.5 | 11 |  | 158660 |
| 36.7<br>27 | M.S.S. (S-10)        |      |    |  |        |
|            | D.V. Tack-leaf CR-12 |      |    |  |        |
|            | 10216.37             | 15.5 | 11 |  | 158660 |
| 37.7<br>28 | M.S.S. (S-10)        |      |    |  |        |
|            | D.V. Tack-leaf CR-12 |      |    |  |        |
|            | 10216.37             | 15.5 | 11 |  | 158660 |
| 38.7<br>29 | M.S.S. (S-10)        |      |    |  |        |
|            | D.V. Tack-leaf CR-12 |      |    |  |        |
|            | 10216.37             | 15.5 | 11 |  | 158660 |
| 39.7<br>30 | M.S.S. (S-10)        |      |    |  |        |
|            | D.V. Tack-leaf CR-12 |      |    |  |        |
|            | 10216.37             | 15.5 | 11 |  | 158660 |

Continuation

| Particulars                                    | Details of actual measurement |    |    |     | Contents of area |
|------------------------------------------------|-------------------------------|----|----|-----|------------------|
|                                                | No.                           | L. | B. | D.  |                  |
| 32.7 Road Marking on C.C. Pavement             |                               |    |    |     |                  |
| 30                                             |                               |    |    |     |                  |
| Side Paper No 71 in TMB                        |                               |    |    |     |                  |
| 140M <sup>2</sup> @ 835/34M <sup>2</sup>       |                               |    |    | R   | 1169482          |
| 33.7 Boundary Pillar                           |                               |    |    |     |                  |
| 31                                             |                               |    |    |     |                  |
| 24M <sup>2</sup> @ 484/252/each                |                               |    |    | B   | 116292           |
| 34.7 pipe place identification                 |                               |    |    |     |                  |
| 32                                             |                               |    |    |     |                  |
| Sign Board                                     |                               |    |    |     |                  |
| Side Paper No 41 in TMB                        |                               |    |    |     |                  |
| 14M <sup>2</sup> @ 1170/123/each               |                               |    |    | R   | 1638602          |
| 35.7 Plantation of Trees                       |                               |    |    |     |                  |
| 33                                             |                               |    |    |     |                  |
| by the Road Side                               |                               |    |    |     |                  |
| Side Paper No 41 in TMB                        |                               |    |    |     |                  |
| 135M <sup>2</sup>                              |                               |    |    |     |                  |
| @ R 819292 each                                |                               |    |    | R   | 1106592          |
| 36.7 Half Brick Circular Guard                 |                               |    |    |     |                  |
| 34                                             |                               |    |    |     |                  |
| Side Paper No 41 in TMB                        |                               |    |    |     |                  |
| 135M <sup>2</sup> @ 1566234/each               |                               |    |    | R   | 2114562          |
| 37.7 Box Cutting                               |                               |    |    |     |                  |
| 3                                              |                               |    |    |     |                  |
| Side Paper No 41 in TMB                        |                               |    |    |     |                  |
| 157.52 M <sup>3</sup> @ 1262/241M <sup>3</sup> |                               |    |    | B   | 198832           |
|                                                |                               |    |    | B   | 1639221992       |
| ADD 12P. 6155                                  |                               |    |    | + B | 18670642         |
| ADD 1V. 1.5m                                   |                               |    |    | + R | 163922           |
|                                                |                               |    |    | B   | 1852318522       |
| Less 10% in per                                |                               |    |    | R   | 185231922        |
| Agreement                                      |                               |    |    | R   | 1667086622       |

Continuation

