

Sch. XIV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	H.	
(All items of soil)					
1/2 - Const. of road (P. way) with width from Ajongga Cherd to Bentalan.					
Agent Manoj Rai					
Aggr. 10 (SRD) / 20.02 - 22					
D.O.S. - 13.05.21					
D.O.C. - 12.05.23					
1/1. Setting out					
Const. of reference survey by dominant.					
1.05 km ² of vide T.M.B. P-11					
1.05 km ² of vide T.M.B. P-11					7018.00
2/2. Const. of reference pillar - all.					
1.05 km ² of vide T.M.B. P-11					
1.05 km ² of vide T.M.B. P-11					1937.00
3/3. Clearing and grubbing road land etc.					
0.34 Hect. of vide T.M.B. P-11					
0.34 Hect. of vide T.M.B. P-11					18010.00
4/4. Excavation for road way in soil using manual means.					
44.25 m ² of vide T.M.B. P-11					
44.25 m ² of vide T.M.B. P-11					5757.00
5/5. Const. of embankment with approved material deposited at side of road and by.					
44.25 m ² of vide T.M.B. P-11					
44.25 m ² of vide T.M.B. P-11					1624.00
					7018.00

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L	B	D	
				517.5	31576.00
6/6. Cont. of embankment found as follows					
195.00m ² @ 4 wide T.M.R. D-12					
195.00m ² @ 12 190.56/m ² D-12					371202.8
7/7. Cont. of embankment found as follows					
550.00m ² @ 4 wide T.M.R. D-12					
550.00m ² @ 12 152.33/m ² D-12					82789.00
8/8. Continuation of measured Sub. Sale					
558.50m ² @ 4 wide T.M.R. D-12					
558.50m ² @ 12 150.18/m ² D-12					156230.00
9/9. P/L spreading & compacting stone					
225.312m ² @ 12 140.00/m ² D-12					
225.312m ² @ 12 140.00/m ² D-12					
10/10. P/L & spreading stone					
225.312m ² @ 4 wide T.M.R. D-12					
225.312m ² @ 12 140.00/m ² D-12					90705.00
11/11. P/L and spreading stone					
225.312m ² @ 4 wide T.M.R. D-12					
225.312m ² @ 12 130.00/m ² D-12					31052.00
12/12. P/L and spreading stone					
graded concrete surface 100m ² D-12					
225.312m ² @ 4 wide T.M.R. D-12					
225.312m ² @ 12 140.00/m ² D-12					45945.00
13/13. Cont. of unimproved area 130 grade					
272.70m ² @ 4 wide T.M.R. D-12					
272.70m ² @ 12 140.00/m ² D-12					197148.00
					0/0 15591589.00

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
				B/F R	5591589.00
14/14. Cont. work on road for 10m of shade.					
33.89m ² @ 14 wide T.M.B P-13					
33.89m ² @ 13.279.09/m ² FS					9456.00
15/15. P/V R.C.C. M.10 in open foundation.					
2.67m ² @ 14 wide T.M.B P-13					
2.67m ² @ 5925.24/m ² FS					15828.00
16/16. P/V R.C.C. M.10 in open foundation.					
24.51m ² @ 14 wide T.M.B P-14					
24.51m ² @ 5925.24/m ² FS					145301.00
17/17. P/V R.C.C. M.20 in open foundation.					
2.61m ² @ 14 wide T.M.B P-14					
2.61m ² @ FS 6450.00/m ² FS					16835.00
18/18. P/V R.C.C. M.20 in open foundation.					
in parapet.					
2.98m ² @ 14 wide T.M.B P-14					
2.98m ² @ 135545.00/m ² FS					16524.00
19/19. Paving work C.M. (1:4) 15mm thick.					
33.20m ² @ 14 wide T.M.B P-14					
33.20m ² @ FS 182.25/m ² FS					6051.00
20/20. Back filling behind abutment.					
33.39m ² @ 14 wide T.M.B P-14					
33.39m ² @ FS 493.00/m ² FS					16461.00
21/21. P/F Guide Post.					
8.00 nos @ 14 wide T.M.B P-14					
8.00 nos @ FS 516.97/nos FS					4136.00
22/22. Laying bedding on well comp. sand.					
1.05m ³ @ 14 wide T.M.B P-15					
1.05m ³ @ FS 442.52/m ³ FS					465.00
					26 FS 5822646.00

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
				111 P.	5292646.0
22/23. P/F R.C. 115 grade B.M. stone					
2.00 NOS Qty 115 T.M.B P-15					
2.00 NOS (D) 115 2294.00/NOS				115	4894.00
24/24. P/L R.C. 115 4000mm dia.					
7.50m Qty 115 T.M.B P-15					
7.50m (D) 115 9576.00/m				115	19320.00
25/25. P/F R.C. 115 4000mm dia.					
15.00m Qty 115 T.M.B P-15					
15.00m (D) 115 749.82/m				115	11142.00
26/26. P/F R.C. 115 4000mm dia.					
4.00 NOS Qty 115 T.M.B P-15					
4.00 NOS (D) 115 594.00/NOS				115	2376.00
27/27. P/F R.C. 115 4000mm dia.					
20.00 NOS Qty 115 T.M.B P-15					
20.00 NOS (D) 115 516.97/NOS				115	10339.00
28/28. P/F typical M.M.B. 1690 board.					
3.00 NOS Qty 1690 T.M.B P-15					
3.00 NOS (D) 115 9119.00/NOS				115	27357.00
29/29. P/F M.M.B. 1690 board.					
1.00 NOS Qty 1690 T.M.B P-16					
1.00 NOS (D) 115 9119.00/NOS				115	9119.00
30/30. P/F 600mm equilateral triangle					
L/R curve board.					
4.00 NOS Qty 1690 T.M.B P-16					
4.00 NOS (D) 115 3050.00/NOS				115	12200.00
31/31. P/F 600mm circular Speed limit.					
2.00 NOS Qty 1690 T.M.B P-16					
2.00 NOS (D) 115 4679.23/NOS				115	9358.00
					10155928452.00

Continuation