

MMGSIU-SC-अनुगत रानाताताप्रसंगमि नहर
दुसरीदीनदरिपावसुताता तव सडसनिमि
आपे-एवंपी-एवपी-अनुरसताआपे।

Schedule XLV-Form No. 134

एवराइमाका-एवरा-163/53D-2021-22

DIVISION

आपेप्रांअवरा-नीपिपि-04.02.2022-

SUB-DIVISION

आपेप्रांअवरा-नीपिपि-03.02.2023-

MEASUREMENT BOOK

आपेप्रांअवरा-एवरा-1123/2021-22

49

[illegible]

0.0 = 41875.00

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
			13.6		355394.00
(14) Const. of R.C.C. Railings					
V.T.M.B.P. (46)		1.500 m			
			@ 7725.34		115880.00
(15) Drainage Spout					
do					
V.T.M.B.P. (46)		12 NOS			
			@ 536.83		6442.00
(16) P/V R.C.C. Weirings					
Coat.					
V.T.M.B.P. (47)		3.09 m ³			
			@ 11860.70		36650.00
(17) Back filling in found Abt.					
V.T.M.B.P. (47)		29.162 m ³			
			@ 752.08		21932.00
(18) P/V Filter Media					
do					
V.T.M.B.P. (47)		28.182 m ³			
			@ 3848.26		111270.00
(19) P/V Weep hole					
do					
V.T.M.B.P. (47)		72 NOS			
			@ 111.48		2027.00

Continuation

C.O.-3809,595=

[illegible]