

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग कार्य प्रमंडल, फुलपरास।

पत्रांक...1820(अनु०)

दिनांक...22-06-2023

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, फुलपरास ।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
बिहार ग्रामीण पथ विकास अभिकरण,
बिहार, पटना ।

विषय:-

शीर्ष NEW MAINTENANCE POLICY-2018 (MR-3054) में आवंटन उपलब्ध कराने के संबंध में।


महाराज,

उपरोक्त विषय के संबंध में कहना है शीर्ष NEW MAINTENANCE POLICY - 2018 (MR-3054) योजना अन्तर्गत पथ में संलग्न विवरणी के अनुसार आवंटन उपलब्ध कराने की कृपा की जाय ताकि संवेदक का भुगतान किया जा सके।


अनु०:-

1. अधियाचना प्रमाण पत्र 1पृष्ठ में।
2. उपयोगिता प्रमाण पत्र एक प्रति ।

विश्वासभाजन


22/06/23

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्यप्रमंडल, फुलपरास।


22/06/2023

FORM GFR 19-A

(See Government of India's Decision (I) below Rule-150)
Form of Utilisation Certificate Upto the month of 20 June-2023
New Maintenance policy - 2018

PIU – Executive Engineer, R.W.D (W) Division,Phulparas

SL. No	Name of Scheme	Sanction No. & Date with Amount (In Rs. lacs)	Amount Received (In Rs. lacs)	Particulars
1	Construction of Rural roads under New maintenance policy-2018	Authorisation letter – 85 Dt - 14.06.2023 Rs 2645.18131	2645.18131	Certified that out of 2645.18131 Lakh received during the years up to 2023-24 in favour of Ex. Engineer, RWD (W) Division Phulparas, Madhubani, Bihar, a sum of Rs.2640.07401 Lakhs has been utilized for the purpose of New maintenance policy-2018 as given in the margin for which the balance of Rs 5.10730 Lakh remaining unutilized at the end of the period under.

2. Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised :-

- I. Works have been supervised by Executive Engineer/Superintending Engineer.
- II. Periodical inspection has been conducted by Executive Engineer/Superintending Engineer.
- III. Construction materials have been tested.
- IV. Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/Executive Engineer.
- V. All other codal formalities have been observed.

3. Physical Progress achieved :-

- I. Construction of Road Works.
- II. Construction of CD Works.

[Signature]
22/06/23

Executive Engineer
R.W.D (W) Division,Phulparas
[Signature]
22/06/2023



Format of Requisition under Head New Maintenance policy - 2018
Name of Division :- RWD (W) Division phulparas.

Sl No.	Package No.	Name of road	Project ID as per MIS	Name of Contractor	(AA) Letter No & Date	Administrative Approval (AA)		Agreement Amount (in Lakh)		Agreement No & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in Lakh)	up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
						Length (in km)	Amount of (in lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance (in Lakh)										
1	2	3	4		5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	002	KHUTAUNA IB - SIHULA	31909802045	Raushan Kumar	A.A Li No- 860/dt- 24.06.2019	4.080	122.6	98.49729	37.42571	13MBD/2022-23	21.09.2023	20.06.2023	3729	25.02	5.03	0.00000	0.00000	98.36707	Surface Complete
Total =																		98.36707	


 Executive Engineer
 R.W.D(W) Div. Phulparas
 PWP
 22/10/2023

**OFFICE OF THE EXECUTIVE ENGINEER
RWD WORKS DIVISION PHULPARAS**

**Name of Scheme:- KHUTAUNA IB - SIHULA, PACKAGE No-
RM/MA/PHU/19/0002, Project ID-31909802045**

**Certified that all item wise 100%
Measurement has been taken by me**

Ashtind Sheen
20/6/2023
Junior Engineer
RWD Work Section, Khutauna
Works Division, Phulparas

**Certified that all item wise 50%
Measurement has been cheked by me**

Donna
20/6/2023
Assistant Engineer
RWD Work Section, Khutauna
Works Division Phulparas

**Certified that all item wise 10%
Measurement has been cheked by me**

Qu
20/6/23
Executive Engineer
Rural work Department
Works Division Phulparas

Name of work : KHUTAUNA IB - SIHULA

Name of customer : Raushan Kumar

(R)Rural Road

Good

Average

Poor

< 4000

4001 - 5000

> 5000

Date	Time	Test No	Distance(m)	Total Distance(m)	BUMP(cm)	Speed(Km/Hr)	UI(mm/Km)	Corrected UI (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks
19/06/23	15:41:20	31	100	100	35.0 cm	25.9 Km/Hr	3500.0 mm/Km	3529	4.66	Good	26.4896531	N	86.4220586	E	Normal
19/06/23	15:41:32	31	100	200	30.0 cm	29.7 Km/Hr	3000.0 mm/Km	3059	4.1	Good	26.4896571	N	86.4220596	E	Normal
19/06/23	15:41:46	31	100	300	34.0 cm	31.1 Km/Hr	3400.0 mm/Km	3435	4.55	Good	26.4896592	N	86.4220966	E	Normal
19/06/23	15:41:59	31	100	400	30.0 cm	29.0 Km/Hr	3000.0 mm/Km	3059	4.1	Good	26.4896432	N	86.4220936	E	Normal
19/06/23	15:42:26	31	100	500	37.0 cm	13.0 Km/Hr	3700.0 mm/Km	3717	4.88	Good	26.4896852	N	86.4220921	E	Normal
19/06/23	15:43:17	31	100	600	38.0 cm	7.3 Km/Hr	3800.0 mm/Km	3811	4.99	Good	26.4896522	N	86.4220859	E	Normal
19/06/23	15:43:47	31	100	700	20.0 cm	11.7 Km/Hr	2000.0 mm/Km	2119	2.95	Good	26.4896352	N	86.4220157	E	Normal
19/06/23	15:44:00	31	100	800	20.0 cm	26.4 Km/Hr	2000.0 mm/Km	2119	2.95	Good	26.4896572	N	86.4220256	E	Normal
19/06/23	15:44:26	31	100	900	35.0 cm	12.9 Km/Hr	3500.0 mm/Km	3529	4.66	Good	26.4896872	N	86.4220369	E	Normal
19/06/23	15:44:37	31	100	1000	28.0 cm	39.2 Km/Hr	2800.0 mm/Km	2871	3.87	Good	26.4897552	N	86.4220379	E	Normal
19/06/23	15:44:53	31	100	1100	36.0 cm	24.4 Km/Hr	3600.0 mm/Km	3623	4.77	Good	26.4897542	N	86.4220697	E	Normal
19/06/23	15:45:17	31	100	1200	33.0 cm	14.6 Km/Hr	3300.0 mm/Km	3341	4.44	Good	26.4897522	N	86.4220147	E	Normal
19/06/23	15:45:48	31	100	1300	30.0 cm	12.2 Km/Hr	3000.0 mm/Km	3059	4.1	Good	26.4897452	N	86.4220857	E	Normal
19/06/23	15:46:42	31	100	1400	30.0 cm	6.5 Km/Hr	3000.0 mm/Km	3059	4.1	Good	26.4897441	N	86.4220326	E	Normal
19/06/23	15:47:07	31	100	1500	34.0 cm	13.9 Km/Hr	3400.0 mm/Km	3435	4.55	Good	26.4897438	N	86.4220936	E	Normal
19/06/23	15:47:55	31	100	1600	31.0 cm	7.5 Km/Hr	3100.0 mm/Km	3153	4.21	Good	26.4896432	N	86.4220912	E	Normal
19/06/23	15:48:17	31	100	1700	38.0 cm	15.8 Km/Hr	3800.0 mm/Km	3811	4.99	Good	26.4897458	N	86.4220158	E	Normal
19/06/23	15:48:46	31	100	1800	33.0 cm	1.0 Km/Hr	3300.0 mm/Km	3341	4.44	Good	26.4897524	N	86.4220295	E	Normal
19/06/23	16:19:08	31	100	1900	33.0 cm	16.9 Km/Hr	3300.0 mm/Km	3341	4.44	Good	26.4897525	N	86.4341750	E	Normal
19/06/23	16:19:33	31	100	2000	30.0 cm	14.5 Km/Hr	3000.0 mm/Km	3059	4.1	Good	26.4897580	N	86.4341127	E	Normal
19/06/23	16:20:26	31	100	2100	36.0 cm	6.9 Km/Hr	3600.0 mm/Km	3623	4.77	Good	26.4897458	N	86.4341822	E	Normal

Asimul Sharma
20/6/2023
J.E.

20/6/2023
AR

22/6/23

Name of work :	KHUTAUNA IB - SIHULA		
Name of customer :	Raushan Kumar		
(R)Rural Road			
Good	Average	Poor	
< 4000	4001 - 5000	> 5000	

19/06/23	16.20.51	31	100	2200	31.0 cm	14.1 Km/Hr	3100.0 mm/Km	3153	4.21	Good	26.4897568	N	86.4341575	E	Normal
19/06/23	16.21.14	31	100	2300	31.0 cm	15.6 Km/Hr	3100.0 mm/Km	3153	4.21	Good	26.4810410	N	86.4341634	E	Normal
19/06/23	16.21.41	31	100	2400	32.0 cm	12.6 Km/Hr	3200.0 mm/Km	3247	4.32	Good	26.4810257	N	86.4341525	E	Normal
19/06/23	16.21.58	31	100	2500	39.0 cm	21.4 Km/Hr	3900.0 mm/Km	3905	5.1	Good	26.4810962	N	86.4341697	E	Normal
19/06/23	16.22.17	31	100	2600	35.0 cm	18.6 Km/Hr	3500.0 mm/Km	3529	4.66	Good	26.4810785	N	86.4341282	E	Normal
19/06/23	16.22.33	31	100	2700	39.0 cm	22.2 Km/Hr	3900.0 mm/Km	3905	5.1	Good	26.4810758	N	86.4341775	E	Normal
19/06/23	16.22.48	31	100	2800	39.0 cm	23.9 Km/Hr	3900.0 mm/Km	3905	5.1	Good	26.4810425	N	86.4341650	E	Normal
19/06/23	16.23.01	31	100	2900	38.0 cm	27.0 Km/Hr	3800.0 mm/Km	3811	4.99	Good	26.4899421	N	86.4341634	E	Normal
19/06/23	16.23.15	31	100	3000	36.0 cm	25.2 Km/Hr	3900.0 mm/Km	3923	4.77	Good	26.4899754	N	86.4341236	E	Normal
19/06/23	16.23.26	31	100	3100	34.0 cm	27.0 Km/Hr	3400.0 mm/Km	3435	4.55	Good	26.4899932	N	86.4341288	E	Normal
19/06/23	16.23.43	31	100	3200	30.0 cm	24.6 Km/Hr	3000.0 mm/Km	3059	4.1	Good	26.4899635	N	86.4341416	E	Normal
19/06/23	16.23.58	31	100	3300	39.0 cm	24.3 Km/Hr	3900.0 mm/Km	3905	5.1	Good	26.4899742	N	86.4341154	E	Normal
19/06/23	16.24.13	31	100	3400	37.0 cm	23.6 Km/Hr	3700.0 mm/Km	3717	4.88	Good	26.4845785	N	86.4341784	E	Normal
19/06/23	16.24.36	31	100	3500	32.0 cm	14.4 Km/Hr	3200.0 mm/Km	3247	4.32	Good	26.4899951	N	86.4341083	E	Normal
19/06/23	16.24.55	31	100	3600	36.0 cm	22.7 Km/Hr	3600.0 mm/Km	3623	4.77	Good	26.4810460	N	86.4341315	E	Normal
19/06/23	16.25.11	31	100	3700	32.0 cm	22.0 Km/Hr	3200.0 mm/Km	3247	4.32	Good	26.4810834	N	86.4343590	E	Normal
19/06/23	16.25.27	31	100	3800	31.0 cm	22.2 Km/Hr	3100.0 mm/Km	3153	4.21	Good	26.4810054	N	86.4342078	E	Normal
19/06/23	16.25.45	31	100	3900	32.0 cm	20.4 Km/Hr	3200.0 mm/Km	3247	4.32	Good	26.4810561	N	86.4342264	E	Normal
19/06/23	16.26.05	31	100	4000	30.0 cm	18.1 Km/Hr	3000.0 mm/Km	3059	4.1	Good	26.4810965	N	86.4343947	E	Normal
19/06/23	16.26.23	31	100	4100	35.0 cm	20.0 Km/Hr	3500.0 mm/Km	3529	4.66	Good	26.4810558	N	86.4343576	E	Normal

Arvind Sharma
20/6/2023
J.E

20/6/23
J.E

22/6/23

Path: E:\All Agreement & requisition Data\All Scheme Requisition\New Maintenance policy-2018\Requisition letter No\19 06 2023 Raushan Kumar\Khutauna IB to Sihula-2 bit

Name of Customer: **Raushan Kumar**
 Name of Work/Road: **KHUTAUNA IB - SIHULA**
 Lab Job Number: **31** m **0.940** c **239.3**
 Date: **Monday, June 19, 2023**
 Section No: **12**


Test Date: **Monday, June**
 Machine no: **19210**
 Start S No:
 Start E No:
 Weather:
 Start Location:
 End Location:

Road Name: **KHUTAUNA IB - SIHULA**
 Road Type:
 Side:
 UIV Range: **1500** To **5000** Interval **1700** mm/km
 Dist Range: **0** To **4.2** **0.1** *1000 m
 Equations: **$Y = 0.940 X + 239.3$**

Graph Corrected UI v/s Distance Corrected IRI v/s distance Data

Graph

Name of Customer: Raushan Kumar , Machine no: 19210 , Road: KHUTAUNA IB - SIHULA , Date: 19/06/23 , Section No: 12 , Equation: $Y = 0.940 X + 239.3$



Asst. Insp. Sharmistha
 20/6/2023
 J.E

Sharmistha
 20/6/23
 J.E

Sharmistha
 22/6/23