

M/R-3054 - Bharamchka to Itwa 1.20 km  
Ag. No - 17 MB/2021-22  
Schedule XLV-Form No. 134

Sherghati

DIVISION

Gurua

SUB-DIVISION

M/s. R.K. Construction

MEASUREMENT BOOK

1353

Certified that this M.B. contains 01  
to 100 pages by machine printed this  
M.B. is issued to Sri Ashok Kumar  
A-E R.W.D Works Sub-Division

Executive Engineer  
RWD, Works Division  
Sherghati

  
12/12/21

Reissued to Brig Kishor Prasad  
Yakin Anbari SE Luro.

Sch. XLV - Form No. 134

\_\_\_\_\_  
DIVISION  
\_\_\_\_\_  
SUB-DIVISION

**Measurement Book**

No. 1353

Name of officer \_\_\_\_\_

182 - April

1

Name of Work-  
Situation of Work-  
Agency by which work is executed-  
Date of Measurement-  
No. and date of agreement

(These four lines should be repeated at the commencement of the measurement relating to each work)

| Particulars         | Details of actual measurement  |    |    |    | Contents of area |
|---------------------|--------------------------------|----|----|----|------------------|
|                     | No.                            | L. | B. | D. |                  |
| Name of Work:-      | Repair and maintenance of road |    |    |    |                  |
|                     | from Bhairan dha to Itan.      |    |    |    |                  |
| Agency:-            | M/S R.K. Construction          |    |    |    |                  |
|                     | Aurangabad.                    |    |    |    |                  |
| Agreement No.       | 17/MRD/2021-22                 |    |    |    |                  |
| Date of start       | 26.7.21                        |    |    |    |                  |
| Date of Completion  | 25.8.22                        |    |    |    |                  |
| Date of measurement | 22.8.21                        |    |    |    |                  |

(1) clearing and grubbing road

$$2 \times 1313.0 \times 1.00 = 2626.00 \text{ m}^2$$

$$= 0.26 \text{ Hec}$$

(2) Construction of 5.5 ft. - 5.5 ft.

|                          |                     |
|--------------------------|---------------------|
| 2 x 3.20 x 1.20 x 1.75 = | 1.34 m <sup>3</sup> |
| 3 x 4.50 x 2.90 x 1.75 = | 6.85 m <sup>3</sup> |
| 6 x 2.80 x 2.95 x 1.75 = | 8.67 m <sup>3</sup> |
| 4 x 2.30 x 1.80 x 1.75 = | 2.90 m <sup>3</sup> |
| 3 x 1.85 x 2.70 x 1.75 = | 2.62 m <sup>3</sup> |
| 4 x 2.80 x 2.90 x 1.75 = | 5.68 m <sup>3</sup> |
| 2 x 1.85 x 2.75 x 1.75 = | 1.78 m <sup>3</sup> |
| 4 x 3.80 x 2.70 x 1.75 = | 7.18 m <sup>3</sup> |
| 1 x 1.90 x 2.80 x 1.75 = | 0.93 m <sup>3</sup> |
| Continuation             |                     |
| 37.95 m <sup>3</sup>     |                     |

| Particulars | Details of actual measurement |       |       |         | Contents of area |
|-------------|-------------------------------|-------|-------|---------|------------------|
|             | No.                           | L.    | B.    | D.      |                  |
|             |                               |       |       | $B.F =$ | $37.95m^3$       |
|             | 1x                            | 2.80x | 2.25x | 1.75    | $= 1.10m^3$      |
|             | 2x                            | 1.80x | 1.75x | 1.75    | $= 1.10m^3$      |
|             | 3x                            | 2.90x | 1.70x | 1.75    | $= 2.58m^3$      |
|             | 2x                            | 1.75x | 2.40x | 1.75    | $= 1.47m^3$      |
|             | 1x                            | 3.85x | 2.40x | 1.75    | $= 1.62m^3$      |
|             | 1x                            | 1.90x | 1.40x | 1.75    | $= 0.47m^3$      |
|             | 2x                            | 2.90x | 2.70x | 1.75    | $= 2.74m^3$      |
|             | 1x                            | 2.10x | 1.75x | 1.75    | $= 0.64m^3$      |
|             | 1x                            | 2.40x | 2.52x | 1.75    | $= 1.05m^3$      |
| 1.          | 1x                            | 2.10x | 2.90x | 1.75    | $= 0.99m^3$      |

|                               |    |       |       |      |             |
|-------------------------------|----|-------|-------|------|-------------|
|                               |    |       |       |      | $51.71m^3$  |
| Total - $50.07m^3$            |    |       |       |      |             |
| Date of measurement - 22.3.22 |    |       |       |      |             |
| Provided w.B.M. - 58 W.       |    |       |       |      |             |
| Bath Hatch                    |    |       |       |      |             |
|                               | 1x | 2.40x | 2.70x | 0.75 | $= 0.49m^3$ |
|                               | 1x | 1.90x | 2.80x | 0.75 | $= 0.40m^3$ |
|                               | 5x | 3.10x | 3.40x | 0.75 | $= 3.82m^3$ |
|                               | 5x | 2.90x | 2.60x | 0.75 | $= 2.82m^3$ |
|                               | 3x | 3.85x | 2.40x | 0.75 | $= 2.07m^3$ |
|                               | 1x | 2.80x | 3.70x | 0.75 | $= 0.65m^3$ |
|                               | 2x | 2.25x | 2.40x | 0.75 | $= 0.81m^3$ |
| 1                             | 1x | 3.90x | 2.40x | 0.75 | $= 0.70m^3$ |
|                               | 1x | 7.00x | 2.80x | 0.75 | $= 1.47m^3$ |

Continuation

 $13.23m^3$

Continuation

| Particulars | Details of actual measurement |      |      |      | Contents of area    |
|-------------|-------------------------------|------|------|------|---------------------|
|             | No.                           | L.   | B.   | D.   |                     |
|             |                               |      |      | 8.65 | 25.76m <sup>2</sup> |
|             | 1                             | 2.8  | 3.50 |      | 9.80m <sup>2</sup>  |
|             | 2                             | 2.60 | 2.30 |      | 11.96m <sup>2</sup> |
|             | 1                             | 7.00 | 1.90 |      | 13.30m <sup>2</sup> |
|             | 2                             | 3.00 | 2.40 |      | 14.40m <sup>2</sup> |
|             | 2                             | 4.50 | 2.70 |      | 24.30m <sup>2</sup> |
|             | 2                             | 2.90 | 2.40 |      | 13.92m <sup>2</sup> |
|             | 3                             | 2.80 | 2.35 |      | 19.74m <sup>2</sup> |
|             | 1                             | 3.10 | 1.65 |      | 5.11m <sup>2</sup>  |
|             | 2                             | 2.40 | 1.80 |      | 8.64m <sup>2</sup>  |
|             | 1                             | 6.00 | 2.10 |      | 12.60m <sup>2</sup> |
|             | 1                             | 3.10 | 2.40 |      | 7.44m <sup>2</sup>  |

|              |   |      |      |  |                      |
|--------------|---|------|------|--|----------------------|
|              | 5 | 2.40 | 1.90 |  | 2.28m <sup>2</sup>   |
|              | 3 | 2.10 | 1.60 |  | 10.08m <sup>2</sup>  |
|              | 4 | 3.90 | 2.70 |  | 42.12m <sup>2</sup>  |
|              | 2 | 2.80 | 1.65 |  | 9.24m <sup>2</sup>   |
|              | 4 | 3.35 | 2.70 |  | 36.18m <sup>2</sup>  |
|              | 4 | 3.80 | 2.70 |  | 41.04m <sup>2</sup>  |
|              | 1 | 1.90 | 3.20 |  | 5.70m <sup>2</sup>   |
|              | 1 | 4.80 | 2.70 |  | 12.96m <sup>2</sup>  |
|              | 1 | 2.40 | 1.10 |  | 2.64m <sup>2</sup>   |
|              | 3 | 3.10 | 2.40 |  | 22.32m <sup>2</sup>  |
|              | 2 | 3.00 | 1.20 |  | 7.20m <sup>2</sup>   |
|              | 2 | 2.30 | 1.80 |  | 8.28m <sup>2</sup>   |
|              | 2 | 1.90 | 2.50 |  | 9.50m <sup>2</sup>   |
|              | 1 | 3.70 | 2.40 |  | 7.44m <sup>2</sup>   |
| Continuation |   |      |      |  | 383.95m <sup>2</sup> |

| articulaters | Details of actual measurement |    |                 |    | Contents of area |
|--------------|-------------------------------|----|-----------------|----|------------------|
|              | No.                           | L. | B.              | D. |                  |
|              |                               |    | $B \cdot P = 3$ |    | 83.95m           |
|              | 4x2.30x1.90                   |    |                 |    | 20.52m           |
|              | 2x1.70x2.50                   |    |                 |    | 9.52m            |
|              | 3x2.50x1.60                   |    |                 |    | 12.00m           |
|              | 4x2.90x1.40                   |    |                 |    | 16.24m           |
|              | 3x2.10x1.85                   |    |                 |    | 11.66m           |
|              | 4x2.75x3.00                   |    |                 |    | 33.00m           |
|              | 1x2.40x1.60                   |    |                 |    | 3.84m            |
|              | 3x2.10x2.60                   |    |                 |    | 16.38m           |
|              | 4x3.90x2.40                   |    |                 |    | 37.44m           |
|              | 2x2.50x1.80                   |    |                 |    | 9.00m            |
|              | 2x3.90x2.70                   |    |                 |    | 21.06m           |
|              | 1x5.40x2.70                   |    |                 |    | 14.58m           |
|              | 2x3.10x2.40                   |    |                 |    | 14.88m           |
|              | 2x3.80x1.40                   |    |                 |    | 10.64m           |
|              | 2x2.50x1.70                   |    |                 |    | 8.50m            |
|              | 2x2.95x3.00                   |    |                 |    | 17.70m           |
|              | 3x2.40x1.60                   |    |                 |    | 11.52m           |
|              | 4x3.20x2.40                   |    |                 |    | 30.72m           |
|              | 2x2.80x1.60                   |    |                 |    | 8.96m            |
|              | 2x3.90x2.40                   |    |                 |    | 18.72m           |
|              | 2x2.50x1.40                   |    |                 |    | 7.00m            |
|              | 1x7.00x2.00                   |    |                 |    | 14.00m           |
|              | 2x1.40x2.80                   |    |                 |    | 7.84m            |
|              | 1x3.50x2.40                   |    |                 |    | 8.40m            |
|              | 2x3.10x2.90                   |    |                 |    | 17.98m           |
| Continuation |                               |    |                 |    | 766.05m          |

| Particulars | Details of actual measurement |      |       |    | Contents of area |
|-------------|-------------------------------|------|-------|----|------------------|
|             | No.                           | L.   | B.    | D. |                  |
|             |                               |      | B-F = |    | 766.05           |
|             | 2x                            | 2.90 | 2.30  |    | 13.34m           |
|             | 1x                            | 2.40 | 3.10  |    | 7.44m            |
|             | 2x                            | 1.80 | 1.25  |    | 6.30m            |
|             | 3x                            | 2.40 | 1.30  | 2  | 9.36m            |
|             | 1x                            | 2.90 | 1.60  | 2  | 4.64m            |
|             | 3x                            | 2.80 | 1.30  | 2  | 10.92m           |
|             | 3x                            | 1.40 | 2.90  | 2  | 12.18m           |
|             | 1x                            | 4.50 | 2.30  | 2  | 10.35m           |
|             | 1x                            | 3.50 | 1.90  | 2  | 6.68m            |
|             | 1x                            | 3.50 | 1.20  | 2  | 4.20m            |
|             | 1x                            | 1.70 | 1.20  | 2  | 2.28m            |

|  |    |      |      |  |        |
|--|----|------|------|--|--------|
|  | 1x | 3.20 | 1.50 |  | 5.55m  |
|  | 3x | 3.10 | 2.40 |  | 22.32m |
|  | 1x | 1.80 | 2.40 |  | 4.32m  |
|  | 1x | 5.20 | 1.40 |  | 7.28m  |
|  | 1x | 3.20 | 2.40 |  | 7.68m  |
|  | 1x | 2.40 | 1.30 |  | 3.12m  |
|  | 1x | 3.10 | 1.40 |  | 4.34m  |
|  | 4x | 1.80 | 1.40 |  | 10.08m |
|  | 1x | 7.0  | 2.10 |  | 14.70m |
|  | 1x | 6.00 | 1.30 |  | 7.80m  |
|  | 3x | 2.40 | 1.80 |  | 12.96m |
|  | 1x | 1.85 | 2.40 |  | 4.44m  |
|  | 3x | 2.90 | 1.80 |  | 15.66m |
|  | 1x | 2.70 | 1.80 |  | 4.86m  |

Continuation

978.82m<sup>2</sup>

| Particulars | Details of actual measurement |      |               |    | Contents of area |
|-------------|-------------------------------|------|---------------|----|------------------|
|             | No.                           | L.   | B.            | D. |                  |
|             |                               |      | B.F = 978.82m |    |                  |
|             | 1                             | 2.30 | 2.10          | =  | 18.41m           |
|             | 1                             | 3.80 | 2.60          | =  | 9.88m            |
|             | 3                             | 2.40 | 3.10          | =  | 22.32m           |
|             | 2                             | 4.50 | 2.60          | =  | 23.40m           |
|             | 3                             | 2.70 | 2.10          | =  | 17.01m           |
|             | 1                             | 2.90 | 2.40          | =  | 6.96m            |
|             | 1                             | 3.10 | 2.40          | =  | 7.44m            |
|             | 1                             | 3.10 | 1.80          | =  | 5.40m            |
|             | 1                             | 3.20 | 2.70          | =  | 8.64m            |
|             | 1                             | 5.10 | 2.10          | =  | 10.71m           |
|             | 1                             | 3.10 | 1.90          | =  | 5.89m            |
|             | 2                             | 2.80 | 1.70          | =  | 9.52m            |
|             | 3                             | 4.50 | 2.10          | =  | 28.35m           |
|             | 3                             | 2.80 | 2.70          | =  | 22.68m           |
|             | 3                             | 2.80 | 1.90          | =  | 15.96m           |
|             | 1                             | 4.20 | 2.80          | =  | 11.76m           |
|             | 2                             | 2.70 | 1.40          | =  | 7.56m            |
|             | 1                             | 2.70 | 1.50          | =  | 4.05m            |
|             | 3                             | 2.80 | 2.70          | =  | 22.68m           |
|             | 3                             | 2.90 | 1.60          | =  | 13.92m           |
|             | 2                             | 4.50 | 2.10          | =  | 21.60m           |
|             | 3                             | 2.80 | 1.70          | =  | 14.28m           |
|             | 3                             | 2.10 | 1.75          | =  | 11.03m           |
|             | 2                             | 3.80 | 2.70          | =  | 20.52m           |
|             | 2                             | 4.50 | 2.80          | =  | 25.20m           |

Continuation

1343.95m

| Particulars      | Details of actual measurement |    |       |    | Contents of area                     |
|------------------|-------------------------------|----|-------|----|--------------------------------------|
|                  | No.                           | L. | B.    | D. |                                      |
|                  |                               |    | B-F = |    | 1343.95m <sup>2</sup>                |
| 1x2.40x1.94      |                               |    |       |    | 4.56m <sup>2</sup>                   |
| 2x1.60x2.40      |                               |    |       |    | 7.68m <sup>2</sup>                   |
| 1x2.20x1.80      |                               |    |       |    | 4.86m <sup>2</sup>                   |
|                  |                               |    |       |    | 1361.05m <sup>2</sup>                |
|                  |                               |    |       |    | 1361.05x.0752 = 102.08m <sup>3</sup> |
|                  |                               |    |       |    | limited - 102.62m <sup>3</sup>       |
| <del>24/12</del> |                               |    |       |    | <del>02.4.22</del>                   |
| <del>me</del>    |                               |    |       |    | <del>AE.</del>                       |

Rate of work done 28/9/22

(1) provide of mix seal type B

of same Area of it No. 8

TM B use 8 = 1361.05m<sup>2</sup>

(2) Apply of Primer coat

of same Area of it No. 11

TM B use 8 = 1361.05m<sup>2</sup>

(3) Apply of tack coat

of same Area of it No. 11

TM B use 8 = 1361.05m<sup>2</sup>

put

Continuation

| Particulars                                  | Details of actual measurement |               |               |                 | Contents of area      |
|----------------------------------------------|-------------------------------|---------------|---------------|-----------------|-----------------------|
|                                              | No.                           | L.            | B.            | D.              |                       |
| Date of measd: 22/6/22                       |                               |               |               |                 |                       |
| (1/12) Paving 25mm thick S.O.B.L.            |                               |               |               |                 |                       |
| 1313.00 x 3.75 x .025 =                      |                               |               |               |                 | 123.09 m <sup>3</sup> |
| (2/12) Paving of Jack (out in B.T. & C.C.)   |                               |               |               |                 |                       |
| 1313.00 x 3.75 x 2.4923.75 m <sup>2</sup>    |                               |               |               |                 |                       |
| <del>(1/12) Paving 25mm thick S.O.B.L.</del> | <del>22/6/22</del>            | <del>02</del> | <del>22</del> | <del>6.22</del> | <del>AE.</del>        |

|                                                              |  |  |  |  |                       |
|--------------------------------------------------------------|--|--|--|--|-----------------------|
| Date of measd: 23/6/22                                       |  |  |  |  |                       |
| (1/12) Construction of sub grade & earthen shoulder shoulder |  |  |  |  |                       |
| 2 x 480 x 1.00 x .30 =                                       |  |  |  |  | 288.00 m <sup>3</sup> |
| 2 x 120.00 x 1.00 x .30 =                                    |  |  |  |  | 72.00 m <sup>3</sup>  |
|                                                              |  |  |  |  | 360.00 m <sup>3</sup> |
| (2/12) Paving 25mm thick S.O.B.L.                            |  |  |  |  |                       |
| (18) ordinary km - 3000                                      |  |  |  |  |                       |
| (15) 200mt. Stone - 5010                                     |  |  |  |  |                       |
| -/11                                                         |  |  |  |  |                       |

|                    |                    |
|--------------------|--------------------|
| 2x 1313.00 x 10 =  | 262.60 ml          |
| 2x 3.75 x 10 =     | .75 ml             |
| 2x 3.75 x 10 =     | .75 ml             |
|                    | <u>264.10 ml</u>   |
| <del>23/6/12</del> | <del>23.6 ml</del> |
| <del>23/6/12</del> | <del>23.6 ml</del> |

1st in H.C.B.I.I)  
ABSTRACT OF COST

Sch. XLV-Form No. 134 12

| Particulars                                                            | Details of actual measurement |        |    |    | Contents of area |
|------------------------------------------------------------------------|-------------------------------|--------|----|----|------------------|
|                                                                        | No.                           | L.     | B. | D. |                  |
| (1) Clearing and grubbing<br>Tm B page 1 of 50.26 Hec                  |                               |        |    |    |                  |
| CB. 49.524.                                                            |                               | 68/Hec |    |    | Rs. 12876.00     |
| (2) Construction of sub grade<br>Tm B page 10 of 360.10 m <sup>2</sup> |                               |        |    |    |                  |
| CB. 168.10 m <sup>3</sup>                                              |                               |        |    |    | Rs. 60516.00     |
| (3) Construction of S.S. 9-8-2<br>Tm B page 2 of 50.07 m <sup>3</sup>  |                               |        |    |    |                  |
| CB. 1606.25/m <sup>3</sup>                                             |                               |        |    |    | Rs. 80425.00     |
| (4) Providing W.B.M. - 5r. 2<br>Tm B page 3 of 23.16 m <sup>3</sup>    |                               |        |    |    |                  |
| CB. 266.564/m <sup>3</sup>                                             |                               |        |    |    | Rs. 61736.00     |
| (5) Providing W.B.M. - 5r. 3<br>Tm B page 8 of 102.62 m <sup>3</sup>   |                               |        |    |    |                  |
| CB. 2536.64/m <sup>3</sup>                                             |                               |        |    |    | Rs. 260300.00    |
| (6) Apply primer coat<br>Tm B page 8 of 1361.05 m <sup>2</sup>         |                               |        |    |    |                  |
| CB. 41.00/m <sup>2</sup>                                               |                               |        |    |    | Rs. 55803.00     |
| (7) Apply face (at wt<br>W.B.M. 2r. c.c.                               |                               |        |    |    |                  |
| Tm B page 8 of 1361.05 m <sup>2</sup>                                  |                               |        |    |    |                  |
| Tm B page 9 of 326.16 m <sup>2</sup>                                   |                               |        |    |    |                  |
| 1687.21 m <sup>2</sup>                                                 |                               |        |    |    |                  |
| CB. 13.91/m <sup>2</sup>                                               |                               |        |    |    | Rs. 23469.00     |
|                                                                        |                               |        |    |    | Rs. 555125.00    |

Continuation

| Particulars                           | Details of actual measurement |    |                       |                   | Contents of area             |
|---------------------------------------|-------------------------------|----|-----------------------|-------------------|------------------------------|
|                                       | No.                           | L. | B.                    | D.                |                              |
| (8) Applying face C-1<br>B.P.         |                               |    |                       |                   | B.P = R <sub>s</sub> 555125- |
| Tm base 10 of                         |                               |    | 4923                  | 75m               |                              |
| C.S. 11.67/m <sup>2</sup>             |                               |    |                       |                   | A' 57460-w                   |
| (9) Providing mix seal<br>top B'      |                               |    |                       |                   |                              |
| Tm base 8 of -                        |                               |    | 1361                  | .05m <sup>2</sup> |                              |
| Tm base 9 of                          |                               |    | 326                   | .16m <sup>2</sup> |                              |
|                                       |                               |    | 1687.21m <sup>2</sup> | 1687              |                              |
|                                       |                               |    |                       |                   |                              |
| C.S. 175.39 /m <sup>2</sup>           |                               |    |                       |                   | A' 295920.w                  |
| (10) Providing 25mm thick<br>S.D.B.D. |                               |    |                       |                   |                              |
| Tm base 10 of                         |                               |    | 123                   | .09m <sup>3</sup> |                              |
| C.S. 8534.76/m <sup>2</sup>           |                               |    |                       |                   | A' 105054-w                  |
| (11) Providing km stone               |                               |    |                       |                   |                              |
| Tm base 10                            |                               |    |                       |                   |                              |
| (18) ordinary emsm -                  |                               |    | 3                     | No                |                              |
| C.S. 2035.15<br><del>2859.30/e</del>  |                               |    |                       |                   | A' 6105-w                    |
| (19) 200mm. Stone -                   |                               |    | 5                     | No                |                              |
| C.S. 584.23/e                         |                               |    |                       |                   | A' 2921-w                    |
| (12)<br><del>(20)</del>               |                               |    |                       |                   |                              |
|                                       |                               |    |                       |                   | A' 1968075-w                 |

| Particulars                                                                      | Details of actual measurement |    |           |    | Contents of area |
|----------------------------------------------------------------------------------|-------------------------------|----|-----------|----|------------------|
|                                                                                  | No.                           | L. | B.        | D. |                  |
| (12) <del>12</del> Providing 26 trap net<br>deflector (anti-bw)<br>Tm 3 phase 11 |                               |    | B.F = 16. |    | 1968075.         |
| (21) 60mm equilateral - 8 No                                                     |                               |    |           |    |                  |
| Ch 3294.66/m                                                                     |                               |    |           | h. | 26357.00         |
| (22) 60mm circular - 2 No                                                        |                               |    |           |    |                  |
| Ch. 4419.40/m                                                                    |                               |    |           | h. | 8839.00          |
| (23) 60 x 450mm rectangle - 2 No                                                 |                               |    |           |    |                  |
| Ch. 4304.27/m                                                                    |                               |    |           | h. | 8609.00          |
| (13) <del>13</del> Providing 26 trap net                                         |                               |    |           |    |                  |

|                                                                    |  |  |  |    |            |
|--------------------------------------------------------------------|--|--|--|----|------------|
| Tm 3 phase 1108 - 2 No                                             |  |  |  |    |            |
| Ch. 9093.99/m                                                      |  |  |  | h. | 18188.00   |
| (14) <del>14</del> Providing mud pump<br>Tm 3 phase 1108 - 264.10m |  |  |  |    |            |
| Ch. 735.75/m                                                       |  |  |  | h. | 194312.00  |
|                                                                    |  |  |  | h. | 2224380.00 |
| Add 12% - 5.5T.                                                    |  |  |  | h. | 266926.00  |
| Add 1% labor cap.                                                  |  |  |  | h. | 22244.00   |
| Add Scigniorage fee                                                |  |  |  | h. | 19348.00   |
|                                                                    |  |  |  | h. | 2532898.00 |
| Less 19.66% Per agent<br>Certificat second                         |  |  |  | h. | 497968.00  |
| (15) <del>15</del> The work is second<br>a person has not lab      |  |  |  | h. | 2034930.00 |
| (16) <del>16</del> Agents tool                                     |  |  |  |    |            |
| 23/6/22                                                            |  |  |  |    |            |

| Particulars      | Details of actual measurement |    |    |    | Contents of area |
|------------------|-------------------------------|----|----|----|------------------|
|                  | No.                           | L. | B. | D. |                  |
| (1) G.S. B. 2    |                               |    |    |    | 13.2190.~        |
| (2) 48m - 2      |                               |    |    |    | 1436.~           |
| (3) 48m - 3      |                               |    |    |    | 6541.~           |
| (4) Mixed -      |                               |    |    |    | 2141.~           |
| (5) 5032 -       |                               |    |    |    | 6920.~           |
| (6) 60m - 2      |                               |    |    |    | 47.~             |
| (7) 60m - 2      |                               |    |    |    | 12.~             |
| (8) 60x45m - 2   |                               |    |    |    | 12.~             |
| (9) ordinary lay |                               |    |    |    | 38.~             |
| (10) 20m - 2     |                               |    |    |    | 11000            |
|                  |                               |    |    |    | 19348.~          |

Material of Spite out of this soil

|                          |                       |        |
|--------------------------|-----------------------|--------|
| (1) Earth                | - 360.~m <sup>3</sup> |        |
| (2) Metal                | 152.19m <sup>3</sup>  |        |
| (3) S. chips             | 284.83m <sup>3</sup>  |        |
| (4) Sand                 | 25.53m <sup>3</sup>   |        |
| (5) Moon                 | 6.79m <sup>3</sup>    |        |
| (6) Spite                | 2.95m <sup>3</sup>    |        |
| (7) 3m                   | 14.20m <sup>3</sup>   |        |
| (8) 55-1                 | 1.16m <sup>3</sup>    |        |
| (9) 28-1                 | 1.56m <sup>3</sup>    |        |
| (10) 0.256m <sup>3</sup> |                       |        |
| 234122                   | 234122                | 234122 |

Continuation

Continuation

M/R - 3054

1st on a Bill

Sch. XLV-Form No. 134

| Particulars     | Details of actual measurement |    |         |    | Contents of area |
|-----------------|-------------------------------|----|---------|----|------------------|
|                 | No.                           | L. | B.      | D. |                  |
| memo of payment |                               |    |         |    | 2034930          |
| S.D. 5.1.17     |                               |    | 101747. |    |                  |
| S.T. 2.1.17     |                               |    | 40699.  |    |                  |
| L. acc. 17.1.17 |                               |    | 20349.  |    |                  |
| CHST. 1.1.17    |                               |    | 20349.  |    |                  |
| SHST. 1.1.17    |                               |    | 20349.  |    |                  |
| pay (L & W)     |                               |    | 11880.  |    |                  |
| Royalty         |                               |    | 68033.  |    |                  |
| S. fee          |                               |    | 24599.  |    |                  |
| For tax         |                               |    | 203493. |    |                  |

3-408.005 = 308.005

By cheque - 1726925

Total p. 2034930 = ru  
(p Twenty lac thirty four  
thousand nine hundred  
thirty only)

*[Signature]*  
Executive Engineer  
R.W.D (W) Division  
Sherghati

18.8.22

*[Signature]*  
18/8

Payment made by CEMS  
advice No. 20220818048179  
dt. 18-08-22