

Sri Ranjeet Kumar

MMGSY-SC

Bharya

Schedule XLV Form No. 134.

BHARRA to L050

DIVISION

Rajgalli

SUB-DIVISION

Measurement Book

H.B. 11/10 - 2071

11571

3rd 2nd 1st

28

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
1/1	Principled				
	working				
2	side				
4	Principled				
5	side				
3/3	Chief				
0.55	Hecto				
4/6	Construct				
766.0	side				
346.5					
112.5					
5/7	Construct				
975.0	side				
403.2					
1378.2					
6/8	Construct				
1955.6	side				
833.6					
2789.2					

Continuation

17/11/942,550/2

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
2/9	Continuation of GSB.				

789.93	side to B of 19				
added to 712.53	CR 1712.39 / 12, 20, 129				
8/10	worn boundary stone				
	Metal Gravel				
329.154	side to B of 19				
9.843	side to B of (23-24)				
398.997					
added to 397.69	CR 2466.05 / 3				780.72320
9/14	boundary corner corner				
	Porement				
369.97	side to B of 19				
added to 363.6	CR 5728.86 / 3				2083.01320
1/18	Printed and signed				
	M.M.G.S.P. Band				
2 "	side to B of 19				
2 "	side to B of 24				
4 "	CR 9274.24 each				37097.20
11/20	Printed and signed				
	Boundary R.M.W.				
9.6 "	side to B of 19				
	CR 4700.02 each				45122.00
12/18	Birth work & expansion				
	= gas station				
78.23	side to B of 19				
	CR 2441.73 / 2				23057.00

C.R. 5331.691/2

Continuation

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
19/36	Discontinuity of old structure (Cont. Moh)				
30.69	side top B Rf 21				
	CR 237577 / 25.6				7113 m
20/37	Removal of old Broken H.B. of gutter				
5.0	side top B Rf 21				
	CR 226234 / 26.6				1182 m
21/11	Priming and applying for ch. coat - 1				
3030.05	side top B Rf 24				
	CR 43205 / 26.6				13044 m
22/12	Priming and applying Tack coat - 1				
3030.05	side top B Rf 24				
	CR 14281 / 26.6				44874 m
23/13	Priming mix sand Super 20 mm -				
3030.05	side top B Rf 24				
	CR 175284 / 26.6				532795 m
24/16	Priming and fixing R.C. K.M. Post -				
1	side top B Rf 25				
	CR 189123 / 26.6				1891 m
25/17	Priming and fixing 200 mm post -				
6	side top B Rf 25				
	CR 548265 / 26.6				3292 m

CR 6394104/

Continuation

Bp 63,94.104/

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
26/21	Prindg 2d f'g				
	Canhamy Goom f'g				
28 "	ind 7003 f'g				
	CL 3505-96 each				981672
27/21	Prindg 2d f'g				
	Goomp Circular Bnd				
27 "	ind 7003 f'g				
	CL 4731-63 each				127,7520
28/23	Prindg 2d f'g				
	Band - 1				
23 "	ind 7003 f'g				
	CL 6632286 each				19899200
29/24	Prindg 2d f'g				
	900m octagonal Bnd				
2 "	ind 7003 f'g				
	CL 8485-83 each				169720
30/25	Prindg Planting of Trees				
55 "	ind 7003 f'g				
	CL 818270 each				4502820
21/26	Prindg Road 1/2 f'g				
	with 1st. Bnd 1st. Bnd				
160.00	ind 7003 f'g				
	CL 735-44 1/2				1176702
					CL 88,19,594 1/2

Continuation

Scanned with CamScanner