

Agency: Vimlesh Kr. Singh

Khajwalia -

17.11.2022

~~Sub-Station~~

Be. 10. 10. 20

PMAR P.M.D.

E.E. R.W.D. WORK Arrangement Division

A.E. Madanpur S.D. Division

05 SABD/2021-22

ARRANGEMENT WORK

NO 2888

(10. 10. 2022)

2nd on 10/28/14

Sch. XLV-Form No. 134.

| Particulars | Details of actual measurement |             |   |   | Contents of area |
|-------------|-------------------------------|-------------|---|---|------------------|
|             | No.                           | L           | B | D |                  |
| N/W -       | Construction with main        |             |   |   | 25               |
|             | term of work from             |             |   |   |                  |
|             | Madanpur Kasra Bata           |             |   |   |                  |
|             | to Rajwalia with              |             |   |   |                  |
|             | H - 11457.                    |             |   |   |                  |
| Agro -      | 05                            | CRD/2021.22 |   |   |                  |
| Agony -     | Vimlesh Kr Singh              |             |   |   |                  |
| Date of     |                               |             |   |   |                  |
|             | ABSTRACT OF COST              |             |   |   |                  |
| +           | Pirating of                   |             |   |   |                  |
|             | writing benchmarks            |             |   |   |                  |
|             | do do do                      |             |   |   |                  |
| dy 2.0103   | V.T. map - 8                  |             |   |   |                  |
|             | QZ 398.13/10                  |             |   |   | 7898.00          |
| 12          | Pirating of                   |             |   |   |                  |
|             | reframe pillars               |             |   |   |                  |
|             | do do do                      |             |   |   |                  |
| dy 7.00     | Nagpur map - 8                |             |   |   |                  |
|             | QZ 1786.76/10                 |             |   |   | 12507.00         |
| 3B          | clearing of 1/4th             |             |   |   |                  |
|             | road 1/4th do do              |             |   |   |                  |
| dy 1.05     | ht v.s map - 8                |             |   |   |                  |
|             | QZ 51133.76/10                |             |   |   | 53690.00         |
| 1/4th       | construction of               |             |   |   |                  |
|             | embankment with               |             |   |   |                  |
|             | material do do                |             |   |   |                  |
|             | L.D - 100.00                  |             |   |   |                  |
| dy 2.50     | 1068 m.v. fr MBP - 23         |             |   |   |                  |
|             | QZ 131.93/10                  |             |   |   | 327846.00        |
|             | L.D - 1000.00                 |             |   |   |                  |
| dy 6.55     | m.v. fr MBP - 23              |             |   |   |                  |
|             | QZ 174.94/10                  |             |   |   | 109428.00        |

Continuation

G, 5,11,369.00



| Particulars                | Details of actual measurement |   |           |   | Contents of area |
|----------------------------|-------------------------------|---|-----------|---|------------------|
|                            | No.                           | L | B         | D |                  |
|                            |                               |   | 30        |   | 6280966.00       |
| as 2/2/87                  |                               |   |           |   |                  |
| at 60/14.28 mtr. 9 mtr. 15 |                               |   |           |   |                  |
|                            |                               |   | 190.44/m  |   | 1145356.00       |
| 11/13                      |                               |   |           |   |                  |
| Carbide lamp               |                               |   |           |   |                  |
| cur. 20 mtr. 10 mtr.       |                               |   |           |   |                  |
| per mtr. 10 mtr.           |                               |   |           |   |                  |
| for 10 mtr.                |                               |   |           |   |                  |
| at 107.1 mtr. 9 mtr. 15    |                               |   |           |   |                  |
|                            |                               |   | 5791.90/m |   | 620312.00        |
| 14/15                      |                               |   |           |   |                  |
| R. 20 mtr. 15 mtr.         |                               |   |           |   |                  |
| on 10 mtr. 15 mtr.         |                               |   |           |   |                  |
| for 10 mtr.                |                               |   |           |   |                  |
| at 3.00 mtr. 9 mtr. 19     |                               |   |           |   |                  |
|                            |                               |   | 1959.03/m |   | 5877.00          |
| 13/16                      |                               |   |           |   |                  |
| 200 mtr. 10 mtr.           |                               |   |           |   |                  |
| (proceeding)               |                               |   |           |   |                  |
| at 7.00 mtr. 9 mtr. 19     |                               |   |           |   |                  |
|                            |                               |   | 542.99/m  |   | 3829.00          |
| 14/17                      |                               |   |           |   |                  |
| 10 mtr. 10 mtr.            |                               |   |           |   |                  |
| for 10 mtr.                |                               |   |           |   |                  |
| on 10 mtr.                 |                               |   |           |   |                  |
| at 2.00 mtr. 9 mtr. 19     |                               |   |           |   |                  |
| at 2.00 mtr. 9 mtr. 10     |                               |   |           |   |                  |
| at 4.00                    |                               |   | 9190.10/m |   | 32760.00         |
| 15/18                      |                               |   |           |   |                  |
| for 10 mtr.                |                               |   |           |   |                  |
| on 10 mtr.                 |                               |   |           |   |                  |
| for 10 mtr.                |                               |   |           |   |                  |
| at 176.00 mtr. 10 mtr. 19  |                               |   |           |   |                  |
|                            |                               |   | 0.52/L    |   | 92.00            |

Continuation

6. 8063192.00

| Particulars  | Details of actual measurement |   |                  | Contents of area |
|--------------|-------------------------------|---|------------------|------------------|
|              | No.                           | L | B                |                  |
|              |                               |   | BF. <del>2</del> | 8063 192.00      |
| 16/19        | R. ce. m-15 pr                |   |                  |                  |
|              | boundary pillars              |   |                  |                  |
|              | do                            |   |                  |                  |
| dy 32.00     | class v. 9. m-17              |   |                  |                  |
|              |                               |   | CF 461.04/10     | 14753.00         |
| 17/20        | final 7107 7                  |   |                  |                  |
|              | retn. reflect.                |   |                  |                  |
|              | caul. med. cl                 |   |                  |                  |
|              | ritus 3/12                    |   |                  |                  |
|              | 1/12                          |   | 600 mm 3/12      |                  |
| dy 12.00     | prov. 9 m-19                  |   |                  |                  |
|              |                               |   | CF 3650.33/10    | 43804.00         |
| 18/21        | 600 mm circular               |   |                  |                  |
|              |                               |   |                  |                  |
| dy 8.00      | class v. 9. m-20              |   |                  |                  |
|              |                               |   | CF 4822.24/10    | 28533.00         |
| 19/22        | 800 mm 600 mm                 |   |                  |                  |
|              | rect. pillar                  |   |                  |                  |
| dy 8.00      | class v. 9 m-20               |   |                  |                  |
|              |                               |   | CF 6895.22/10    | 55162.00         |
| 20/23        | 600 by 150 mm                 |   |                  |                  |
|              | rect. pillar                  |   |                  |                  |
| dy 6.00      | class v. 9. m-20              |   |                  |                  |
|              |                               |   | CF 4792.05/10    | 28752.00         |
| 21/24        | 900 mm 150 mm                 |   |                  |                  |
|              | octagonal pillar              |   |                  |                  |
| dy 4.00      | class v. 9. m-20              |   |                  |                  |
|              |                               |   | CF 8818.12/10    | 35272.00         |
| 22/25        | 400 mm 150 mm                 |   |                  |                  |
|              | rect. pillar                  |   |                  |                  |
|              | 10/13 hat applied. 5/1        |   |                  |                  |
| Continuation |                               |   |                  | 68270468.00      |

## Sch. XLV-Form No. 134

29

| Particulars            | Details of actual measurement |   |                |   | Contents of area |
|------------------------|-------------------------------|---|----------------|---|------------------|
|                        | No.                           | L | B              | D |                  |
|                        |                               |   | B.P.R.         |   | 8270468.00       |
|                        |                               |   | transf. land   |   |                  |
|                        |                               |   | lay. rd. 20    |   |                  |
| dy 31.8.8. m. 9. m. 20 |                               |   |                |   | 20               |
|                        |                               |   | @ 235.44/m     |   | 234458.00        |
| 28/26                  |                               |   | old m. 1/4     |   |                  |
|                        |                               |   | with lat. 1/4  |   |                  |
|                        |                               |   | m. 1/4         |   |                  |
|                        |                               |   | 2.50m          |   |                  |
| dy 35.00 m. 9. m. 21   |                               |   |                |   | 21               |
|                        |                               |   | @ 821.29/m     |   | 28745.00         |
| 24/28                  |                               |   | 1/4 of free    |   |                  |
|                        |                               |   | by 2nd r. 2.   |   |                  |
|                        |                               |   | 1/4 d. 2.      |   |                  |
| dy 160.0               |                               |   | new 1.5 m. 20  |   |                  |
|                        |                               |   | @ 85.26        |   | 13042.00         |
| 25/27                  |                               |   | for 2 dy 7. 14 |   |                  |
|                        |                               |   | 2.12 m. 20     |   |                  |
|                        |                               |   | m. 1/4         |   |                  |
| dy 30.00 m. 1/4 m. 21  |                               |   |                |   | 21               |
|                        |                               |   | @ 868.84       |   | 26065.00         |
| 26/23                  |                               |   | 1/4 m. 20      |   |                  |
|                        |                               |   | for 1/4 m. 20  |   |                  |
| dy 62.24 m. 1/4 m. 10  |                               |   |                |   | 10               |
|                        |                               |   | @ 267.82/m     |   | 16870.00         |
| 27/20                  |                               |   | 1/4 m. 15      |   |                  |
|                        |                               |   | 1/4 m. 15      |   |                  |
|                        |                               |   | 1/4 m. 15      |   |                  |
| dy 11.38 m. 1/4 m. 10  |                               |   |                |   | 10               |
|                        |                               |   | @ 4566.78/m    |   | 51970.00         |

Continuation

6, 8759018.00

| Particulars | Details of actual measurement |                           |   |              | Contents of area |
|-------------|-------------------------------|---------------------------|---|--------------|------------------|
|             | No.                           | L                         | B | D            |                  |
|             |                               |                           |   | 82.5         | 8759018.00       |
| 28/27       |                               | 118 pice in               |   |              |                  |
|             |                               | 513.14.17                 |   |              |                  |
|             |                               | at 60.66 m r g m m p - 10 |   |              |                  |
|             |                               |                           |   | at 5287.37/m | 320732.00        |
| 29/28       |                               | on 2 layer Rce            |   |              |                  |
|             |                               | 113 hire d d              |   |              |                  |
|             |                               | at 30.00 m r g m m p - 11 |   |              |                  |
|             |                               |                           |   | at 949.29/m  | 28479.00         |
| 30/29       |                               | fourty an p m             |   |              |                  |
|             |                               | two cuts d d              |   |              |                  |
|             |                               | at 48.92 m r g m m p - 12 |   |              |                  |
|             |                               |                           |   | at 97.19/m   | 4852.00          |
| 31/30       |                               | 213 m m p of              |   |              |                  |
|             |                               | cut d d                   |   |              |                  |
|             |                               | cut m m p                 |   |              |                  |
|             |                               | at 2.61 m r g m m p - 11  |   |              |                  |
|             |                               |                           |   | at 484.74/m  | 1265.00          |
| 32/31       |                               | Dismantling sheds         |   |              |                  |
|             |                               | lip d d                   |   |              |                  |
|             |                               | cut d d                   |   |              |                  |
|             |                               | cut m m p                 |   |              |                  |
|             |                               | at 82.68 m r g m m p - 11 |   |              |                  |
|             |                               |                           |   | at 231.77/m  | 19163.00         |
| 33/32       |                               | Removal of                |   |              |                  |
|             |                               | types H r c q             |   |              |                  |
|             |                               | stair d d                 |   |              |                  |
|             |                               | up to 600 mm              |   |              |                  |
|             |                               | at 22.5 m r g m m p - 11  |   |              |                  |
|             |                               |                           |   | at 174.28/m  | 3933.00          |

Continuation

6.9137442.00

| Particulars                  | Details of actual measurement |   |   |                 | Contents of area |
|------------------------------|-------------------------------|---|---|-----------------|------------------|
|                              | No.                           | L | B | D'              |                  |
|                              |                               |   |   | Boat            | 91374.42.00      |
| 34/37                        |                               |   |   | as per boat mmp |                  |
|                              |                               |   |   | 800 m p h p     |                  |
|                              |                               |   |   | d. on           |                  |
| Qty. 5.0 m r.p. m. d. - 11   |                               |   |   |                 |                  |
|                              |                               |   |   | 236.34/p        | 1182.00          |
|                              |                               |   |   |                 | 9138624.00       |
|                              |                               |   |   |                 | 9021918.00       |
| Add 1.5 p @ 1/4.             |                               |   |   |                 | 1096637.00       |
| Add for 2.0 C @ 1/4.         |                               |   |   |                 | 91386.00         |
|                              |                               |   |   |                 | 10326647.00      |
| Reduction as per 1/4         |                               |   |   |                 | 10194767.00      |
| 10% ben. G.                  |                               |   |   |                 | 10,32,475.00     |
|                              |                               |   |   |                 | 9293982.00       |
|                              |                               |   |   |                 | 9175290.00       |
| Bedinal Powerer (as per 1/4) |                               |   |   |                 | 39,03,000.00     |
|                              |                               |   |   |                 | 5390982.00       |
|                              |                               |   |   |                 | 5390982.00       |
|                              |                               |   |   |                 | 5272290.00       |
|                              |                               |   |   |                 | 1105.23          |
|                              |                               |   |   |                 | 2405.23          |
|                              |                               |   |   |                 | 1105.23          |