

Const of Road N.H-57 TO BHARWARA TO LA.
Schedule XLV-Form No. 134

MMSSY.

Executive Engineer

B. W. D. (N) Division

Darbhanga - 2

DIVISION

Singhwarra

SUB-DIVISION

AG. No: - 29/S.B.D-2021-2022

AG. Amount Rs:- 1,30,50,180 = 00

MEASUREMENT BOOK

1091

RUBY RAJ - DARBHANGA

329 a 9/10/11

33 Ac - 2-8170004 LP

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
1) Cont of Ref. pillar of					
Long Back mark					
P- (28) = 0.2 m					
@ R 3779: 98/cent - R 1193820					
2) Cont of Ref. pillar of					
Surface					
P- (28) = 8.14 m					
@ R 183220: 1/cent R 14,6620					
3) Cont of Ref. pillar of					
Long - 8.12					
P- (28) = 0.709 m					
@ R 538792: 1/cent R 38,2010					
4) Cont of Ref. pillar of					
Long - 8.15					
P- (28) = 0.2 m					
@ R 9556: 79/cent R 1911420					
5) Cont of Ref. pillar of					
Long - 8.14					
P- (28) = 848.79 m					
@ R 190: 42/m R 1616270					
6) Cont of Ref. pillar of					
Long - 8.14					
P- (28) = 1635.69 m					
@ R 154: 40/m R 252,5510					

CL 4,98,09320

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
			B/P-12	17,81,411	
(13) plating with cor (124)					
P-(30) =		168.62	152		
C At 172-92/m ² →					At 29,03620
(14) Cont. of G.S.B by					
Grady I - T/P					
P-(30) =		847.51	157		
C At 2831-03/m ³ →					At 23,99,326-
(15) Erection of Bn 200000000					
P-(30) =		22.5-96	153		
C At 752-61/m ² →					At 170852
(16) plating of stone mts					
1150m Grady as per 15					
P-(30) =		534.53	157		
C At 3536-51/m ² →					At 18,90,371-
(17) cont. of coal road per 2					
- 1750 grade					
P-(30) =		324.36	157		
C At 6947-01/m ² →					At 22,53,3322
(18) cont. of 450000000					
as per 15 T/P					
P-(30) =		1189.39	157		
C At 192-10/m ² →					At 22,84,82-

C/L At 85,99,04320

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
add 61					

rotation rotation

HS

2020.10.15

10/5/2020

4/4