कर्मण - अकीरवसा हरणाण

ITEM RATE TENDER AND CONTRACT FOR WORKS

General Rule and Direction for the guidance of Contractors.

Harcomen NO- 0/F2/2023-2024

1. All works proposed for execution by contract will be notified in a form of invitation to tender passed on a board hung up in the office of and signed by the Sub-divisional Officer/Executive Engineer.

This notice will state the work to be carried out the Items and approximate quantities thereof as well as the date for submitting and opening lenders also, amount of earnest money to be deposited and the amount of the security deposit to be deposited by the successful tenderex and the percentage if any to be deducted from bills, copies of the specifications, designs and any other documents required in connection with this submission of tender signed for the purpose of identification by the Sub-divisional Officer/Executive Engineer shall also be open for inspection by the contractor at the office of the Sub-divisional Officer/Executive Engineer during office hours.

- In the event of the tender being submitted by a firm, it must be signed separately by each member there of or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-authorising him to do so.
- 3 Receipt for payments made on account of work when executed by a firm must also be signed by the several partners, except where the contractors are described in their tender as a firm in which case the receipt must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipt for the firm.
- 4 The memorandum of work tendered or and the memorandum of materials to be supplied by the Public Works Department and their issue rates shall be filled in and completed in the Office of the Subdivisional Officer/Executive Engineer before the tender form is issued. If a form is issued to a intending tender without having been so filled in and completed, he shall request the office to have this done before he complete and delivers his tender.

5. The amount of earnest money to be deposited will be : -			Rs.			
If the amount of the estimate does not exceed Rs. 2,000						50
If the amount of the estimate exceeds Rs. 2,000 but does	•	2				
not exceed Rs. 5,000 ·		٠.				100
If the amount of the estimate exceeds Rs. 5,000 but does				••••	,	.00
not exceed Rs. 10,000						200
For each additional Rs. 5,000 or portion of Rs. 5,000				•••	•••	200
additional earnest money						400
						100

6. Any Person who submits a tender shall fill up the usual printed form stating there at what rate he is willing to undertake each item of the work incomplete tender and tenders which propose any alteration in the work specified in the said form of invitation tenders, or which contain any other conditions of any sort, or ornit to note the time within which the work can be finished, or which are not accompanied by the treasury chaisen for the required earriest money will be liable to rejection. No single tender shall include more than one work, but contractors who will to tender for two or more works shall submit a separate tender for each Tender shall bear the name of the work to which they refer written outside the envelop. Cash deposits to make the maney here in before mentioned shall be made in Government Treasuries and the challen there of should be enclosed with the tender.

्रामीण कार्य विगाग कार्य प्रमण्डल

1

3

S

7

r

r

5

k

۲

7. The Engineer or his duly authorised assistant will open the tender in the presence of an intending contractors who may be present at the time and will enter the amounts of the several tenders. Comparative statements in a suitable form. In the event of a tender being rejected the challan for the earnes money forwarded therewith shall there upon be returned to the tenderer with a pay order for the amount of the earnest money.

8. The Engineer shall have the right of rejecting all or any of the tenders.

f se ude inec

9. In the event of a tender being selected for acceptance the Engineer who opened the tenders will, if he is competent to accept the tender, inform the tenderer or the selected tender who shall thereupon sign copies of the specification & other documents mentioned in rules 1 and 4 for the purpose of identification and for his acceptance with the tender. The tender of the selected tender shall also deposit the required amount of the security money within the prescribed time. If the tenderer fails to deposit the required amount of the security money within the prescribed time, the Engineer may reject the tender.

dite

If the Engineer is not competent to accept the tender himself, he will inform the tenderer of the tender which he decides to recommend for acceptance. Such tenderer shall thereupon sign forth- with copies of the specification and other documents mentioned in rules 1 and 4 and shall deposit the required amount of the security money within the priscribed time. The tender with the specification and other documents signed by the tenderer will then be forwarded for acceptance and the security money deposited shall be refunded to the tenderer.

10. When a tender is selected for acceptance the tender shall deposit the required amount of the security money in cash in the treasury and shall forward the challan to the Executive Engineer, Government securities may be endorsed to the Executive Engineer lieu of a cash deposit of the required amount of the security money. No tender shall be finally accepted until the required amount of the security money has been deposited.

11. The amount of security money to be deposited by the tenderer whose tender is selected for acceptance shall be 10% of the estimated value of the work & towards this amount the earnest money already deposited by him shall be credit. At least half of this security inclusive of the earnest money shall be deposited by the tenderer within such time as may be notified to him in writing by the officer opening tender, failing which the tender shall be liable to rejection.

Any balance of the security money outstanding after completion of the contract with the tenderer may be made up by deductions of 5% of the amount of each payment to be made to him under clause 7 of the conditions of contract for work done under the contract.

12. When a tender has been selected for acceptance & the required amount of the security money has been deposited the Engineer shall scrutinise all pages of the form of item, rate, tender & contract for works to see that the form has been properly filled up and signed by the contractor & the standard witnessed He shall then if he is competent, to accept the tender, sign the acceptance of the tender, long it he is not so competent shall send the form for signature of the acceptance of the officer competent to accept the page.

deith But By

morn

ग्रामीण कार्य विमाग कीर्य दलसिंहसराय an

es the

TENDER FOR WORKS

I/We hereby tender for the execution for the Governor of Bihar of the work specified in the under written memorandum at the rates specified therein within a period of years month from the date of written order to commence and in accordance in all respects with the specifications designs, drawing, and other documents referred to rule hereof and Subject to the annexed conditions of contract and with such materials as are provided for by and in other respects in accordance with, such conditions so far as applicable.

	COM	(10113 30 15, 55 -)
If several sub-work an ituded they should be tained in a separate list		MEMORANDUM Name of work HEY SUCCESSION & Egran & Egran & Estimated cost
s	[b]	Estimated cost
This deposit will be 5% the estimated cost of the ork	[c]	Earnest money
This percentage		Initial security deposits (including earnest money) to be deposited befor the commencement of the work
edited to the contractors curry deposit	[e]	Percentage to be deducted from bills Rs. 5% (Rupees five percent)
i .	ເທ	Time required for the work from date of written order to commence
	[9]	Date of written other to commence 10102/23
	[h]	Total number of item of work tendered for

Item of work In figures In words		RATE TE	NDERED	Per	
Au.	n No. Item of work	In figures	In words		
Nu					
				. I	
	£ 1	, ,	u		

Description Direction Dir		_	$\overline{}$				1					
Description Description Clering and Grabbing Road Land (By Manual Means) Including uprooling wild, Clering and Grabbing Road Land (By Manual Means) Including uprooling wild, vegataton, grass, bushes, shrubs, saplings and trees of griffl upto 300mm, removals of shrubs shrubs saplings and trees of griffl upto 300mm, removals of shrubs shrubs sablings and trees of griffl upto 300mm, removals of study rese cut earlier & disposal of unserviciable meterials & stacking of Ha Box Cutting of the used or autchoned upto 800m in thickness as per technical specification clause 201.1 and direction. BOX Cutting to organic soil not exceeding 150mm in thickness as per technical specification clause 201.1 and direction. Excavation for roadway in soil using manual means for carrying of cut earth to embankment site with a fit upto 1.5m and lead upto 50m as per technical specification of Embankment with Approved material obtained from borrow pits with a manual means of the specification of Embankment with Material obtained from borrow pits with a promotion of Embankment with approved material obtained from borrow pits with a transporting to side, spreading, grading to required slop and compacting to meat equirement of tables 300.1 and 300.2 with a lead upto 1000m as per technical specification clause. 301.5 For Granular Sub-base with well graded material (table-400.1) Construction of Granular Sub- Base by providing coarse graded material. sprading in uniform Hysers with motor grader on prepared surface, mixing by mix in place method desired density, complete as per technical specification clause. 401 Stone Screening: Construction of laying spreading and compacting stone aggregats of specific sizes to packing, rolling with smooth wheel roller 80-100 km in stages to proper grade and aggregate, watering and compacting to the required density grading -3 as per learning and compacting to the required density grading -3 as per learning specification clause, 401.		Kate in Figure	д	Rupees Fifty nine thousand only.	Rupees Eighty four thousand rupees and paisa thirty only	ā	paisa elahty three and	Rupees two hundred eleven rupees and	paisa zero four only paisa two thousand one hundred seventy nine rupess and paisa fifty three only		paisa two thousand eight hundred fifty seven rupees and paisa sixty only	
Description 2 2 3 3 Cerring and Grabbing Road Land (By Manual Means) Including uprooting wild, wegatation, grass, bushes, shrubs, saplings and trees of girth upto 300mm, removals wegatation, grass, bushes, shrubs, saplings and trees of girth upto 300mm, removals wegatation, grass, bushes, shrubs, saplings and trees of girth upto 300mm, removals genviceable materials & stacking of serviceable materials of top organic soil not exceding 150mm in thickness as per femorial specification clause 201.1 and direction. Excavation for roadway in soil using manual means for carrying of cut earth to embankment site with a lift upto 1.5m and lead upto 50m as per technical specification clause 302.3 Construction of Embankment with Material obtained from borrow pits with a lift upto 1.5m and lead upto 50m as per for material obtained from borrow pits with a lift upto 1.5m transporting to site, spreading, grading to required stop and compacting to meet requirement of tables 500.1 and 300.2 with a lead upto 1000m as per technical specification clause. 301.5 Granular Sub-base with well graded material (table-400.1) For farding Material: Construction of Granular Sub- Base by providing coarse graded material , sprading in with robavator at OMC, and compacting wits smooth wheel roller to achieve the Stone Screening: Stone Screening: Stone Screening: Construction of Laying spreading and compacting stone aggregats of specific sizes to packing, rolling with smooth wheel roller 80-100 km in stages to proper grade and camber, and camber, applying and brooming, stone screening to fill up the interstics of coarse technical specification clause. 401 Complete, applying and brooming, stone screening to fill up the interstics of coarse technical specification clause. 405.	Rate		n	59008	84.30		164.83	211.04	2179.53		2857.60	
Description 2 2 2 2 2 2 2 2 2 2 3 2 3 3 3 3 3 4 3 4	Quantity			0.56	197.63	1,000	2010.03	2815.53	239.63		128.54	
Description Clerning and Grabbing Road Land (By Manual Means) Including uprovegatation, grass, bushes, shrubs, saplings and trees of girth upto 30 vegatation, grass, bushes, shrubs, saplings and trees of girth upto 30 serviceable materials of be used or auctioned upto a lead of 1000 m is serviceable materials of be used or auctioned upto a lead of 1000 m is serviceable materials of be used or auctioned upto a lead of 1000 m is serviceable materials of be used or auctioned upto a lead of 1000 m is bechical specification clause 201.1 and direction. BOX Cutting: BOX Cutting: BOX Cutting: Specification clause 302.3 Construction of Embankment with Material obtained from borrow construction of Embankment with approved material obtained from borrow construction of Embankment with approved material obtained from bill upto 1.5m transporting to site, spreading, grading to required slop to meet requirement of tables 300.1 and 300.2 with a lead upto 1000n technical specification clause. 301.5 Granular Sub-base with well graded material (table-400.1) For Grading I Material: Construction of Granular Sub- Base by providing coarse graded material midmid wileyers with motor grader on prepared surface, mixing by mix with rotavator at OMC, and compacting wit smooth wheel roller to act Stone Screening: Stone Screening: Construction of laying spreading and compacting stone aggregats of spacking, applying and brooming, stone screening to fill up the intersitiechnical specification clause, 405.	Cuit	3	-	E.	Cum	Ē	5	Cum	шпо		Cum	
			Clerring and Grabbing Road Land (By Manual Means) Including uprooting wild, vegatation, grass, bushes, shrubs, saplings and trees of girth upto 300mm, removals vegatation, grass, bushes, cut earlier & disposal of unservicable meterials & stacking of	serviceable materials of be used or auctioned upto a lead of 1000 m inculding removal and disposal of top organic soil not exeeding 150mm in thickness as per technical specification clause 201.1 and direction.			(C)			Stone Screening :- construction of laying spreading and comments.		recrineal specification clause, 405.

アンカットルライルー

should this lender be accepted I/we hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so, for a applicable, or in ssors in office the sums of money mentioned in the said conditions $rac{1}{11}$

Dated the

day of

20

Signature, of contractor before comission of tender

witness

Address:

Occupation

Signature of witness to

The above tender is hereby accepted by me on behalf of the Governor of Bihar Dated the day of

20

signature of the officer accepting the tender

ग्रामीण कार्य विकास

Acceptances communicated on.....

signature of the party

taking the tender

-00-

CONDITIONS OF CONTRACT

Compensation

Clause 1:- All compensation or other sums of payable by the contractor to Government under the terms of his contract may be deducted from, paid by the sale of a sufficient part of his security deposit or from the Interest arising therefore or from any sums which may be due or may become due to the contractor by Government on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction or sale as aforesaid, the contractor shall within ten days there after make good in cash or Government securities. endorsed as aforesaid any sum or sums which may have been deducted from, or arised by, sale of his security deposit of any part thereof.

The work should not be considered untill such date as the Executive Engineer shall certify as the date on which the work is finished after necessary rectification of delects as pointed by the Executive En gineer or his authorised agents are fully contractor to the Engineers satisfaction

Clause 2:- The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the wirtlen order to comence work is given to the contractor. The work shall throughout the stipulated period of the contract be carried on with all due diligence (time being deemed to be the essence of the contract on the part of the contract or) and the contractor shall pay as compensation an amount equal to ½ percent on the amount of the estimated cost of the whole work as shown by the tender for every day that the work remains uncommenced or unfinished after the proper date And further to ensure good progress during the execution of the work the contractor shall be bound in all cases in which the time allowed for any work exceeds one month to complete one fourth of the whole of the work before one - fourth of the whole time allowed under the contract has elapsed one-half of the work before onehalf of such time elapsed and three-fourths of the work, before three fourths of such time has elapsed in the event of the contractor failing to employ with this condition I shall be liable to pay as compensation an amount equal to 1/2 percent on the said estimated cost of the whole work for every day that the due quantity of work remains incomplete provided always that the entire amount of companisation to be paid under the provisions the clause shall not exceed 10 percent of the estimated cost of the work as shown in the tender.

oh when persole security

Clause 3 - In any case which under any clause or clauses of or this contract the contractor shall have rendered himself laible to pay compensation amounting to the whole of his security deposit in the hands of Government (where paid in one sum or deducted by instalments) the Executive Engineer on behalf on the Bihar Government shall have been powered to adopt any of the following courses, as he may deem best suited to the enterent of Government -

(a) To rescind the contract (of which rescind notice in writing to the under the hand of the Executive Engineer shall be conclusive evinted at which case the sectitiry deposit of the contractor shall ster for 1999. absolutely at the disposal of Government ब्रामीण कार्य विमाग कार्य प्रमण्डल

कार्यपालक अभियंता का कार्यालय ग्रामीण कार्य विभाग,कार्य प्रमंडल, दलसिंहसराय, समस्तीपुर

Email ID:- rwddalsinghsaray@gmail.com

पत्रांक २०	/ दलसिंहसराय दिनांक / ७/०२/ २३
प्रेषक,	कार्यपालक अभियंता,
	ग्रामीण कार्य विभाग,
	कार्य प्रमडल, दलसिंहसराय
सेवा में,	•
	अघीक्षण अभियंता,
	ग्रामीण कार्य विभाग,
	कार्य अचंल- समस्तीपुर।
विषय—	मुख्यमंत्री समाधान यात्रा के कार्यक्रम मे उजियारपुर प्रखंड अंतर्गत देसुआ पंचायत के
	देसुआ कृषि फॉर्म एवं काली स्थान पथ मे प्राप्त कोटेशन को स्वीकृति करने के
	संबंध में।
महाशय,	
	उपरोक्त विषय के संबंध में कहना है कि मुख्यमंत्री समाधान यात्रा के कार्यक्रम मे
उजियारपुर प्रख	ांड अंतर्गत देसुआ पंचायत के देसुआ कृषि फॉर्म एवं काली स्थान पथ में मरम्मति कार्य करने
के लिये संवेदव	ह द्वारा प्राप्त कोटेशन संलग्न कर स्वीकृति हेतु समर्पित की जाती है।
अनु०– यथोक	त्।
	विश्वासभाजन
	कार्यपालक अभियंता
	गाउँ ग्रामीण कार्य विभाग
ज्ञापांक	······································
प्रतिलिपि:– रत	निश कुमार सिंह, ग्राम+पो०- खोक्स क्रमण कि
	Will de oligit land 8 soligit the limit of the land
कार्य करने हेत्	ु आदेश दिया जाता है।
	8
	कार्यपालक अभियंता भूभि ग्रामीण कार्य विभाग कार्य प्रमण्डल, दलसिंहसराय
	भागिया कर्या कि
	गुकार्य प्रमण्डल उन्हरी
ज्ञापांक	्राच्या प्रमण्डल,दलसिंहसराय विनांक <u>10102123</u> प्रमण्डल,दलसिंहसराय
प्रतिलिपि:- स	हायक अभियंता एवं कनीय अभियंता, कार्य अवर प्रमंडल, उजियारपुर को सूचनार्थ प्रेषित।
निदेश दिया ज	ाता है कि अपने देख-रेख में मरम्मति कार्य कराना सुनिश्चित करेगें।
	1/
	X 10 2
	-10/092

E/ Letter-9 Page No- 444