

175/2018-19

Sheshikant Singh.

Schedule XLY Form No.-134

BIHAR P.W.D.

Mungy (C)

Agency — Badkaut to Pakri Chauri.

अररार

DIVISION

हरियाँ

SUB-DIVISION

MEASUREMENT BOOK

अररार अररार अररार.

1st and 2nd Box

Abstract of work

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
① Setting pillar for side 1512					
24M @ 1802.81m					17211m
② Cheong & grubby only for side 1616					
20.44M @ 48731.5711					21441m
③ Removal of old					
only for side 1616					
2150m @ 21868m					3286m
④ earth of road embank					
only for side 1616					
2762.50m @ 111.41m					84959
⑤ earth of road embank					

1000m boundary					
only for side 1616					
2326.82m @ 146.34m					48853
⑥ earth of subgrade					
only for side 1616					
2294.40m @ 147.97m					443562
⑦ 1/2 g 6.3.13.15					
only for side 1616					
2261.25m @ 3059.73m					799446
⑧ 1/2 g 5/11/11					
only for side 1616					
2192.71m @ 3667.73m					706808
⑨ 1/2 g 1/10/10					
only for side 1616					
2151.42m @ 7619.55m					1154148

Continuation

286870

Co

Particulars	Details of actual measurement			Contents of area
	No.	L.	B. D.	
(10) Pinner work for side 17 ft 10 in				13.6 ft, 2868708
1636.20 m ² @ 48.22 m ²				178897
(11) Tack work for side 17 ft 10 in				
1636.20 m ² @ 16.08 m ²				1263120
(12) Muck sand work for side 17 ft 12 in				
1636.20 m ² @ 170.61 m ²				1299234
(13) Kilometre stop for side 17 ft 13 in				
(14) Orchard work for side 17 ft 13 in				
2 m ² @ 2615.86 m ²				5231

(15) 20 m stop 13 m @ 892.52 m ²				2070
(14) Traffic sign for side 17 ft 14 in				
(15) 600 mm guide line work 1 m @ 1843.09 m ²				1843
(15) 600 mm circle 13 m @ 1905.13 m ²				5716
(15) 800 mm + 600 mm 2 m @ 2001.36 m ²				4002
(15) 900 mm circle 2 m @ 2095.14 m ²				4190
(15) Direction sign for side 17 ft 15 in				
1 m @ 2965.22 m ²				2965
(16) Muckery sign for side 17 ft 16 in				
1 m @ 860 m ²				860
(17) Maintenance sign for side 17 ft 17 in				
1 m @ 8610.20 m ²				3296375

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(18) Typical masonry for side pg 18				B.F.M	3296395
1 in @ 3000 ft					3000
(19) Cithren Bone for side pg 19					
1 in @ 4500 ft					4500
(20) Road masonry over B.F.M					
1 in @ 841.93 ft					841.93
(21) Road masonry over C.C. for side pg 21					
1 in @ 945.01 ft					945.01
(22) Plw in street entry for side pg 22					
1 in @ 256.60 ft					256.60
(23) Sand delivery entry for side pg 23					
1 in @ 570.81 ft					570.81
(24) Supply & placing concrete for side pg 24					
1 in @ 844.04 ft					844.04
					1101892
					2341521
					251412