

Mechauwa RCD Road to Lakshmipur
Schedule XLV-Form No. 134

1183 DIVISION

SUB-DIVISION

*Crish Kumar
14 MBD/23-24*

MR-N/23-24 KGC/03

MEASUREMENT BOOK

Sch.XLV-Form No. 134

Particulars	Details of actual measure				Contents of area
	No.	L.	B.	D.	
	1x	64.10 Nos			64.10 Nos.
(i) 600mm Circular :-					
	1x	64.10 Nos			64.10 Nos.
(ii) 600x450mm Rectangulars :-					
	1x	02.10 Nos			02.10 Nos.
18. Reinforced Cement Concrete M/S for					
boundary pillars - as per E/P.					
	2x	15.10 Nos			30.10 Nos.
19. Planting of trees on road side &					
their maintenance - as per E/P.					
	2x	10.10 Nos			20.10 Nos.
20. Providing and laying of hot applied					
Plastic Compound - as per E/P.					

(i) B.T. Postings :-	2x	15.10x	30.10x	0.10	90.10 m ²
	2x	6.10x	0.10		1.20 m ²
					91.30 m ²
Pedestals :-	2x	4.10x	0.50		4.10 m ²
(ii) C.C. Postings :-	2x	13x	30.10x	0.10	78.10 m ²
	2x	10.10x	0.10		2.10 m ²
					80.20 m ²
21. Providing and fixing of typical					
manhole infilling works					
maintenance band - as per E/P.					
	1x	64.10 Nos			64.10 Nos.

Continuation

मापी से संतुष्ट है।
 - गिरीश कुमार
 Date- 27.10.2023

Sch.XLV-Form No. 134

Particulars	Details of actual measure				Contents of area
	No.	L.	B.	D.	
(1) Abstract of cost					
clearing and grubbing road land		do	do	comp.	
Qty and MB. Page (1)					
	0.17 MB @ 72697.86/MB =				12359.10
(2) Scarifying existing bituminous					
Surface - do - do - comp.					
Qty and MB. Page (1)					
	87.60 MB @ 20.54/MB =				1799.10
(3) Constn of subgrade road					
Center shoulder - do - comp.					
Qty and MB. Page (2)					
	390.72 MB @ 264.44/MB =				103322.10
(4) Constn of granular sub base					
by providing - do - comp.					
Qty and MB. Page (2)					
	8.07 MB @ 2263.53/MB =				18267.10
(5) Constn of LBM - providing					
Laying & brooding & compacting					
stone - do - do - comp.					
Qty and MB. Page (2)					
	10.67 MB @ 4647.65/MB =				49591.10
(6) Providing laying & brooding and					
Compacting stone - do - comp.					
Qty and MB. Page (3)					
	35.47 MB @ 4525.26/MB =				160532.10

Continuation

Sch.XLV-Form No. 134

Particulars	Details of actual measure				Contents of area
	No.	L.	B.	D.	
(2/7) Providing and applying plaster coat					
do do do comp.					
Qty varial 9 MB. Page (3)					
262.42 m ² @ 60.34 / m ² = 15834 = m					
(8/8) Providing and applying tech coat					
do do do comp.					
Qty varial 9 MB. Page (3) & (4)					
408.67 m ² @					
1727.60 m ²					
2130.27 m ²					
(2) 20.77 / m ² = 44118 = m					
(9/9) Providing laying and rolling of					
close graded premix surface					
do do do comp.					
Qty varial 9 MB. Page (4)					
409.37 m ² @ 288.61 / m ² = 115856 = m					
(10/10) Providing laying semi-dense bitumi-					
nous Concrete - do do comp.					
Qty varial 9 MB. Page (4)					
43.04 m ² @ 14591.42 / m ² = 628015 = m					
(11/11) Consist of dry lean Cement Concrete					
do do do comp.					
Qty varial 9 MB. Page (5)					
0.63 m ² @ 5382.06 / m ² = 3391 = m					
(12/12) Consist of Un-reinforced Cement					
Concrete pavement - do do comp.					
Qty varial 9 MB. Page (5)					
241.33 m ² @ 8030.93 / m ² = 1938104 = m					

Continuation

Sch.XLV-Form No. 134

Particulars	Details of actual measure				Contents of area
	No.	L.	B.	D.	
(18/18) planting of trees on road side & its maintenance - do do.					
Qty and P.M.D. Page (6)					
20.11.19 Nos @ 17.54.41/M ² x 30% =					7526.70
(19/19) providing laying of bit applied over mastic compound - do do.					
Qty and P.M.D. Page (6)					
(i) Bit. - 91.20 M ² @ 829.10/M ² =					75614.70
(ii) Reduction - 4.00 M ² @ 829.10/M ² =					3316.40
(iii) Net area - 80.10 M ² @ 946.86/M ² =					75849.70
20/20 Providing and fixing of typical masonry infill masonry - do do.					
Qty and P.M.D. Page (6)					
04.00 Nos @ 11420.23/M ² =					45681.70
					3526508.70
Add = 01.10% L.S. —					35265.70
" 18.10% C.S.T. —					634771.70
" S.F. —					37892.70
					4234441.70
Less @ 0.09% as per agreement =					3811.70
					4230630.70
147 1.11.23 4230630.70					
12771027 J.E.					
27/10/23 A.B.					

Continuation