

**कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, कार्य प्रमंडल, कटिहार।**

पत्रांक :- 2281

/कटिहार, दिनांक- 28-10-23

प्रेषक,

कार्यपालक अभियंता,
ग्रा0का0वि0, कटिहार।

सेवा में,

अपर-मुख्य-कार्यपालक-पदाधिकारी,
BRRDA, 3री मंजिल, भूमि विकास बैंक भवन,
बिहार, पटना।

विषय :- शीर्ष **New Maintenance Policy-2018** योजनान्तर्गत निर्माण हेतु आवंटन की
अधियाचना के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि शीर्ष **New Maintenance Policy-2018**
योजनान्तर्गत ग्रा0का0वि0, कार्य प्रमंडल, कटिहार द्वारा विहित प्रपत्र में अधियाचना तैयार कर आपके
अग्रेतर कार्रवाई हेतु समर्पित की जाती है।

अनु0:-यथोक्त।

विश्वासभाजन
28/10/23
कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, कटिहार।

Ran
28/10/23

ज्ञापांक:- 2281

/कटिहार, दिनांक:- 28-10-2023

प्रतिलिपि:- नोडल पदाधिकारी, 3054 MR, ग्रामीण कार्य विभाग, बिहार, पटना को सूचनार्थ एवं
आवश्यक कार्रवाई हेतु समर्पित।

28/10/23
कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, कटिहार।

Ran
28/10/23

Requisition Format for Scheme Head - MR (3054) Under Bihar Rural Road maintenance Policy 2018 (Initial Rectification and Surface Renewal)
Name of Division : Katihar

28/10/23
Divisional Accounts Officer
RWD, Works Division, Kathihar

Executive Engineer
RWD, Works Division, Kadhar
28/10/23
28/10/23

FORM GFR 19-A

(See Government of India's Decision (1) below Rule-150)

Form of Utilisation Certificate upto the month of Oct 2023

New Maintenance Policy-2018

Sl. No.	Name of Scheme	Sanction No. & Date with Amount (in Rs. Lacs)	Amount Received (in Rs. Lacs)	Particulars
1	New Maintenance Policy-2018	Lt. No.- 017 Dt.- 26.02.21 Lt. No.- 027 Dt.- 04.05.21 Lt. No.- 040 Dt.- 14.06.21 Lt. No.- 052 Dt.- 24.08.21 Lt. No.- 058 Dt.- 27.10.21 Lt. No.- 060 Dt.- 09.11.21 Lt. No.- 064 Dt.- 06.12.21 Lt. No.- 068 Dt.- 23.12.21 Lt. No.- 002 Dt.- 03.01.22 Lt. No.- 005 Dt.- 25.01.22 Lt. No.- 010 Dt.- 21.02.22 Lt. No.- 016 Dt.- 08.03.22 Lt. No.- 018 Dt.- 11.03.22 Lt. No.- 020 Dt.- 14.03.22 Lt. No.- 022 Dt.- 16.03.22 Decrease in Limit vide Lt. No.- 43 Dt.- 08.04.22 Lt. No.- 049 Dt.- 27.04.22 Lt. No.- 001 Dt.- 20.05.22 Lt. No.- 010 Dt.- 01.07.22 Decrease in Limit vide Lt. No.- 021 Dt.- 08.08.22 Lt. No.- 022 Dt.- 08.08.22 Lt. No.- 035 Dt.- 13.10.22 Lt. No.- 004 Dt.- 10.01.23 Lt. No.- 010 Dt.- 27.01.23 Lt. No.- 067 Dt.- 27.04.23 Lt. No.- 072 Dt.- 10.05.23 Lt. No.- 085 Dt.- 14.06.23 Lt. No.- 106 Dt.- 02.08.23 Lt. No.- 113 Dt.- 14.08.23 Lt. No.- 120 Dt.- 04.09.23 Lt. No.- 129 Dt.- 27.09.23	80.03702 70.40501 368.10325 273.38928 161.36000 357.44478 765.74778 98.70000 4.80697 358.67297 145.54793 87.69809 297.69721 232.89165 143.38493 -52.53678 325.53270 80.76314 6.54352 -0.34413 449.30260 230.46260 97.39464 36.97947 559.91000 78.00000 294.97000 132.55000 79.50000 7.95320 296.00000	Certified that out of Rs. 6068.86783 lacs received upto the year 2023-24 in favour of Ex. Engineer, RWD, Katihar a sum of Rs. 5993.84171 lacs has been utilized for the purpose of NMP-2018 rural roads Schemes as given in the margin for which it was sanctioned and that the balance of Rs. 75.02612 lacs remaining unutilized at the end of the period under.
		Total :-	6068.86783	

2. Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised :-

- Works have been supervised by Executive Engineer/Superintending Engineer.
 - Periodical inspection has been conducted by Executive Engineer/Superintending Engineer.
 - Construction materials have been tested.
 - Measurements have been recorded in the MBs and test check conducted by the Assistant.
 - All other codal formalities have been observed.
3. Physical Progress achieved :-
- Construction of Road Works.
 - Construction of CD Works.
4. Certified that:-
- Work has been done as per specification and with quality.

Divisional Accounts Officer
RWD, Works Division, Katihar


Executive Engineer,
RWD (W) Division, Katihar.


कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, कार्य प्रमंडल, कटिहार।
Email – rwdkatihar@gmail.com

प्रमाण पत्र

प्रमाणित किया जाता है कि पथ— **Madhur Jhulla Road at Madhua - Phoolbaria Village, Project ID- 21105602036** का सभी अवयवों की जाँच शत प्रतिशत कनीय अभियंता द्वारा किया गया है। सहायक अभियंता द्वारा सभी अवयवों की 50 प्रतिशत से अधिक जाँच किया गया है। अधोहस्ताक्षरी द्वारा 10 प्रतिशत अवयवों की जाँच की गई है।


कनीय अभियंता


सहायक अभियंता


कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, कटिहार।


Lab Job number :69

Date :26-10-2023

Name of Customer :Pankaj Kumar Singh

Name of Work/ Road :Madhur Jhulla Road at Madhua - Phoolbaria Village

Sr.no	Location of test (in km)	Corrected U.I value (mm/km)	Road catagory
1	0.100	2400	G
2	0.200	2593	G
3	0.300	2303	G
4	0.400	2690	G
5	0.500	2787	G
6	0.600	2303	G
7	0.700	2400	G
8	0.800	2787	G
9	0.900	2593	G
10	1.000	2497	G
11	1.100	2109	G
12	1.200	2497	G
13	1.300	2303	G
14	1.400	2400	G
15	1.500	2593	G
16	1.600	2690	G
17	1.700	3078	G
18	1.800	3272	G
19	1.900	3175	G
20	2.000	3369	G
21	2.100	3466	G
22	2.200	2593	G
23	2.300	2690	G
24	2.400	2981	G
25	2.500	3078	G
26	2.600	3369	G
27	2.700	3078	G
28	2.800	3175	G
29	2.900	2787	G
30	3.000	2593	G
31	3.100	2400	G
32	3.200	2303	G
33	3.300	2593	G
34	3.400	2497	G
35	3.500	2522	G
Average IRI value		2713.26	


JE 28-10-23


28/10/23
96


28/10/23
Executive Engineer
R.W.D (W) Division Katihar

Lab Job number :69
Date :26-10-2023

Name of Customer :Pankaj Kumar Singh

Name of Work/ Road :Madhur Jhulla Road at Madhua - Phoolbaria Village

Date	Section		Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	CATEGORY		Latitude	Longitude	Event
	Time	No.							ROAD			
26/10/23	11:37:10	69	0.1	240	0	2400	2400		G	25.58035	87.39721	Normal
26/10/23	11:37:56	69	0.1	260	10.1	2600	2593		G	25.58019	87.39806	Normal
26/10/23	11:38:25	69	0.1	230	10.1	2300	2303		G	25.57995	87.39888	Normal
26/10/23	11:38:57	69	0.1	270	10.1	2700	2690		G	25.57989	87.39948	Normal
26/10/23	11:39:29	69	0.1	280	10.1	2800	2787		G	25.57973	87.40039	Normal
26/10/23	11:39:58	69	0.1	230	20.2	2300	2303		G	25.57959	87.40141	Normal
26/10/23	11:40:31	69	0.1	240	20.2	2400	2400		G	25.57953	87.40236	Normal
26/10/23	11:41:5	69	0.1	280	20.2	2800	2787		G	25.57929	87.40332	Normal
26/10/23	11:41:5	69	0.1	260	20.2	2600	2593		G	25.57875	87.40402	Normal
26/10/23	11:41:40	69	0.1	250	20.2	2500	2497		G	25.57832	87.40488	Normal
26/10/23	11:41:40	69	0.1	210	20.2	2100	2109		G	25.57812	87.40589	Normal
26/10/23	11:42:0	69	0.1	250	20.2	2500	2497		G	25.57781	87.40678	Normal
26/10/23	11:42:15	69	0.1	230	20.2	2300	2303		G	25.57749	87.40768	Normal
26/10/23	11:42:15	69	0.1	240	20.2	2400	2400		G	25.57667	87.40820	Normal
26/10/23	11:42:15	69	0.1	260	30.3	2600	2593		G	25.57605	87.40902	Normal
26/10/23	11:43:0	69	0.1	270	20.2	2700	2690		G	25.57551	87.40973	Normal
26/10/23	11:43:24	69	0.1	310	10.1	3100	3078		G	25.57530	87.41067	Normal
26/10/23	11:44:1	69	0.1	330	10.1	3300	3272		G	25.57530	87.41155	Curve
26/10/23	11:44:1	69	0.1	320	20.2	3200	3175		G	25.57509	87.41242	Curve
26/10/23	11:44:36	69	0.1	340	20.2	3400	3369		G	25.57494	87.41359	Curve
26/10/23	11:45:0	69	0.1	350	10.1	3500	3466		G	25.57414	87.41342	Normal
26/10/23	11:45:12	69	0.1	260	20.2	2600	2593		G	25.57352	87.41360	Curve
26/10/23	11:45:12	69	0.1	270	20.2	2700	2690		G	25.57314	87.41446	Normal
26/10/23	11:45:47	69	0.1	300	20.2	3000	2981		G	25.57308	87.41547	Culvert
26/10/23	11:46:18	69	0.1	310	10.1	3100	3078		G	25.57263	87.41647	Normal
26/10/23	11:46:57	69	0.1	340	20.2	3400	3369		G	25.57218	87.41673	Normal
26/10/23	11:47:22	69	0.1	310	10.1	3100	3078		G	25.57155	87.41718	Normal
26/10/23	11:48:7	69	0.1	320	10.1	3200	3175		G	25.57133	87.41805	Normal
26/10/23	12:8:0	69	0.1	280	20.2	2800	2787		G	25.57933	87.40392	Normal
26/10/23	12:8:33	69	0.1	260	10.1	2600	2593		G	25.58017	87.40365	Normal
26/10/23	12:9:15	69	0.1	240	10.1	2400	2400		G	25.58104	87.40357	Culvert
26/10/23	12:9:46	69	0.1	230	10.1	2300	2303		G	25.58160	87.40416	Normal
26/10/23	12:10:6	69	0.1	260	20.2	2600	2593		G	25.58158	87.40513	Normal
26/10/23	12:10:43	69	0.1	250	20.2	2500	2497		G	25.58157	87.40616	Normal
26/10/23	12:11:18	69	0.095	240	20.2	2526	2522		G	25.58149	87.40648	Normal

$$Y = 0 * X^2 + 0.969 * X + 74.60$$
$$X = 2526$$
$$Y = 2522$$


(R) RURAL ROAD
Good <4000
Average 4001-5000
Poor >5001

meed
28/10/23
Executive Engineer
R.W.D (W) Division Katihar

28/10/23
OK

28/10/23
JE

File : E:\RAM KUMAR\MISC Files\Bump integrator\Korha\Madhur Jhulla Road at Madhua - Phoolbaria
 Name of Customer : Pankaj Kumar Singh, Name of Work/ Road : Madhur Jhulla Road at Madhua - Phoolbaria Village.



Amrutesh
28/10/23
 Executive Engineer
 R.W.D (W) Division Kalihar

28/10/23
28/10/23

28/10/23
 JE 28/10/23