

Const. of work from Nimrauli Mastid R.E.O.
To Kanaur Tak (Under MMGSY Sec)
Schedule XLV-Form No. 134

16/03

Executive Engineer
R. W. D. (W) Division
Durbhanga - 76

DIVISION

Tale **SUB-DIVISION**

Aggr. No. 92 SBD/2020-21

Measurement Book

Avaresh Kumar Jha No. 1042

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
	ABSTRACT OF COST				
1.	Setting out pillars for				
	Bench mark pillars etc.				
2 nos.	wide TMB p. no. 26 9/1000/1				
	@ 4175-21/No →				8350-00
2.	Const. of reference pillars				
	with all comp.				
8 nos.	wide TMB p. no. 26 9/1000/2				
	@ 1919-80/No →				15358-10
3.	clearing & Grabbing road				
	land with all comp.				
0.886 Ha	wide TMB p. no. 26 9/1000/3				
	@ 52970-33/No →				36338-00
4.	Excavations in road				
	works in soil all comp.				
50.25 m ³	wide TMB p. no. 26 9/1000 4/4				
	@ 75-57/m ³ →				3797-00
5.	Const. of Embankment				
	with lead up to 1000 m.				
1124.79 m ³	wide TMB p. no. 26 9/1000 5/5				
	@ 190-36/m ³ →				214115-00
6.	Const. of Embankment				
	with lead up to 1000 m.				
2624.50 m ³	wide TMB p. no. 27 9/1000 6/6				
	@ 154-28/m ³ →				404908-00
					Rs. 682,866-00

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
7/7.	Const. of subgrade and				
	earthen shoulder with				
	all comp.				
1422.94m ³	vide TMS P.no. 279/m ³				
	QS 192.04/m ³				52732612 w
8/8.	const. of 80mm/94 sub-				
	base with all comp.				
1166.97m ³	vide TMS P.no. 279/m ³				
	QS 2991.81/m ³				349135320
9/9.	Pro. laying spreading &				
	compacting of 10/3 M gr. III				
	with all comp.				
528.174m ³	vide TMS P.no. 279/m ³				
	QS 3749.51/m ³				1980394200
10/10	Pro. and applying primer				
	cont. SS1 with all comp.				
2700m ²	vide TMS P.no. 329/m ²				
	QS 41.57/m ²				112158200
11/11.	Pro. and applying tack				
	cont. RS1 all comp.				
2700m ²	vide TMS P.no. 329/m ²				
	QS 14.08/m ²				38016200
12/12	Pro. mix Seal surface				
	20mm thick all comp.				
2700m ²	vide TMS P.no. 329/m ²				
	QS 206.19/m ²				556713200
					RS-7134761200

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
<u>13</u> 13.	Const. of 47-reinforced				
	Concrete placement				
	M30 with all comp.				
216.0 m ³	vide TMB p. no. 28	9/10		13	
264.09 m ³	vide TMB p. no. 31	9/11			
480.09 m ³	Qs 7196-71/m ³	—		—	3455069.00
<u>14</u> 17.	P/F of typical MMGSY				
	information sign board				
	with logo all comp.				
3708.	vide TMB p. no. 28	9/17			
	Qs 9618-97/m ³	—		—	28857.00
<u>15</u> 25.	E/W in excavation in				
	soil with all comp.				
139.615 m ³	vide TMB p. no. 28	9/25		14	
	Qs 143-79/m ³	—		—	20075.00
<u>16</u> 26.	Type 'B' (1st class) bedding				
	on well graded compacted				
	with all comp.				
16.85 m ³	vide TMB p. no. 28	9/26		13	
	Qs 493-78/m ³	—		—	8320.00
<u>17</u> 27	Pro-PCM in 150/27				
	found all comp.				
12.97 m ³	vide TMB p. no. 28	9/27		14	
	Qs 5717-12/m ³	—		—	7415.00
<u>18</u> 28.	Head wall in Brick Masonry				
	work in C.M (1:4) in subso.				
121.89 m ³	vide TMB p. no. 29	9/28		15	
	Qs 5904-76/m ³	—		—	719731.00

RS-114,40964

Continuation

Continuation