Per km Mairitenance Cost

SI. No.		Item of work	Length (M)	Width (M)	D/H (M)	Quantity	Unit	Rate	Amount	Remarks
14 C	2	3	4	5	€;	7	8	9	10	11
WILL T	* * -	Restoration of Rain Cuts	-	the same of the sa		T				-
	15 1(A)	Restoration of rain cuts with so I, moorum gravel or a mixture of these, clearing the loose soil, benching for 300mm width laying fresh material in layers not exceeding 250 mm and compaction with plate compactor or power rammer to restore the original alignment, level and slopes as per drawings and technical soxicifications Clause 1302	58.320	2.25	0.3	39.37	cum	351,43	13836	To:al 10.8 % raincur for 5th year
2	15 2(1)	Maintenance of Earthen shoulder (filling with fresh selected soil)								
		Making up loss of material/irregularities on shoulders to the design leve by adding fresh approved selected soil and compacting it with appropriate equipment at OMC upto a lead of 1000 m as per technical specification Clause 1903	07.00	2.25		218.70	sqm	52.90	11569	Total 18% requiring in sintenance for 50 year
6	15.6	Maintenance of Drains				-	+	-	1	
		The mainter ance of drains Include erosion, repair, cleaning, cleaning, resthaping, regrading, deepening of side drains as well as catch water drains as per technical specification Clause 1907.	0.000			0.000	RM	2.44	0	

A		CONTRACTOR OF THE PROPERTY OF		AREA DE			· · · · · · · · · · · · · · · · · · ·	**************************************	MUNICIPALITY	Parishaw Indones
A STATE OF	THILL	Maintenarie a of Culverta	A first excellent process of	A THE STREET, STREET, STREET,	enganemany is w	ALL COMPANIES	and the same			
Section	2 2	Maintenance of Hume pipe Culvert by way of Clearing,	of the Proposition of the Propos	Marie Marie Control of the Control	-	season and the season of the s	STATES SECURIOR	Particular and department on the	references and the last	signing were the productive angular representations
		Cleaning, Elosion repair, repairs to cracks, parapet vall and	, , , , , ,	1			100	AND DESCRIPTION OF THE	The second of the second of the second	
12.1	1	protection work as per drawing and technical specification	0.00	1	1	1.00	No.	1,066,13		
			, ,	1	1		110.	1,000.13	1066	
3-1	15./ (1)	Maintenance of Culverts Slab type	,——-	·		+				
		Maintenance of Slab type Culverts by well of	,——	·		+	+			工
ka y		Clearling, Elosion repair, fepairs to cracke paraget salls	, 1	· '	1		1			
	381 24	I totection works as per drawing and technical enscitioning	,)	, ,	1	0.00	no	2,196.39	0	
		Clasue 1908	, 1	1	1		1 '	1		
-	15.9	Maintenance of Road Signs		,		+	+		-	+
. 1	Ex 1	Maintenance of road signs by vray of cleaning and recainting		, —			+			Considering 15.0 %
	pt	of mandator / / regulatory / cautic nary / informatory and place	0.300	, ,	1	0.200	1 1	1	1	requiring maintenance
1	1 200	identifications sign board as perdrawings and technical	0.300	, 1	1 '	0.300	Km	1,024.25	307	for 5th year
		specification Clause 1910			'	<u></u> '	1		1	
0	10.1(i)	Printing new letter and figures of any shade with synthetic		, ,	('	1	Fer Cm		1	T
100	, ,	enamel pairt black or any other approved colour to give an	1.00	,	('	1.00	height	0.48	0	
10		even shade as per drawings and Technical Specification		, 1	í ,	1	per letter	1		
		Clause 1701	.——-	,——	<u>'</u>	+	+	+		
لسب		Maintenance of 200 metre and km stones Maintenance of 200 metre km stone by way of refiting of		· 		 	+		* Y.7	Considering 24 %
11	15.11	tilted stones repairing with cement mortar, cleaning, repairing		, 1	1 '	1	1			requiring maintenance
		and lettering on 200 metre km stone and 5th km stone as	0.130	, ,	('	0.130	Km	653.65	85	for 5th year
	100	per drawing and technical specification Clause 1912.	. 1	, 1	í ,	′				17
STATE OF	1	Cutting of tranches of trees of rubs and trimming of	1	,	1				la de la companya de	- 2 N E (TA)
12	15.12(1)	1ada	ــــــــــــــــــــــــــــــــــــــ		·		1			<u> </u>
N. T		grass and vieeds Cutting of branches of trees and shrubs from the road way or		,	,	'			- 200	1 1975
		I wood and eaves to	2.00	, 1	1 '	2.00	No.	99.50	199	-
	A Stage Section	leastion as per technical specification clause 1914	1		 '	<u> </u>	1	+		1 100
1 10 10 10		the food way or with in R.C. w and	,	, ,	1	5.40	No.	6.11	33	The second
13	15. 12(11)	Outting of strubs from the local tray of the disposal of shrubs to suitable locations as per technical	5.40	, 1	(5.40	140.	0.11	L. 1	
				,				20000	i i	Considering 37.5 %
1981	17:3/10		202.50	3.75	<i>i</i> '	759.38	sqm	2.04	1549	requiring maintenance
14	15.* 2(111)	disposing of the same to suitable localistic	202.00	, 0,75	ı'		1			for 5th year
		specifications Clause 1914			,	1		17	-	
		White washing of parapet walls of Co walls			<u></u> '				-	
		truncks			, 7	50.04	sgm	14.75	871	
	15.13	truncks White washing two coats on parapet walls and trait trunks	. 1	. 1	, 1	59.04	sqiii			
15	10.10							Total:-	29515	
	the second	per technical specifications Clause 1915			, 1	()			1 30 10	The manual engines and the

