

17 SBD/2021-22

5025 PALI PATH TO NAHAWAR  
MUSLIM TOLA,  
Schedule XLV-Form No. 134

BEVIPOUR

DIVISION

MMWSY (WREN)

GHAXISHYAMPUR

SUB-DIVISION

Measurement Book

अनुगणक 2144

M.B. No - 1506

2nd and 3rd A/c bill

20

Sch. XLV-Form No. 134

| Particulars                     | Details of actual measurement |    |    |    | Contents of area  |
|---------------------------------|-------------------------------|----|----|----|-------------------|
|                                 | No.                           | L. | B. | D. |                   |
| Names of work.                  |                               |    |    |    | Conct. of masonry |
| With Main entrance.             |                               |    |    |    | 5005              |
| Gate posts to Mahadevar.        |                               |    |    |    |                   |
| Mudlun. total.                  |                               |    |    |    |                   |
| under masonry (Gron).           |                               |    |    |    |                   |
| Agency:- Ramprakar yadar.       |                               |    |    |    |                   |
| At + po. Dohara P.S. Saku       |                               |    |    |    |                   |
| pur. Darbhanga                  |                               |    |    |    |                   |
| Agreed No: 17.5.20/2022-22      |                               |    |    |    |                   |
| Date of Commencement 28/07/2022 |                               |    |    |    |                   |
| Date of Completion 27/04/2022   |                               |    |    |    |                   |

|                                                                       |  |  |  |  |  |
|-----------------------------------------------------------------------|--|--|--|--|--|
| Nomenclature of work.                                                 |  |  |  |  |  |
| ①. Construction of gateway                                            |  |  |  |  |  |
| for Sub hos. (15x5)                                                   |  |  |  |  |  |
| do ——— a ——— a                                                        |  |  |  |  |  |
| $1 \times 6.00 \times (6.00 + 4.05) \times 0.20 = 6.03 \frac{m^2}{2}$ |  |  |  |  |  |
| $12 \times 30.00 \times 4.05 \times 0.20 = 291.60$                    |  |  |  |  |  |
| $5 \times 30.00 \times 4.05 \times 0.20 = 121.60$                     |  |  |  |  |  |
| Total 419.23                                                          |  |  |  |  |  |
| Rs. 156123                                                            |  |  |  |  |  |
| ② providing walling                                                   |  |  |  |  |  |
| with 1:3 ratio                                                        |  |  |  |  |  |
| do ——— a ——— a                                                        |  |  |  |  |  |

Continuation

Scanned with OKEN Scanner

# ANALYSIS OF COST 1994

22

Sch. XLV-Form No. 134

| Particulars                                       | Details of actual measurement |    |    | Contents of area |
|---------------------------------------------------|-------------------------------|----|----|------------------|
|                                                   | No.                           | L. | B. |                  |
| ①. Selling out and Const. of                      |                               |    |    |                  |
| House                                             | House                         |    |    |                  |
| Width m.m.k. page (13) 24 (1)                     |                               |    |    |                  |
| 1170 @ Rs. 4132.38/-                              |                               |    |    | 4132200          |
| ②. Const. of 13 persons                           |                               |    |    |                  |
| at                                                |                               |    |    |                  |
| Width m.m.k. page (13) 24 (2)                     |                               |    |    |                  |
| 4708 @ Rs. 1912.13/-                              |                               |    |    | 7649200          |
| ③. Disposal of long the earth                     |                               |    |    |                  |
| Per                                               |                               |    |    |                  |
| Width m.m.k. page (13) 24 (3)                     |                               |    |    |                  |
| 255.00 m <sup>2</sup> @ Rs. 1588.84/-             |                               |    |    | 357489200        |
| ④. Const. of                                      |                               |    |    |                  |
| Width m.m.k. page (13) 24 (4)                     |                               |    |    |                  |
| 0.34 Hect. @ Rs. 53879.81/m <sup>2</sup>          |                               |    |    | 18319200         |
| ⑤. Excavation for road                            |                               |    |    |                  |
| width                                             |                               |    |    |                  |
| Width m.m.k. page (13) 24 (5)                     |                               |    |    |                  |
| 55.12 m <sup>2</sup> @ Rs. 7561/-                 |                               |    |    | 4168200          |
| ⑥. Const. of 13 persons                           |                               |    |    |                  |
| 9                                                 |                               |    |    |                  |
| Width m.m.k. page (13) 24 (6)                     |                               |    |    |                  |
| 19.46 + 419.23 = 438.69 m <sup>2</sup>            |                               |    |    |                  |
| 438.69 m <sup>2</sup> @ Rs. 335.27/m <sup>2</sup> |                               |    |    | 145437600        |
| Total                                             |                               |    |    | 1846133200       |

| Particulars                                                                                  | Details of actual measurement |   |   |   | Contents of area   |
|----------------------------------------------------------------------------------------------|-------------------------------|---|---|---|--------------------|
|                                                                                              | No                            | L | B | D |                    |
| (7) Providing and laying<br>concrete with screed<br>width 1.2 m (13) 21.67 m (14) 1.2 m (15) |                               |   |   |   | 13.74, 1846.133200 |
| 13.01 + 14.5402 15.04 m <sup>2</sup>                                                         |                               |   |   |   |                    |
| 158.4 m <sup>2</sup> (16) 4121.65 / 186590700                                                |                               |   |   |   |                    |
| (8) Const. of un-sounding<br>Per Mo. 6-200                                                   |                               |   |   |   |                    |
| width 1.2 m (15) 21.67                                                                       |                               |   |   |   |                    |
| 156.06 m <sup>2</sup> (16) 7491.81 / 1169172200                                              |                               |   |   |   |                    |
| (9) Earthwork in road<br>width 1.2 m (15) 21.67                                              |                               |   |   |   |                    |
| 178.15 m <sup>2</sup> (16) 383.94 / 50584200                                                 |                               |   |   |   |                    |
| (10) Providing and laying<br>1st. Class. bedding of<br>width 1.2 m (15) 21.67 (16)           |                               |   |   |   | 10304200           |
| 20.77 m <sup>2</sup> (16) 496.08 / 186590700                                                 |                               |   |   |   |                    |
| (11) Providing and laying<br>Per Mo. 5 in 1000 of<br>width 1.2 m (15) 21.67 (16)             |                               |   |   |   | 95620200           |
| 15.92 m <sup>2</sup> (16) 606.31 / 186590700                                                 |                               |   |   |   |                    |
| (12) Provide Masonry in 1:4 (14)                                                             |                               |   |   |   |                    |
| 28 in 1000 of 1000                                                                           |                               |   |   |   |                    |
| width 1.2 m (15) 21.67 (16)                                                                  |                               |   |   |   |                    |
| 154.32 m <sup>2</sup> (16) 5973.80 / 1865921937200                                           |                               |   |   |   |                    |
| Total R.                                                                                     |                               |   |   |   | 4746657200         |

Continuation

| Particulars                                         | Details of actual measurement |    |    |    | Contents of area      |
|-----------------------------------------------------|-------------------------------|----|----|----|-----------------------|
|                                                     | No.                           | L. | B. | D. |                       |
| (13) providing and laying 1000 H.P. pipes etc.      |                               |    |    |    | 00' 8" 1/4 1746657200 |
| vide T.M.B. page (13) etc (13)                      |                               |    |    |    |                       |
| 5000 H.P. @ 8.3654.89/- @ 18274200                  |                               |    |    |    |                       |
| (14) providing and laying 1000 H.P. H.P. pipes etc. |                               |    |    |    |                       |
| vide T.M.B. page (13) etc (13)                      |                               |    |    |    |                       |
| 35.004 H.P. @ 8.3844.64/H.P. 134562200              |                               |    |    |    |                       |
| (15) providing and laying 31 etc                    |                               |    |    |    |                       |
| vide T.M.B. page (15) etc (15)                      |                               |    |    |    |                       |
| 209.90 H.P. @ 18274200-13                           |                               |    |    |    | 38' 78524             |
| (16) providing and laying 32 etc                    |                               |    |    |    |                       |
| vide T.M.B. page (15) etc (16)                      |                               |    |    |    |                       |
| 209.90 H.P. @ 8.140.63/- @ 29518200                 |                               |    |    |    |                       |
| (17) providing and laying 33 etc                    |                               |    |    |    |                       |
| vide T.M.B. page (15) etc (17)                      |                               |    |    |    |                       |
| 162.29 H.P. @ 8.283.94/- @ 46081200                 |                               |    |    |    |                       |
| (18) providing and laying 34 etc                    |                               |    |    |    |                       |
| vide T.M.B. page (15) etc (18)                      |                               |    |    |    |                       |
| 20.28 H.P. @ 8.606.31/- @ 8191808200                |                               |    |    |    |                       |
| vide T.M.B. page (15) etc (18)                      |                               |    |    |    |                       |
| 7000 H.P. @ 5195855200                              |                               |    |    |    |                       |

Continuation

| Particulars                                                                       | Details of actual measurement |   |   |   | Contents of bags |
|-----------------------------------------------------------------------------------|-------------------------------|---|---|---|------------------|
|                                                                                   | No.                           | L | B | D |                  |
| (19) Providing and laying<br>PCC 1400 artificial<br>Voids 1400 PCC (15) 2700 (13) |                               |   |   |   | 1358 513568530   |
| 10/7/145 @ Rs. 6623.01 / 1867362620                                               |                               |   |   |   |                  |
| (20) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (20)                                                     |                               |   |   |   |                  |
| 12258 M <sup>3</sup> @ Rs. 6819.49 / 18 8359330                                   |                               |   |   |   |                  |
| (21) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (21)                                                     |                               |   |   |   |                  |
| (22) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (22)                                                     |                               |   |   |   |                  |
| (23) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (23)                                                     |                               |   |   |   |                  |
| (24) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (24)                                                     |                               |   |   |   |                  |
| (25) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (25)                                                     |                               |   |   |   |                  |
| (26) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (26)                                                     |                               |   |   |   |                  |
| (27) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (27)                                                     |                               |   |   |   |                  |
| (28) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (28)                                                     |                               |   |   |   |                  |
| (29) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (29)                                                     |                               |   |   |   |                  |
| (30) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (30)                                                     |                               |   |   |   |                  |
| (31) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (31)                                                     |                               |   |   |   |                  |
| (32) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (32)                                                     |                               |   |   |   |                  |
| (33) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (33)                                                     |                               |   |   |   |                  |
| (34) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (34)                                                     |                               |   |   |   |                  |
| (35) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (35)                                                     |                               |   |   |   |                  |
| (36) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (36)                                                     |                               |   |   |   |                  |
| (37) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (37)                                                     |                               |   |   |   |                  |
| (38) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (38)                                                     |                               |   |   |   |                  |
| (39) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (39)                                                     |                               |   |   |   |                  |
| (40) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (40)                                                     |                               |   |   |   |                  |
| (41) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (41)                                                     |                               |   |   |   |                  |
| (42) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (42)                                                     |                               |   |   |   |                  |
| (43) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (43)                                                     |                               |   |   |   |                  |
| (44) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (44)                                                     |                               |   |   |   |                  |
| (45) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (45)                                                     |                               |   |   |   |                  |
| (46) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (46)                                                     |                               |   |   |   |                  |
| (47) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (47)                                                     |                               |   |   |   |                  |
| (48) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (48)                                                     |                               |   |   |   |                  |
| (49) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (49)                                                     |                               |   |   |   |                  |
| (50) Providing and laying<br>PCC 1400 sub 1500-9/04                               |                               |   |   |   |                  |
| Voids 1400 PCC (15) 2700 (50)                                                     |                               |   |   |   |                  |

| Particulars                                   | Details of actual measurement |    |    |    | Contents of area |
|-----------------------------------------------|-------------------------------|----|----|----|------------------|
|                                               | No.                           | L. | B. | D. |                  |
| 25 Providing and laying                       |                               |    |    |    | 11703674482420   |
| 47                                            |                               |    |    |    |                  |
| Width 1.12 m (16) 21 (25)                     |                               |    |    |    |                  |
| 115.00 M <sup>2</sup> @ 8.297577/1.8234280924 |                               |    |    |    |                  |
| 28 Providing and laying                       |                               |    |    |    |                  |
| 47                                            |                               |    |    |    |                  |
| 60/4r Media                                   |                               |    |    |    |                  |
| Width 1.12 m (15) 21 (26)                     |                               |    |    |    |                  |
| 38.40 M <sup>2</sup> @ 8.49608/8.250024       |                               |    |    |    |                  |
| 27 Providing and laying                       |                               |    |    |    |                  |
| 47                                            |                               |    |    |    |                  |
| Ree Has in Dueside                            |                               |    |    |    |                  |
| Width 1.12 m (15) 21 (27)                     |                               |    |    |    |                  |
| 15.49 M <sup>2</sup> @ 8.775053/8.19008720    |                               |    |    |    |                  |
| 28 Supplying lifting and                      |                               |    |    |    |                  |
| 475                                           |                               |    |    |    |                  |
| placing 7-11/2. hour                          |                               |    |    |    |                  |
| Width 1.12 m (15) 21 (28)                     |                               |    |    |    |                  |
| 1.87 M <sup>2</sup> @ 8.5011035/1.9.9370625   |                               |    |    |    |                  |
| 29 Providing and laying                       |                               |    |    |    |                  |
| 46                                            |                               |    |    |    |                  |
| seal jointing                                 |                               |    |    |    |                  |
| Width 1.12 m (15) 21 (29)                     |                               |    |    |    |                  |
| 15.00 M <sup>2</sup> @ 8.3802/1.82.57020      |                               |    |    |    |                  |
| 30 Coat of Reddum/pebb                        |                               |    |    |    |                  |
| 47                                            |                               |    |    |    |                  |
| well                                          |                               |    |    |    |                  |
| Width 1.12 m (15) 21 (30)                     |                               |    |    |    |                  |
| 1.92 M <sup>2</sup> @ 8.73279/1.8.14130017    |                               |    |    |    |                  |
| Width 1.12 m (15) 21 (31)                     |                               |    |    |    |                  |
| 1.92 M <sup>2</sup> @ 8.73279/1.8.14130017    |                               |    |    |    |                  |

Continuation

| Particulars            | Details of actual measurement |   |   |   | Contents of area  |
|------------------------|-------------------------------|---|---|---|-------------------|
|                        | No.                           | L | B | D |                   |
|                        |                               |   |   |   | 13208 7344/28200  |
| Add 14% Labd. @ R      |                               |   |   |   | 7344/200          |
| Red. 12% @ R           |                               |   |   |   | 881 095200        |
| Add. 8. Pave. @ R      |                               |   |   |   | 335 45200         |
|                        |                               |   |   |   | 746 R. 8332409200 |
| Less 17.60% Labd @ R   |                               |   |   |   | 1466 504200       |
|                        |                               |   |   |   | 746 R. 6865905200 |
| Less paving @ R        |                               |   |   |   | 252250620         |
|                        |                               |   |   |   | 746 R. 434340020  |
|                        |                               |   |   |   | 157/23            |
| Redevelop              |                               |   |   |   |                   |
| (1) 95% Red. - 3556943 |                               |   |   |   |                   |
| (2) St. dust.          |                               |   |   |   | 100.6/44          |
| (3) 10% Pav. Red.      |                               |   |   |   | 175.934           |
| (4) 90% Pav.           |                               |   |   |   | 34.9044           |
|                        |                               |   |   |   | 157/23            |