

Name of Work-

Situation of Work-

Agency by which work is executed-

Date of Measurement-

No. and date of agreement

(These four lines should be repeated at the commencement
of the measurement relating to each work)

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|----|----|----|---------------------|
| | No. | L. | B. | D. | |

1st Anf from Bill.

Name of work:- Comft of Road

and C-D work with

mainkin L023 Jangji ✓

Pur more to Jangji ✓

Agency:- Sri - Arvind Kumar ✓

Agreement No:- 01 M.BD/2023-24 ✓

Date of Work Order: 15-03-2023 ✓

Date of work - 14-12-2023 ✓

Survey / Providing clearing &

gathering road land -

ab to s corapdu -

$$2 \text{ Nos} \times 50.0 \times 5.5 + 4.5 = 500 \text{ m}^2$$

$$2 \text{ Nos} \times 50.0 \times 4.5 + 5.0 = 495 \text{ m}^2$$

$$2 \text{ Nos} \times 50.0 \times 4.6 + 4.8 = 490 \text{ m}^2$$

$$2 \text{ Nos} \times 50.0 \times 4.2 + 3.8 = 400 \text{ m}^2$$

$$2 \text{ Nos} \times 50.0 \times 4.0 + 3.8 = 390 \text{ m}^2$$

$$2 \text{ Nos} \times 50.0 \times 3.8 + 3.6 = 370 \text{ m}^2$$

$$2 \text{ Nos} \times 50.0 \times 4.3 + 4.2 = 450 \text{ m}^2$$

$$1 \text{ Nos} \times 50.0 \times 2.8 + 2.4 = 130 \text{ m}^2$$

$$1 \text{ Nos} \times 50.0 \times 3.0 + 2.0 = 125 \text{ m}^2$$

$$\text{Total} = 3310 \text{ m}^2$$

$$3310 / 10000 \text{ Hect} = 0.331 \text{ Hect}$$

| Particulars | Details of actual measurement | | | | Contents of area |
|----------------------|-------------------------------|----|----|----|--|
| | No. | L. | B. | D. | |
| 3mtrs ² / | | | | | Construction of embankment with earth and material |
| | | | | | $2 \text{ No} \times 50.0 \times 0.8 + 1.2 \times 0.3 \times 0.5 = 40 \text{ m}^3$ |
| | | | | | $2 \text{ No} \times 50.0 \times 0.7 + 1.5 \times 0.5 \times 0.6 = 60.5 \text{ m}^3$ |
| | | | | | $2 \text{ No} \times 50.0 \times 0.9 + 1.3 \times 0.45 \times 0.7 = 49.5 \text{ m}^3$ |
| | | | | | $2 \text{ No} \times 50.0 \times 0.7 + 1.2 \times 0.35 \times 0.7 = 33.25 \text{ m}^3$ |
| | | | | | $2 \text{ No} \times 50.0 \times 0.8 + 1.6 \times 0.9 \times 0.7 = 120 \text{ m}^3$ |
| | | | | | Total = <u>303.25 m^3</u> |
| 3mtrs ² / | | | | | Poverty level approaches and footpath (2x3) material filling etc |
| | | | | | Pot holes - no 2 |
| | | | | | $1 \text{ No} \times 4.0 \times 1.70 \times 0.15 = 1.02 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 7.0 \times 1.40 \times 0.15 = 1.47 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 6.0 \times 0.90 \times 0.15 = 0.81 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 3.0 \times 1.50 \times 0.15 = 0.68 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 4.0 \times 1.90 \times 0.15 = 1.14 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 3.0 \times 1.00 \times 0.15 = 0.45 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 5.0 \times 2.10 \times 0.15 = 1.58 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 2.0 \times 1.70 \times 0.15 = 0.51 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 8.0 \times 1.30 \times 0.15 = 1.56 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 7.0 \times 1.80 \times 0.15 = 1.89 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 8.0 \times 1.40 \times 0.15 = 1.68 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 7.0 \times 1.10 \times 0.15 = 1.16 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 4.0 \times 0.90 \times 0.15 = 0.54 \text{ m}^3$ |
| | | | | | 90.84 <u>14.49 m^3</u> |

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|----|----|----|---|
| | No. | L. | B. | D. | |
| | | | | | $B/R \text{ area} = 14.4 \text{ m}^2$ |
| | | | | | $1 \text{ No} \times 70 \times 1.80 \times 0.150 = 1.89 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 3.0 \times 1.50 \times 0.150 = 0.68 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 40 \times 1.60 \times 0.150 = 0.96 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 20 \times 1.80 \times 0.150 = 0.99 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 4.0 \times 1.40 \times 0.150 = 0.84 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 5.0 \times 1.60 \times 0.150 = 1.20 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 3.0 \times 1.80 \times 0.150 = 0.59 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 2.0 \times 1.60 \times 0.150 = 0.48 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 4.0 \times 1.10 \times 0.150 = 0.66 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 8.0 \times 1.30 \times 0.150 = 1.56 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 6.0 \times 1.40 \times 0.150 = 1.26 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 4.0 \times 1.70 \times 0.150 = 1.02 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 3.0 \times 0.80 \times 0.15 = 0.36 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 5.0 \times 1.50 \times 0.15 = 0.75 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 8.0 \times 1.20 \times 0.15 = 1.44 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 9.0 \times 1.60 \times 0.15 = 2.16 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 5.0 \times 1.40 \times 0.15 = 1.05 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 8.0 \times 1.30 \times 0.15 = 1.56 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 8.0 \times 1.90 \times 0.15 = 2.28 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 9.0 \times 1.40 \times 0.15 = 1.89 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 8.0 \times 1.60 \times 0.15 = 1.92 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 9.0 \times 1.70 \times 0.15 = 2.29 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 8.0 \times 1.30 \times 0.15 = 1.56 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 2.0 \times 1.80 \times 0.15 = 0.54 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 3.0 \times 1.90 \times 0.15 = 0.86 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 2.0 \times 2.00 \times 0.150 = 0.60 \text{ m}^3$ |
| | | | | | $\text{Total area} = 45.28 \text{ m}^3$ |

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|----|----|----|--|
| | No. | L. | B. | D. | |
| | | | | | $10 \times 0.8 = 8 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 5.0 \times 1.80 \times 0.15 = 1.35 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 2.0 \times 1.60 \times 0.15 = 0.48 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 4.0 \times 1.50 \times 0.15 = 0.90 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 5.0 \times 1.70 \times 0.15 = 1.27 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 2.0 \times 1.80 \times 0.15 = 0.54 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 3.0 \times 1.90 \times 0.15 = 0.85 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 4.0 \times 2.00 \times 0.15 = 1.20 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 2.0 \times 2.00 \times 0.15 = 0.60 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 5.0 \times 1.70 \times 0.15 = 1.27 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 3.0 \times 1.80 \times 0.15 = 0.81 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 2.0 \times 1.50 \times 0.15 = 0.45 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 3.0 \times 1.90 \times 0.15 = 0.85 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 5.0 \times 1.30 \times 0.15 = 0.97 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 6.0 \times 1.90 \times 0.15 = 1.71 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 4.0 \times 1.10 \times 0.15 = 0.66 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 4.0 \times 1.80 \times 0.15 = 0.54 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 5.0 \times 1.70 \times 0.15 = 1.27 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 3.0 \times 1.90 \times 0.15 = 0.85 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 2.0 \times 2.00 \times 0.15 = 0.60 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 3.0 \times 1.70 \times 0.15 = 0.76 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 2.0 \times 2.20 \times 0.15 = 0.50 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 5.0 \times 1.10 \times 0.15 = 0.82 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 9.0 \times 0.80 \times 0.15 = 1.08 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 6.0 \times 0.90 \times 0.15 = 0.81 \text{ m}^3$ |
| | | | | | $1 \text{ No} \times 4.0 \times 1.20 \times 0.15 = 0.72 \text{ m}^3$ |
| | | | | | $10 + 8 = 67.14 \text{ m}^3$ |

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|--------------------------|-----|-----|----------------------|
| | No. | L. | B. | D. | |
| | | | 81f | 0.4 | 67.14 m ³ |
| | 1 | 1.6 x 1.0 x 1.80 x 0.15 | | | 0.27 m ³ |
| | 2 | 1.6 x 4.60 x 1.70 x 0.15 | | | 1.17 m ³ |
| | 3 | 1.6 x 5.90 x 1.90 x 0.15 | | | 1.68 m ³ |
| | 4 | 1.6 x 6.80 x 2.10 x 0.15 | | | 2.14 m ³ |
| | 5 | 1.6 x 3.0 x 1.60 x 0.15 | | | 0.72 m ³ |
| | | 7040 ft ² | | | 73.12 m ³ |
| | | Model | | | 0.82 m ³ |
| | | 510123 | | | |
| gmrn | | poorly laying & bedding | | | 1.50 m ³ |
| | | and compacting WB M | | | 0.24 m ³ |
| | | gmr II concrete fill | | | 0.05 m ³ |
| | | in Potholes - 20 | | | 0.02 m ³ |

| | | |
|--|--------------------------|-----------------------|
| | 1.6 x 2.0 x 1.90 x 0.075 | = 0.29 m ³ |
| | 1.6 x 8.0 x 2.00 x 0.075 | = 0.45 m ³ |
| | 1.6 x 2.0 x 2.10 x 0.075 | = 0.32 m ³ |
| | 1.6 x 5.0 x 1.90 x 0.075 | = 0.71 m ³ |
| | 1.6 x 2.0 x 1.70 x 0.075 | = 0.26 m ³ |
| | 1.6 x 4.0 x 1.60 x 0.075 | = 0.48 m ³ |
| | 1.6 x 5.0 x 1.80 x 0.075 | = 0.68 m ³ |
| | 1.6 x 2.0 x 1.90 x 0.075 | = 0.29 m ³ |
| | 1.6 x 3.0 x 2.0 x 0.075 | = 0.45 m ³ |
| | 1.6 x 4.0 x 2.10 x 0.075 | = 0.63 m ³ |
| | 1.6 x 2.0 x 2.10 x 0.075 | = 0.32 m ³ |
| | 1.6 x 5.0 x 1.80 x 0.075 | = 0.68 m ³ |
| | 1.6 x 3.0 x 1.90 x 0.075 | = 0.43 m ³ |
| | 1.6 x 2.0 x 1.60 x 0.075 | = 0.24 m ³ |

$\therefore \text{Total} = 6.23 \text{ m}^3$

$$B \times f \times h = 6.23 \text{ m}^3$$

| Particulars | Details of actual measurement | | | | Contents of area |
|---|-------------------------------|----|----|----|---------------------|
| | No. | L. | B. | D. | |
| 1 N ₆ X 3.0 X 2.00 X 0.075 = 0.45 m ³ | | | | | |
| 1 N ₆ X 5.0 X 1.40 X 0.075 = 1.05 m ³ | | | | | |
| 1 N ₆ X 6.0 X 2.00 X 0.075 = 0.90 m ³ | | | | | |
| 1 N ₆ X 4.0 X 1.20 X 0.075 = 0.36 m ³ | | | | | |
| 1 N ₆ X 2.0 X 1.90 X 0.075 = 0.28 m ³ | | | | | |
| 1 N ₆ X 5.0 X 1.80 X 0.075 = 0.67 m ³ | | | | | |
| 1 N ₆ X 3.0 X 2.0 X 0.075 = 0.45 m ³ | | | | | |
| 1 N ₆ X 2.0 X 2.10 X 0.075 = 0.31 m ³ | | | | | |
| 1 N ₆ X 3.0 X 1.80 X 0.075 = 0.40 m ³ | | | | | |
| 1 N ₆ X 2.0 X 2.30 X 0.075 = 0.34 m ³ | | | | | |
| 1 N ₆ X 5.0 X 1.20 X 0.075 = 0.45 m ³ | | | | | |
| 1 N ₆ X 9.0 X 0.90 X 0.075 = 0.60 m ³ | | | | | |
| 1 N ₆ X 6.0 X 1.00 X 0.075 = 0.45 m ³ | | | | | |
| 1 N ₆ X 4.0 X 1.30 X 0.075 = 0.39 m ³ | | | | | |
| 1 N ₆ X 1.0 X 1.70 X 0.075 = 0.12 m ³ | | | | | |
| 1 N ₆ X 5.0 X 1.80 X 0.075 = 0.67 m ³ | | | | | |
| 1 N ₆ X 6.0 X 2.00 X 0.075 = 0.90 m ³ | | | | | |
| 1 N ₆ X 7.0 X 2.10 X 0.075 = 1.10 m ³ | | | | | |
| 1 N ₆ X 3.0 X 1.70 X 0.075 = 0.38 m ³ | | | | | |
| 1 N ₆ X 4.0 X 1.70 X 0.075 = 0.51 m ³ | | | | | |
| 1 N ₆ X 3.0 X 1.80 X 0.075 = 0.40 m ³ | | | | | |
| 1 N ₆ X 1.0 X 2.00 X 0.075 = 0.15 m ³ | | | | | |
| 1 N ₆ X 2.0 X 2.10 X 0.075 = 0.31 m ³ | | | | | |
| 1 N ₆ X 6.0 X 1.40 X 0.075 = 0.63 m ³ | | | | | |
| 1 N ₆ X 7.0 X 1.30 X 0.075 = 0.68 m ³ | | | | | |
| 1 N ₆ X 4.0 X 1.50 X 0.075 = 0.45 m ³ | | | | | |
| 1 N ₆ X 5.0 X 1.60 X 0.075 = 0.60 m ³ | | | | | |
| Total - 19.70 m ³ | | | | | |

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|----|----|----|--|
| | No. | L. | B. | D. | |
| | | | | | $8/16 \times 0.75 = 19.70 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 4.0 \times 1.80 \times 0.075 = 0.54 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 7.0 \times 1.50 \times 0.075 = 0.78 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 6.0 \times 1.00 \times 0.075 = 0.45 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 3.0 \times 1.60 \times 0.075 = 0.36 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 4.0 \times 2.00 \times 0.075 = 0.60 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 3.0 \times 1.10 \times 0.075 = 0.24 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 5.0 \times 2.20 \times 0.075 = 0.82 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 2.0 \times 1.80 \times 0.075 = 0.27 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 8.0 \times 1.40 \times 0.075 = 0.84 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 7.0 \times 1.90 \times 0.075 = 0.99 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 8.0 \times 1.50 \times 0.075 = 0.90 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 7.0 \times 1.20 \times 0.075 = 0.63 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 4.0 \times 1.00 \times 0.075 = 0.30 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 7.0 \times 1.90 \times 0.075 = 0.99 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 3.0 \times 1.60 \times 0.075 = 0.36 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 4.0 \times 1.70 \times 0.075 = 0.51 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 2.0 \times 1.40 \times 0.075 = 0.21 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 4.0 \times 1.50 \times 0.075 = 0.45 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 5.0 \times 1.70 \times 0.075 = 0.63 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 3.0 \times 1.40 \times 0.075 = 0.31 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 2.0 \times 1.70 \times 0.075 = 0.25 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 4.0 \times 1.20 \times 0.075 = 0.36 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 8.0 \times 1.40 \times 0.075 = 0.84 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 6.0 \times 1.50 \times 0.075 = 0.67 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 4.0 \times 1.80 \times 0.075 = 0.54 \text{ m}^3$ |
| | | | | | $1 \text{ N}_6 \times 6.0 \times 1.70 \times 0.075 = 0.76 \text{ m}^3$ |
| | | | | | $10.24 = 34.3 \text{ m}^3$ |

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|----|----|--|---------------------|
| | No. | L. | B. | D. | |
| | | | | $8/18 \times 1.4 =$ | 34.30 m^3 |
| | | | | $1 N_6 \times 3.0 \times 0.90 \times 0.075 = 0.20 \text{ m}^3$ | |
| | | | | $1 N_6 \times 5.0 \times 1.10 \times 0.075 = 0.41 \text{ m}^3$ | |
| | | | | $1 N_6 \times 8.0 \times 1.30 \times 0.075 = 0.75 \text{ m}^3$ | |
| | | | | $1 N_6 \times 3.0 \times 1.70 \times 0.075 = 1.14 \text{ m}^3$ | |
| | | | | $1 N_6 \times 5.0 \times 1.50 \times 0.075 = 0.56 \text{ m}^3$ | |
| | | | | $1 N_6 \times 8.0 \times 1.40 \times 0.075 = 0.84 \text{ m}^3$ | |
| | | | | $1 N_6 \times 8.0 \times 2.00 \times 0.075 = 1.20 \text{ m}^3$ | |
| | | | | $1 N_6 \times 9.0 \times 1.50 \times 0.075 = 1.01 \text{ m}^3$ | |
| | | | | $1 N_6 \times 8.0 \times 1.70 \times 0.075 = 1.02 \text{ m}^3$ | |
| | | | | $1 N_6 \times 6.0 \times 1.40 \times 0.075 = 0.63 \text{ m}^3$ | |
| | | | | $1 N_6 \times 5.0 \times 1.90 \times 0.075 = 0.71 \text{ m}^3$ | |
| | | | | $1 N_6 \times 3.0 \times 1.70 \times 0.075 = 0.38 \text{ m}^3$ | |
| | | | | $1 N_6 \times 2.0 \times 1.20 \times 0.075 = 0.18 \text{ m}^3$ | |
| | | | | Total = 43.33 m^3 | |

~~M.d.A~~
~~18/05/13~~
~~OR~~
~~8-5-13~~

~~Summ/~~ Combination of sub -

~~part of earth shoulder~~

~~ab to ac complt~~ —

| | |
|---|------------------------------|
| $2 \times 2 N_6 \times 50.0 \times 0.9 + 1.3 \times 0.3 + 0.5 = 88 \text{ m}^3$ | |
| $2 \times 2 N_6 \times 50.0 \times 1.0 + 1.60 \times 0.4 + 0.5 = 117 \text{ m}^3$ | |
| $2 \times 2 N_6 \times 50.0 \times 0.8 + 1.6 \times 0.3 + 0.4 = 108 \text{ m}^3$ | |
| $2 \times 2 N_6 \times 50.0 \times 1.1 + 1.9 \times 0.2 + 0.4 = 95 \text{ m}^3$ | |
| $2 \times 2 N_6 \times 50.0 \times 0.6 + 1.2 \times 0.30 = 54 \text{ m}^3$ | |
| $2 \times 2 N_6 \times 50.0 \times 0.7 + 1.5 \times 0.60 = 132 \text{ m}^3$ | |
| $2 \times 2 N_6 \times 50.0 \times 0.9 + 1.4 \times 0.25 = 57.5 \text{ m}^3$ | |
| | Total = 566.50 m^3 |

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|---|----|----|----|--------------------------------------|
| | No. | L. | B. | D. | |
| Sonntg 6/ | Pooridg brick mason | | | | |
| | area in c.m (1:3) m - | | | | |
| | Parapet Robots - 02 | | | | |
| | $1 \times 2.80 \times 0.8 \times 0.4 \times 0.80 = 1.34 m^3$ | | | | |
| Sonntg 7/ | Plastering with Cement mortar (1:4) - 02 | | | | |
| | $2 \times 6.00 \times 0.90 = 10.80 m^2$ | | | | |
| | $2 \times 6.00 \times 0.30 = 3.60 m^2$ | | | | |
| | $2 \times 6.00 \times 0.40 = 4.80 m^2$ | | | | |
| | | | | | <u>$19.20 m^2$</u> |
| Sonntg 8/ | Pooridg Painty - Two coats on New Surfaces - 02 | | | | |
| | $2 \times 6.00 \times 0.90 = 10.80 m^2$ | | | | |
| | $2 \times 6.00 \times 0.30 = 3.60 m^2$ | | | | |
| | $2 \times 6.00 \times 0.40 = 4.80 m^2$ | | | | |
| | | | | | <u>$19.20 m^2$</u> |
| Sonntg 9/ | Pooridg laying spreading one continuity width from mortar filling by pot holes - | | | | |
| | $2.0 \times 1.90 \times 0.075 = 0.28 m^3$ | | | | |
| | $2.0 \times 2.10 \times 0.075 = 0.31 m^3$ | | | | |
| | $3.0 \times 2.00 \times 0.075 = 0.45 m^3$ | | | | |
| | $5.0 \times 1.90 \times 0.075 = 0.71 m^3$ | | | | |
| | $2.0 \times 1.70 \times 0.075 = 0.25 m^3$ | | | | |
| | $4.0 \times 1.60 \times 0.075 = 0.48 m^3$ | | | | |
| | | | | | <u>$90.24 \ 2.48 m^3$</u> |

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|----|----|----|---------------------|
| | No. | L. | B. | D. | |
| | | | | | 2.48 m^3 |
| | | | | | 0.67 m^3 |
| | | | | | 0.28 m^3 |
| | | | | | 0.45 m^3 |
| | | | | | 0.63 m^3 |
| | | | | | 0.31 m^3 |
| | | | | | 0.67 m^3 |
| | | | | | 0.42 m^3 |
| | | | | | 0.24 m^3 |
| | | | | | 0.45 m^3 |
| | | | | | 0.52 m^3 |
| | | | | | 0.90 m^3 |
| | | | | | 0.36 m^3 |
| | | | | | 0.28 m^3 |
| | | | | | 0.67 m^3 |
| | | | | | 0.90 m^3 |
| | | | | | 0.31 m^3 |
| | | | | | 0.81 m^3 |
| | | | | | 0.34 m^3 |
| | | | | | 0.45 m^3 |
| | | | | | 0.20 m^3 |
| | | | | | 0.45 m^3 |
| | | | | | 0.39 m^3 |
| | | | | | 0.15 m^3 |
| | | | | | 0.67 m^3 |
| | | | | | 0.88 m^3 |
| | | | | | 1.10 m^3 |
| | | | | | 0.10 m^3 |
| | | | | | 15.98 m^3 |

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|---|---|----|--|
| | No. | L | B | D. | |
| | | | | | $3/8 \times 4 \times 1.5 = 15.98 m^3$ |
| | | | | | $3.0 \times 1.70 \times 0.075 = 0.38 m^3$ |
| | | | | | $4.0 \times 1.60 \times 0.075 = 0.48 m^3$ |
| | | | | | $3.0 \times 1.80 \times 0.075 = 0.45 m^3$ |
| | | | | | $1.20 \times 2.00 \times 0.075 = 0.18 m^3$ |
| | | | | | $2.0 \times 2.10 \times 0.075 = 0.31 m^3$ |
| | | | | | $6.0 \times 1.40 \times 0.075 = 0.63 m^3$ |
| | | | | | $3.50 \times 1.30 \times 0.075 = 0.34 m^3$ |
| | | | | | $4.20 \times 1.50 \times 0.075 = 0.47 m^3$ |
| | | | | | $5.0 \times 1.60 \times 0.075 = 0.60 m^3$ |
| | | | | | $4.80 \times 1.70 \times 0.075 = 0.61 m^3$ |
| | | | | | $6.0 \times 0.90 \times 0.075 = 0.40 m^3$ |
| | | | | | $4.0 \times 1.50 \times 0.075 = 0.45 m^3$ |
| | | | | | $3.50 \times 1.80 \times 0.075 = 0.49 m^3$ |
| | | | | | $2.50 \times 1.50 \times 0.075 = 0.28 m^3$ |
| | | | | | $5.0 \times 1.70 \times 0.075 = 0.63 m^3$ |
| | | | | | $3.0 \times 1.40 \times 0.075 = 0.31 m^3$ |
| | | | | | $2.0 \times 1.70 \times 0.075 = 0.25 m^3$ |
| | | | | | $4.0 \times 1.20 \times 0.075 = 0.36 m^3$ |
| | | | | | $8.0 \times 1.40 \times 0.075 = 0.84 m^3$ |
| | | | | | $6.0 \times 1.50 \times 0.075 = 0.67 m^3$ |
| | | | | | $4.0 \times 1.80 \times 0.075 = 0.54 m^3$ |
| | | | | | $3.0 \times 0.90 \times 0.075 = 0.20 m^3$ |
| | | | | | $5.0 \times 1.10 \times 0.075 = 0.41 m^3$ |
| | | | | | $8.0 \times 1.30 \times 0.075 = 0.78 m^3$ |
| | | | | | $9.0 \times 1.70 \times 0.075 = 1.14 m^3$ |
| | | | | | $5.0 \times 1.50 \times 0.075 = 0.56 m^3$ |
| | | | | | $90.84 \quad 28.67 m^3$ |

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|----|-----------------------|----|---------------------------|
| | No. | L. | B. | D. | |
| | | | 8/ P. 04 | | 28.67 m ³ |
| | | | 7.90 x 1.40 x 0.075 = | | 0.82 m ³ |
| | | | 7.60 x 2.00 x 0.075 = | | 1.14 m ³ |
| | | | 8.60 x 1.50 x 0.075 = | | 0.96 m ³ |
| | | | 7.80 x 1.70 x 0.075 = | | 0.99 m ³ |
| | | | 6.90 x 1.80 x 0.075 = | | 0.93 m ³ |
| | | | 7.60 x 1.40 x 0.075 = | | 0.79 m ³ |
| | | | 6.30 x 1.60 x 0.075 = | | 0.75 m ³ |
| | | | 5.20 x 1.80 x 0.075 = | | 0.70 m ³ |
| | | | 3.50 x 2.20 x 0.075 = | | 0.52 m ³ |
| | | | 5.0 x 1.80 x 0.075 = | | 0.67 m ³ |
| | | | 6.60 x 1.70 x 0.075 = | | 0.84 m ³ |
| | | | 4.80 x 1.90 x 0.075 = | | 0.68 m ³ |
| | | | 3.80 x 1.20 x 0.075 = | | 0.34 m ³ |
| | | | 5.0 x 1.10 x 0.075 = | | 0.41 m ³ |
| | | | 2.50 x 1.30 x 0.075 = | | 0.24 m ³ |
| | | | 5.30 x 1.50 x 0.075 = | | 0.59 m ³ |
| | | | 4.0 x 1.50 x 0.075 = | | 0.45 m ³ |
| | | | 6.0 x 1.10 x 0.075 = | | 0.49 m ³ |
| | | | 7.0 x 1.20 x 0.075 = | | 0.63 m ³ |
| | | | 8.0 x 1.40 x 0.075 = | | 0.84 m ³ |
| | | | 7.0 x 1.60 x 0.075 = | | 0.84 m ³ |
| | | | 2.5 x 1.60 x 0.075 = | | 0.30 m ³ |
| | | | 3.90 x 0.90 x 0.075 = | | 0.26 m ³ |
| | | | 6.60 x 1.30 x 0.075 = | | 0.64 m ³ |
| | | | 3.80 x 1.40 x 0.075 = | | 0.39 m ³ |
| | | | 7.50 x 1.10 x 0.075 = | | 0.37 m ³ |
| | | | | | 40.84 45.3 m ³ |

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|----|---|----|---------------------|
| | No. | L. | B. | D. | |
| | | | B/P-QM | | 45.30m ³ |
| | | | $4.80 \times 1.40 \times 0.075 = 0.50m^3$ | | |
| | | | $6.30 \times 1.20 \times 0.075 = 0.56m^3$ | | |
| | | | $5.50 \times 1.70 \times 0.075 = 0.70m^3$ | | |
| | | | $3.90 \times 1.60 \times 0.075 = 0.46m^3$ | | |
| | | | $1.80 \times 0.90 \times 0.075 = 0.12m^3$ | | |
| | | | $2.50 \times 1.30 \times 0.075 = 0.24m^3$ | | |
| | | | $6.30 \times 1.20 \times 0.075 = 0.56m^3$ | | |
| | | | $1.20 \times 2.10 \times 0.075 = 0.18m^3$ | | |
| | | | $4.30 \times 0.80 \times 0.075 = 0.25m^3$ | | |
| | | | $1.80 \times 1.70 \times 0.075 = 0.23m^3$ | | |
| | | | $0.90 \times 1.30 \times 0.075 = 0.08m^3$ | | |
| | | | $1.20 \times 0.60 \times 0.075 = 0.05m^3$ | | |
| | | | $1.40 \times 1.10 \times 0.075 = 0.11m^3$ | | |
| | | | $1.20 \times 1.30 \times 0.075 = 0.01m^3$ | | |
| | | | $2.30 \times 2.20 \times 0.075 = 0.38m^3$ | | |
| | | | $1.60 \times 1.50 \times 0.075 = 0.18m^3$ | | |
| | | | $1.80 \times 1.60 \times 0.075 = 0.24m^3$ | | |
| | | | $6.0 \times 2.00 \times 0.075 = 0.90m^3$ | | |
| | | | $5.0 \times 1.30 \times 0.075 = 0.48m^3$ | | |
| | | | $1.20 \times 1.70 \times 0.075 = 0.15m^3$ | | |
| | | | $5.90 \times 2.00 \times 0.075 = 0.88m^3$ | | |
| | | | $7.0 \times 2.10 \times 0.075 = 1.10m^3$ | | |
| | | | $5.0 \times 1.20 \times 0.075 = 0.45m^3$ | | |
| | | | $6.0 \times 1.80 \times 0.075 = 0.81m^3$ | | |
| | | | $5.0 \times 1.90 \times 0.075 = 0.71m^3$ | | |
| | | | $6.0 \times 2.0 \times 0.075 = 0.90m^3$ | | |

Modif Total = 56.50m³

Continuation

25/5/23
H2
25-5-23
PM

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|----|----|----|-----------------------|
| | No. | L. | B. | D. | |
| Sandbank | Poorniy and applng | | | | |
| | Former Coast Area | | | | |
| | Former Coast Area | | | | |
| | as sume of above | | | | |
| | measurement Area | | | | |
| | Vide Page No. 13 | | | | |
| | 56.50 m ³ | | | | |
| | 56.50 / 0.025 = | | | | 753.33 m ² |
| Sandbank II | Poorniy and appl | | | | |
| | Former Coast | | | | |
| | as sume of both | | | | |
| | Total Coast Area | | | | |
| | as sume of Above | | | | |
| | measurement Area | | | | |
| | Vide Page No. 14 | | | | |
| | 753.33 m ² | | | | 753.33 m ² |
| Sandbank | p/l and long 20mm | | | | |
| | thick mixed sand | | | | |
| | as sume of both | | | | |
| | Mixed sand areas | | | | |
| | sume of Above | | | | |
| | item drawn with | | | | |
| | Vide Page No. 14 | | | | |
| | 753.33 m ² | | | | 753.33 m ² |
| | W.D. | | | | N.Y. |
| | 24/6/23 | | | | 24/6/23 |

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|--|----|----|----|---------------------|
| | No. | L. | B. | D. | |
| Somto 13 | Coast of dry beam | | | | |
| | Concreet Content (m ³) | | | | |
| | Brick Content | | | | |
| | as per completion | | | | |
| | $6.8 \times 1.3 \times 0.6 \times 0.025 = 0.66 m^3$ | | | | |
| | $1.2 \times 0.9 \times 0.6 \times 0.025 = 0.08 m^3$ | | | | |
| | $11.5 \times 0.6 \times 0.6 \times 0.025 = 0.51 m^3$ | | | | |
| | $3 \text{ Nos} \times 1.5 \times 0.6 \times 0.6 \times 0.025 = 0.33 m^3$ | | | | |
| | $1 \text{ Nos} \times 5.3 \times 0.9 \times 0.6 \times 0.025 = 0.35 m^3$ | | | | |
| | $2 \text{ Nos} \times 2.8 \times 0.7 \times 0.6 \times 0.025 = 0.29 m^3$ | | | | |
| | $3 \text{ Nos} \times 6.2 \times 0.8 \times 0.6 \times 0.025 = 1.11 m^3$ | | | | |
| | $\rightarrow \text{Total} = 3.33 m^3$ | | | | |

| | | | | | |
|----------|---|--|--|--|--|
| Somto 14 | Construction of beam | | | | |
| | reinforced Concrete beam | | | | |
| | Paronent | | | | |
| | $5 \text{ Nos} \times 2.0 \times 0.4 \times 3.75 \times 0.160 = 60.0 m^3$ | | | | |
| | $1 \text{ Nos} \times 2.2 \times 0.4 \times 3.75 \times 0.160 = 13.2 m^3$ | | | | |
| | $= 73.2 m^3$ | | | | |
| | $\frac{1}{2} \text{ of } 73.2 = 36.6 m^3$ | | | | |
| Somto 15 | framing layout spreading and casting thick - coat | | | | |
| | as per completion | | | | |
| | $1 \text{ Nos} \times 45.0 \times 2.50 + 3.4 + 3.75 = 73.25 m^2$ | | | | |
| | $27 \text{ Nos} \times 25.0 \times 3.750 = 2531.25 m^2$ | | | | |
| | $1 \text{ Nos} \times 10.0 \times 3.75 + 3.60 = 36.75 m^2$ | | | | |
| | $\frac{1}{2} \text{ of } 2641.25 = 1320.625 m^2$ | | | | |

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|--|----|----|----|---------------------|
| | No. | L. | B. | D. | |
| Sect No 16 | Proridge and bay | | | | |
| | beam - dense - brickwork | | | | |
| | Concrete Surface - 0.02 | | | | |
| | $15 \times 7.5 + 3.44 \times 2.25 \times 0.025 =$ | | | | 1.83 m^3 |
| | $27 \text{ N} \times 0.25 \times 0.025 \times 0.025 =$ | | | | 63.28 m^3 |
| | $1 \text{ No} \times 10.0 \times 0.25 \times 0.025 =$ | | | | 0.91 m^3 |
| | | | | | 66.02 m^3 |
| | Mud | | | | |
| | $0.9 \times 0.2 \times 0.3$ | | | | 0.054 m^3 |
| | Gr | | | | |
| | $4.2 \times 0.2 \times 0.3$ | | | | 0.252 m^3 |
| Sect No 17 | Proridge and bay | | | | |
| | K.M. Stoker Post - 0.02 | | | | |
| | 2 Nos | | | | 2 Nos |
| Sect No 18 | PN and bay 200 mm | | | | |
| | trapezoidal | | | | |
| | 4 Nos | | | | 4 Nos |
| Sect No 19 | Proridge and bay Direct | | | | |
| | and Plus identification | | | | |
| | trapezoidal | | | | |
| | $2 \times 1.20 \times 0.80 =$ | | | | 1.92 m^3 |
| Sect No 20 | Proridge and bay 600 mm | | | | |
| | equivalent rectangular | | | | |
| | 3 Nos | | | | 3 Nos |
| Sect No 21 | PN and bay 600 mm | | | | |
| | Circular bays | | | | |
| | 3 Nos | | | | 3 Nos |
| Sect No 22 | PN and bay 600x150 | | | | |
| | mm rectangular bays | | | | |
| | 2 Nos | | | | 2 Nos |

Sch. XLV-Form No. 134

Sch. XLV-Form No. 104

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------------|-------------------------------|-------|----|----|---------------------|
| | No. | L. | B. | D. | |
| 30m ²² | Poorni and Agy | 900mm | | | |
| | Octagon - Top - bottom | | | | |
| | 1 No. — | | | | 1 No. |
| 30m ²³ | P/V and Fidy R.R. | | | | |
| | Boundary Wall - m | | | | |
| | 8 Nos. — | | | | 8 Nos. |
| 30m ²⁴ | Poorni and Lony | | | | |
| | Road boundary - m | | | | |
| | 2x2.8 Nos 25.00 x 0.1002 | | | | 14.002 |
| 30m ²⁵ | Poorni and Lony | | | | |
| | Road boundary - m | | | | |
| | 2x4 Nos 30.00 x 0.1002 | | | | 24.002 |
| 30m ²⁶ | Poorni and Fidy | | | | |
| | Logo or maintenance | | | | |
| | Signs - bottom - m | | | | |
| | 2 Nos. — | | | | 2 Nos. |
| | M.J.M. | | | | |
| | 18/7/13 | | | | |
| | J.C. | | | | |
| | 18-7-13 | | | | |
| | A | | | | |

| Particulars | Details of actual measurement | | | | Contents of area |
|--|-------------------------------|----|----|----|---------------------|
| | No. | L. | B. | D. | |
| | | | | | Abstain of 952 |
| Sectn 1/10 P/V C.I. earth & grub | | | | | |
| Eng road shoulder | | | | | |
| Q11 m ³ P.M. ① | | | | | 20533 = |
| 0.331 m + 0.62039.43/m 20471 = | | | | | |
| Sectn 2/11. Construct met embankment with approach | | | | | |
| metroy → | | | | | |
| Q11 m ³ P.M. ② | | | | | |
| 3.03.25 m ³ | | | | | |
| Limit Q11 = 288 m ³ | | | | | |
| 2.50.34 m ³ f 72098 = | | | | | |
| Sectn 3/12. Count of sub-grade | | | | | |
| at center shoulder | | | | | |
| Q11 m ³ P.M. ③ | | | | | |
| 566.50 m ³ @ 253.71/m ³ 143727 = | | | | | |
| Sectn 4/13 P/V laying spread | | | | | |
| and compaction → | | | | | |
| Grd. material | | | | | |
| Q11 m ³ P.M. ④ | | | | | |
| 73.12 m ³ @ 1453.71/m ³ P 106295 = | | | | | |
| Sectn 5/14 P/V laying spread → | | | | | |
| and compaction → | | | | | |
| W.B. m grnd mat | | | | | |
| Q11 m ³ P.M. ⑤ | | | | | |
| 43.33 m ³ @ 3193.71/m ³ 138387 = | | | | | |
| | | | | | 90 f 481040 = |

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|--|----|----|----|---------------------|
| | No. | L. | B. | D. | |
| | | | | | DIP R. |
| Sect 9/18 | Protruding and long | | | | |
| | spready w.b.m 90111 | | | | |
| | metres - | | | | |
| | Qty 112 m ³ fit. 13 | | | | |
| | 56.50 m ³ @ 2770.66/m ³ R 156542 = | | | | |
| Sect 9/18 | P/V and applying | | | | |
| | Protrude cost - | | | | |
| | Qty 112 m ³ fit. 14 | | | | |
| | 753.33 m ² @ 62.55/m ² 47151 = | | | | |
| Sect 9/18 | P/V and long 5mm | | | | |
| | thickened Section | | | | |
| | Qty 112 m ³ fit. 14 | | | | |
| | 753.33 m ² @ 269.55/m ² 203060 = | | | | |
| Sect 9/18 | Protruding and applying | | | | |
| | face cost - | | | | |
| | Qty 112 m ³ fit. 14-815 | | | | |
| | 753.33 + 9641.21 = | | | | |
| | 3394.58 m ² @ 21.36/m ² 72508 = | | | | |
| Sect 10/19 | P/V and long 5mm. | | | | |
| | dense-Bituminous | | | | |
| | Concrete Surface | | | | |
| | to - as complete - | | | | |
| | Qty 112 m ³ fit. 16 | | | | |
| | 66.02 m ³ | | | | |
| | (13928.14 m ³ R 919206 = | | | | |
| | 90 ft | | | | 1879507. |

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|---|--------|----|----|---------------------|
| | No. | L. | B. | D. | |
| | | | | | 31 P-R 1879307= |
| Somto 1/100 | Consumption of dry beam cement concrete | | | | |
| | do - do | | | | |
| | Qty in 2 mms P.M. 15 | | | | |
| | 3.33 m ³ @ 659.798/m ³ l | | | | 21971= |
| Somto 2/100 | Cost of 1m ³ -Semi-f. Dried Plum Cement | | | | |
| | Concrete - do - do | | | | |
| | Qty in 2 mms P.M. 15 | | | | |
| | 73.20 m ³ | | | | |
| | @ 8052.80/m ³ l | | | | 589465= |
| Somto 3/100 | P/V and fixing — | | | | |
| | K.m stone Post | | | | |
| | Qty in 2 mms P.M. 15 | | | | |
| | 2 Nos @ 2773.07/m ³ l | | | | 5466= |
| | | | | | 5546= |
| Somto 4/100 | P/V and fixing 200 m | | | | |
| | 870 m post - do - do | | | | |
| | Qty in 2 mms P.M. 15 | | | | |
| | 4 Nos @ 807.22/m ³ l | | | | 3229= |
| Somto 5/100 | P/V and fixing directn and place band | | | | |
| | Qty in 2 mms P.M. 15 | | | | |
| | 1.32 m ² | | | | |
| | @ 14861.39/m ² l | | | | 28534= |
| | | 10.8 l | | | 2528252= |

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|---|----|----|----|---------------------|
| | No. | L. | B. | D. | |
| Son 16/16 | | | | | 2528252- |
| | | | | | |
| Son 16/16 | P/V and fwy 600 mm equilateral triangle | | | | |
| | Q/H 12 mm B.P.H. (16) | | | | |
| | 3 Nos Q4873.21/mwh | | | | 13120= |
| Son 17/17 | P/V and fwy 600 mm Circular board | | | | |
| | Q/H 12 mm B.P.H. (16) | | | | |
| | 3 Nos Q4271.55/mwh | | | | 12815= |
| Son 18/18 | Priority and fwy - 600x950 mm - | | | | |
| | rectangle board | | | | |
| | Q/H 12 mm B.P.H. (16) | | | | |
| | 2 Nos Q4129.81/mwh | | | | 8256= |
| Son 19/19 | P/V and fwy of seton reflective side - mandatory | | | | |
| | Conformation of sign board | | | | |
| | Q/H 12 mm B.P.H. (17) | | | | |
| | 1 Nos Q8572.55/mwh | | | | 8573= |
| Son 20/138 | P/V and fwy - R.c = boundary - | | | | |
| | Pillar - or - | | | | |
| | Q/H 12 mm B.P.H. (17) | | | | |
| | 8 Nos Q761.49/mwh | | | | 6092= |
| Son 20/133 | P/V and fwy R.c = | | | | |
| | Masonry - or - or | | | | |
| | 140 mm @ 823.80/mwh | | | | 115332= |
| | gwh. 2,692,940- | | | | |

| Particulars | Details of actual measurement | | | | Contents of area |
|---------------------------------------|--|--------|----|----|---------------------|
| | No. | L. | B. | D. | |
| | | B/F | B | | 2632440= |
| Sonto 22 134 | P/V and laying Road marking - m | | | | |
| | Qty vid m ³ fine 12 | | | | |
| | 24 m ³ @ 326.40/- ft | 22234= | | | |
| Sonto 23 135 | P/V and laying logo of Marke stone of project or | | | | |
| | Qty vid m ³ fine 17 | | | | |
| | 24 m ³ @ 309.14/- ft | 21829= | | | |
| Sonto 24 136 | Plastering with c.m (1:4) on brick work - m | | | | |
| | Qty vid m ³ fine 9 | | | | |
| | 19.20 m ³ @ 189.77/- m ³ | 3644= | | | |
| Sonto 25 137 | P/V Bricks masonry work - m | | | | |
| | Qty vid m ³ fine 9 | | | | |
| | 1.34 m ³ @ 5886.85/- m ³ | 7888= | | | |
| Sonto 26 138 | P/V Party two Coat - New bath | | | | |
| | Qty vid m ³ fine 9 | | | | |
| | 19.20 m ³ @ 116.86/- m ³ | 2244= | | | |
| | Total ft - 2750137= | | | | |
| | Add 18 x G.S.T - Rmt 495025= | | | | |
| | Add 1x L.C - B/H 27503= | | | | |
| | Add S.F - ft 41 35725=0 | | | | |
| | ft 41 3308424= | | | | |
| | | | | | 557= |

3308557-

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|----------------|-----------|-----|---------------------|
| | No. | L. | B. | D. | |
| | | BIP | R 3308424 | | |
| (1) | 19.99 x 5.12 - R 661354 = 81 | | | | |
| | | R 2647070 = 80 | | | |
| | | 2647176 = 80 | | | |
| | | 18-2-23 | 18-2-23 | CLP | |
| | | DB | DB | TDK | |
| | | | | | |

| mate of stomach | | Royalty |
|-----------------|----------------------------------|---|
| (1) | EW : — 816.84 m ³ | Rs. 26956 = (@ Rs. 33/M ³) |
| (2) | GSB (93.59 m ³) — | |
| (i) | mate : — 56.15 m ³ | Rs. 8423 = (@ Rs. 150/M ³) |
| (ii) | dust — 37.44 m ³ | Rs. 3108 = (@ Rs. 83/M ³) |
| (3) | W.Bm gnt (52.43 m ³) | |
| | mate — 52.43 m ³ | Rs. 7865 = (@ Rs. 150/M ³) |

| | | |
|-----|----------------------------------|--|
| | Screeing — 11.70 m ³ | Rs. 971 = (@ Rs. 83/M ³) |
| (4) | W.Bm gnt (68.36 m ³) | |
| | mate — 68.36 m ³ | Rs. 10254 = (@ Rs. 150/M ³) |
| | Screeing — 13.56 m ³ | Rs. 1125 = (@ Rs. 83/M ³) |
| (5) | mosarium — 3.47 m ³ | Rs. 288 = (@ Rs. 83/M ³) |

| | | |
|------|------------------------------------|---|
| (6) | Stone chits — 20.36 m ³ | Rs. 3054 = (@ Rs. 150/M ³) |
| (7) | Stone chits — 97.05 m ³ | Rs. 14558 = (@ Rs. 150/M ³) |
| (8) | Stone Agg — 68.88 m ³ | Rs. 10332 = (@ Rs. 150/M ³) |
| (9) | Sand — 35.44 m ³ | Rs. 5316 = (@ Rs. 150/M ³) |
| (10) | Brick — 69.5 m ³ | Rs. 31 = (@ Rs. 46/M ³) Total R. 92281 = |

| | | |
|------|---------------|--|
| (11) | SS-1 — 647 kg | |
| (12) | RS-1 — 934 kg | |

| | | |
|------|---------------------------------|--|
| (13) | S-90 — 905 kg | |
| | Invoice No. — 936746, 123000736 | |
| | Continuation | |

dated = 17-06-23

Qty = 60 x 161.80 = 9708 Km.

Received all payment from AECO - Comm Secretary
BRRD N. Pashar ride letter No - 96, dt. 07.07.2023.
Rs. 29,07,370/-

24

Sch. XLV-Form No. 134 Bill Value Rs. 2647176/-

| Particulars | Details of actual measurement | | | | Contents of area |
|--|-------------------------------|----|----|--------------|---------------------|
| | No. | L. | B. | D. | |
| <u>1st and Final Bill</u> | | | | | |
| I. Tax @ 1% | | | | Rs. 26472/- | |
| C. GST @ 1% | | | | Rs. 26472/- | " |
| I. HST @ 2% | | | | Rs. 52944/- | 25 |
| S. HST @ 1% | | | | Rs. 26472/- | 61 |
| L. Cess @ 1% | | | | Rs. 26472/- | 21 |
| Royalty | | | | Rs. 92281/- | 8 |
| S. Fees. | | | | Rs. 35725/- | |
| S. D. @ 5% | | | | Rs. 132359/- | |
| <u>By Cheque Value Rs 2280923/-</u> | | | | | |
| <u>Total Bill Value Rs. 2647176/-</u> | | | | | |
| <u>Passed for Rs. 26,47,176/- (Rupees Twenty Six Lacs forty Seven thousand one hundred and Seventy six only)</u> | | | | | |

19.8.23

Executive Engineer

Rural Works Department

Works Division, Shillongpura

DD

19/08/23

20/08/23

19/08/23

✓ 19/08/23

✓ 19/08/23

Tel/Ch No. — PN/GB/2023/08038875
— Date — 21/08/23