

प्रमाणित किया जाता है
कि मापी पुल के मशीन
टैकी 100 पुल है जिसे
40 आर. व. ड. पकड़ी गया
के पदनाम से विवरण दिया
गया है

Veriijuep
16/01/23
Executive Engineer
RWD Works Division
099 Pakardayal
6.1.23

Sch. XLV - Form No. 134

PAKARDAYAL DIVISION

PAKARDAYAL SUB-DIVISION

Measurement Book

No.

1368

Name _____

Date of first entry _____

Date of last entry _____

Name of Work- **1**
 Situation of Work-

Agency by which work is executed-

Date of Measurement-

No. and date of agreement

(These four lines should be repeated at the commencement of the measurement relating to each work.)

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Name of work		Const. & Road			Area
Character of work		Me PWR			Pitch Hole
Height of work		Tol			to Mahadevi
Dist		41.3054			(N/M-P. 2018)
Backg. No.		HP-M/22-23			Polebridge/2
Block		Polebridge			
Agency		M/S Shivansh Const.			
		Ch. Manish Kumar Singh			
		New Chandrasa			Meas.
		E. Chandra			
Agreement No.		40420			2022-23
Const. Cost. Rs.		9043928			-
Date of work order		25.03			2023
Date of completion		24.12			2023
1. Pile fixing & M typ					
2. Clearing and grubbing					
Road land					
2 x 20 x 30.00 x 1.00					1200.0
2 x 20 x 30.00 x 1.00					1200.0

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
H.P. culverts for 1000 mm dia					
Measurements for 1st side					
1. E/W in excavation for foundation					
H.W.	2	12.90	1.55	0.675	66.98
B.P.P.	2	5.00	1.53	0.540	8.26
					T 75.24 m ³
2. Sand filling in open foundation					
H.W.	2	12.90	1.55	0.100	3.99
B.P.P.	2	5.593	1.53	0.100	1.71
					T 5.7043
3. B.F. S.W. in open foundation					
H.W.	2	12.90	1.55		39.99
B.P.P.	2	5.653	1.53		17.29
					T 57.28 m ²
4. P.V. PCC 1:2:5 (P.C.C. 1:2.5:5) in 100 mm					
H.W.	2	12.60	1.40	0.150	5.29
B.P.P.	2	5.766	1.52	0.350	9.70
1m.	2	0.188	0.785	0.1220	5.955
Sub: 8.4.23 J.E.					T 12.337 ³
5. B.F. work in 100 mm in H.W.					
H.W.	2	12.30	0.825	2.465	50.02

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Len. P.P.	2 x 2	0.7857	1.230	0.612	2.90
					T 47.127 ³
Rect. P.P.	1 x 12.30	0.400	0.600		5.90
					T 53.027 ³
6. Piv at laying 1000mm					
MS Rec NFB H.P.					
	3 x 2.50				7.50
	3 x 2.50				7.50
					T 15.00
Suman					
16.4.23					
J.P.					
6.04.23					
AB					
7. Plastering with CM (1:4)					
on B/W					
on/cc.	2 x 12.30	1.83			45.01
Inner.	2 x 12.30	0.60			14.76
Top.	2 x 12.30	0.40			9.84
Ends	4 x 0.612	1.230			3.01
Ends	4 x 0.400	0.600			0.96
Len.	2 x 2 x 0.7857	1.230			4.75
					T 68.837 ²
8. Piv 1.5mm Cent Panning					
including Panning carriage					
Top.	2 x 12.30	0.400			9.84
Ends	4 x 0.40	0.600			0.96
Inner	2 x 12.30	0.600			14.76

Continuation

T 25.567²

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Record Entry 2					
1. Const. d. G. S. B. G. 12 by					
1/2 in wall g. e. f					
SS	2	6.07	2.00	0.100	3.04
	2	4.85	2.30	0.100	2.23
	1	4.37	2.02	0.100	0.88
	3	4.76	2.23	0.100	3.18
	1	4.98	2.43	0.100	1.21
	2	4.07	1.54	0.100	1.25
Sum	1	4.53	1.99	0.100	0.90
	2	3.55	1.53	0.100	1.09
	1	2.17	1.14	0.100	0.36
	1	2.64	0.62	0.100	0.16
	1	3.48	1.03	0.100	0.32
	2	3.87	1.84	0.100	1.42
SS	1	3.35	1.29	0.100	0.43
	2	2.77	1.75	0.100	0.97
	1	2.94	1.91	0.100	0.56
	1	2.05	1.00	0.100	0.21
	1	2.52	1.28	0.100	0.32
	2	1.85	1.00	0.100	0.37
SS	1	1.94	0.89	0.100	0.17
	2	1.25	0.70	0.100	0.18
	2	0.97	0.80	0.100	0.16
	1	0.55	0.49	0.100	0.03
	2	0.50	0.30	0.100	0.03

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
	3 x	4.50 x	2.10 x	0.100	2.84
Sum	1 x	3.50 x	1.90 x	0.100	0.67
	2 x	6.50 x	2.30 x	0.100	2.17
	1 x	6.00 x	2.10 x	0.100	1.26
	2 x	5.60 x	1.95 x	0.100	2.18
	1 x	4.80 x	1.94 x	0.100	0.93
	3 x	4.60 x	1.50 x	0.100	2.07
Sum	2 x	4.20 x	1.52 x	0.100	1.28
	2 x	1.90 x	0.55 x	0.100	0.21
	1 x	1.30 x	0.194 x	0.100	0.12
	2 x	1.20 x	1.07 x	0.100	0.26
	1 x	2.60 x	0.56 x	0.100	0.15
	1 x	1.70 x	0.55 x	0.100	0.09
Sum	1 x	2.90 x	0.80 x	0.100	0.23
	2 x	3.80 x	1.20 x	0.100	0.91
	1 x	7.80 x	1.94 x	0.100	1.57
	2 x	1.40 x	0.72 x	0.100	0.20
	2 x	1.58 x	0.82 x	0.100	0.26
	1 x	1.15 x	0.90 x	0.100	0.10
	2 x	4.00 x	2.14 x	0.100	1.71
Sum	2 x	0.90 x	0.50 x	0.100	0.09
	2 x	0.50 x	0.40 x	0.100	0.04
	1 x	0.30 x	0.30 x	0.100	0.01
					T 39.76 73
	28.41	23			28.04 3
	J.B.				AF

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Rectd Entry:-					
Pls laying masonry					
spacing and Compacting					
Stone Aeta - 110					
S	2	5.36	2.15	0.075	1.73
	1	5.09	2.15	0.075	0.82
	1	4.87	2.45	0.075	0.89
	2	4.56	2.05	0.075	1.40
	2	5.30	2.55	0.075	2.03
	2	5.59	2.06	0.075	1.73
S	1	5.80	2.20	0.075	0.91
	2	5.90	2.35	0.075	2.08
	2	5.79	1.75	0.075	1.52
	4	6.22	2.65	0.075	4.94
	3	5.00	2.45	0.075	2.76
	3	4.52	2.17	0.075	2.21
S	5	4.91	2.38	0.075	4.38
	2	5.13	2.58	0.075	1.99
	4	4.22	1.69	0.075	2.14
	3	4.68	2.14	0.075	2.25
	2	3.70	1.68	0.075	0.93
	1	3.32	1.29	0.075	0.32
S	1	2.79	0.77	0.075	0.16
	1	3.23	1.18	0.075	0.29
	2	4.02	1.99	0.075	1.20
	1	3.50	1.44	0.075	0.38

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
	2	2.92	1.90	0.075	0.83
	1	3.09	2.06	0.075	0.48
	1	2.20	1.15	0.075	0.19
	1	2.67	1.43	0.075	0.29
	2	2.00	1.15	0.075	0.35
	1	2.09	1.04	0.075	0.16
	2	1.40	0.85	0.075	0.18
	2	1.12	0.95	0.075	0.16
	1	0.70	0.64	0.075	0.03
	2	0.65	0.45	0.075	0.04
	3	4.50	2.25	0.075	2.28
	1	2.65	2.05	0.075	0.66
	2	7.05	2.45	0.075	2.59
	1	6.15	2.25	0.075	1.04
	2	5.75	2.10	0.075	1.81
	1	4.95	2.09	0.075	0.78
	3	4.75	1.65	0.075	1.76
	2	4.35	1.67	0.075	1.09
	2	2.05	0.70	0.075	0.22
	1	1.45	1.09	0.075	0.12
	2	1.35	1.22	0.075	0.25
	1	2.75	0.71	0.075	0.15
	1	1.85	0.70	0.075	0.10
	1	3.05	0.95	0.075	0.22
	2	3.95	1.35	0.075	0.80
	1	7.95	2.09	0.075	1.25

Continuation

Sch. XLV-Form No.134

10

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
	4	4.71	2.20	0.075	3.11
	4	5.45	2.70	0.075	4.41
	2	5.74	2.21	0.075	1.90
	1	5.65	2.35	0.075	1.00
	5	6.05	2.00	0.075	5.67
	5	5.94	1.90	0.075	4.23
	6	6.37	2.80	0.075	8.03
	5	5.13	2.60	0.075	5.02
	5	4.67	2.32	0.075	4.06
	8	5.06	2.53	0.075	7.68
	5	5.28	2.73	0.075	5.41
	7	4.37	1.84	0.075	4.22
	6	4.82	2.29	0.075	4.98
	5	3.81	1.83	0.075	2.64
	3	3.47	1.44	0.075	1.12
	3	2.94	0.92	0.075	0.61
	3	3.38	1.33	0.075	1.01
	5	4.17	2.14	0.075	3.35
	4	3.65	1.59	0.075	1.24
	5	3.07	2.05	0.075	2.36
	3	3.24	2.21	0.075	1.61
	3	2.35	1.30	0.075	0.69
	3	2.82	1.58	0.075	1.00
	5	2.15	1.30	0.075	1.05
	4	2.24	1.19	0.075	0.80
	4	1.55	1.00	0.075	0.47

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
	3	1.27	1.10	0.075	0.31
S	1	0.85	0.79	0.075	0.05
	2	0.80	0.60	0.075	0.07
	3	4.50	2.40	0.075	2.43
	1	3.80	2.20	0.075	0.63
	2	7.20	2.60	0.075	2.81
	1	6.30	2.40	0.075	1.13
	2	5.90	2.25	0.075	1.99
S	1	5.10	2.24	0.075	0.86
	3	4.90	1.80	0.075	1.98
	2	4.50	1.82	0.075	1.23
	2	2.20	0.85	0.075	0.28
	1	1.60	1.24	0.075	0.15
S	2	1.80	1.37	0.075	0.31
	1	2.90	0.86	0.075	0.19
	1	2.00	0.85	0.075	0.13
	1	3.20	1.10	0.075	0.26
	5	4.10	1.50	0.075	2.31
	3	8.10	2.24	0.075	4.08
S	4	1.70	1.02	0.075	0.52
	4	1.88	1.12	0.075	0.63
	4	1.45	1.20	0.075	0.52
	5	4.30	2.24	0.075	3.93
	5	5.30	2.65	0.075	5.27
	4	3.50	2.55	0.075	2.68
S	1	6.20	2.44	0.075	1.13

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
S	1	7.80	2.10	0.075	1.23
	2	6.20	2.65	0.075	2.46
	2	3.05	2.17	0.075	0.99
	2	3.70	2.56	0.075	1.42
	2	6.20	2.78	0.075	2.58
S	2	1.20	0.80	0.075	0.14
	2	0.89	0.70	0.075	0.08
	1	0.60	0.60	0.075	0.03
				T	132.28
	12.5.93			Sum	12.05.23
	J. E.			A E	
Record Entry:-					
1. Const. of 47 re-inforced.					
PCC 130 g de or per					
Profile					
	4	10.00	3.75	0.100	3.00
	8	8.00	0.70	0.100	4.48
over lay	3	30.00	3.75	0.160	54.00
	1	10.00	3.75	0.160	6.00
	5	30.00	3.75	0.160	90.00
	5	30.00	3.75	0.160	90.00
				T	247.48

Continuation

Sch. XLV-Form No.134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Record Entry:-					
1. Plr and applying Prime					
coat with emul					
SS1				Fr1	
Measurement for WBM					
171.01 for TMB Pge.					
40 - 12					
132.38 $\times$ 10.075 = 1765.06					
					T 1765.0642
2. J.E.					
Plr and applying stack					
coat with emul & S.					
Measurement for					
Primer coat oil					
for V.T.H.B. P-13					- 1765.06
					T 1765.0642
3. Plr laying and rolling					
Close grade Primer					
Shovel for Patch work					
over WBM using Pr					
MSS					
Measurement for stack					
coat oil for T.H.B. P-13					- 1765.06
					T 1765.0642
22.5.23					
J.E.					

Continuation: 16

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Record entry :-					
1. Plaster and applying					
lock coat with emul.					
RS1					
5	5	30.00	3.75		= 562.50
	5	30.00	3.75		= 562.50
	5	20.00	3.75		= 375.00
	5	30.00	3.75		= 562.50
	5	30.00	3.75		= 562.50
	5	30.00	3.75		= 562.50
	2	25.00	3.75		= 187.50
	5	30.00	3.75		= 562.50
	5	30.00	3.75		= 562.50
	1	30.00	$\frac{3.75 + 3.50}{2}$		= 108.75
	1	30.00	$\frac{3.00 + 3.00}{2}$		= 97.50
	1	23.00	$\frac{3.00 + 3.75}{2}$		= 77.62
	4	30.00	3.75		= 450.00
	1	54.2	3.75		= 20.32
Room Junction -					
	1	26.00	$\frac{7.30 + 4.30 + 3.75}{3}$		= 137.36
	1	23.00	$\frac{3.75 + 3.35 + 4.10}{3}$		= 93.33
	1	20.00	$\frac{5.30 + 3.75}{2}$		= 90.50
	1	17	$\frac{3.75 + 3.60}{2}$		= 62.47
Curtain					
	1	12.00	$\frac{3.60 + 3.50 + 3.75}{3}$		= 43.40
					T 5681.25 m ²

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(17) P.V. 17.5g & hwt					
Sp. b. Memphis Sc Road					
Marking for BT					
2x 1 x 26.00 x 0.10					= 5.20
2x 10 x 30.00 x 0.10					= 60.00
2x 4 x 30.00 x 0.10					= 24.00
2x 1 x 25.00 x 0.10					= 5.00
2x 16 x 30.00 x 0.10					= 96.00
2x 1 x 20.00 x 0.10					= 4.00
2x 17 x 30.00 x 0.10					= 102.00
2x 1 x 27.00 x 0.10					= 5.40
				T	361.60
				Unit	300.00
(11) Paving crossing					
2x 2 x 2.00 x 0.50					= 12.00
				T	12.00
3. B.M. work in C7(1.3)					
in Memphis well					
2x 2 x 6.00 x 0.40 x 0.60					= 5.76
				T	5.76
4. Plastering wall CM					
(114) on B/W					
S. face 2x 4 x 6.00 x 0.60					= 28.80
T. face 2x 2 x 6.00 x 0.40					= 9.60
P. face 2x 4 x 0.40 x 0.60					= 1.92
				T	40.32

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
1/28. P.V. & fig 2 Mq					
1/28. Sign with 1/2					
2/28. 1/2					
2/28. P. 1					
1/28. P. 18					
3/28. 1/2, 15343-21					P. 46080
2/1 Clearing and grubbing					
road 1/2					
P. 2					
0.384/2 P. 62032-43					P. 23572
3/46 Dismantling & existing					
Structure					
P. 2					
0.805/3 P. 575-27					P. 463
4/48 Dismantling & existing					
Structure					
P. 2					
30.69/3 P. 412-42					P. 12657
5/50 Dismantling & existing					
H.P. above ground 900					
mm					
P. 2					
5/84 P. 286-70					P. 1434
4/32 E.L. in excavation					
for foundation					
P. 3					
75.24/3 P. 326-71					P. 24582

Sch. XLV-Form No.134 20

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
7/33	Sand filling in				
	foundn				
		P.3			
5.70	①	541.29		1	3085
8/34	R/A Solin in				
	foundn				
		P.3			
57.28	②	307.80		1	17631.20
9/35	PW Pce 715 g de				
	in leveling con.				
		P.3			
12.33	③	7644.95		1	94262
10/36	R/A workmen				
	(1.4) on H. wall				
		P.4			
53.02	④	6351.76		1	335710
11/37	PW & laying 1000				
	mm dia RCC HP				
		P.4			
15.87	⑤	7641.27		1	114619
12/38	Planting 1541 cm (1.4)				
	on B/W				
		P.4			
68.82	⑥	221.77		1	15264
					46145
13/39	P/W 1.5 mm cement				
	putting				

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
		P. 4			
25.56 $\frac{1}{2}$ 1	70070			h. 1807	
14/5	Const & G.S.B	G-12			
	by upr wall				
		P. 6			
39.76 $\frac{1}{2}$ 1	3526.44			R. 14021	
10/6	Pir laying s/w				
	& cont. with 12				
		P. 9			
69.06 $\frac{1}{2}$ 1	5540.90			h. 384658	
16/7	Pir laying s/w				
	& cont. with 12				
		P. 12			
132.38 $\frac{1}{2}$ 1	4899.47			1. 640645	
12/13	Const & P.C. 130			648588	
	grade as low				
		P. 12			
247.48 $\frac{1}{2}$ 1	8673.45			2146505	
12/8	Pir P.C. 130			2146679	
	cont with 12			2196004	
1765.06 $\frac{1}{2}$ 1	P. 13				
568.25 $\frac{1}{2}$ 1	P. 14				
744631	62.27			h. 109910	
19/10	Pir & s/w				
	cont with 12				
	R. 1				

Continuation

Sch. XLV-Form No.134 22

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
1765.06		P. 12			
5681.25		P. 14			
7446.31	②	21-28		L	158532
20/9	P12	laying ground			
	St. C. p. 54				
	755				
		P. 13			
1765.06	②	263-69		L	465429
21/12	P12	laying	SDAC		
	with	100-120 TRH			
		P. 15			
142.03	①	14752-68		L	2095323
22/4	Const. 8	subgrade			
		earth shoulder			
		P. 15			
1673.25	②	243-78		L	407821
23/27	P12	laying of hot s.p.			
		planting p.c.c. path			
		P. 15			
80.00	②	926-43		L	74114
24/26	P12	laying of hot s.p.			
		planting of path			
300.00		P. 16			
12.00		P. 16			
312.00	②	823-80		L	257026

Continuation

Sch. XLV-Form No.134 23

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
25/29	13/17	work in	11.3		
		on R. side wall			
		P. 16			
5.76	3	84.89	33		48899
26/30		Plastering H. cut (2.74)			
		on wall			
		P. 16			
40.32	1	221.27			8942
27/30		Plastering of two e. ends			
		on wall			
40.32		P. 17			
25.56		P. 18			
15.88	1	117.05			7764
28/15		Plastering of 1.57			
		on wall			
		P. 17			
3.40	1	3173.23			9520
29/16		Plastering of 2.00			
		on wall			
		P. 17			
8.40	1	874.09			6993
30/19		Plastering of 1.11			
		on wall			
		P. 17			
12.40	1	4922.32			59060

Continuation

Sch. XLV-Form No.134 **24**

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
31/20	Plat & Cont	9	1.0	600	
	m x m	0	1		
	P. 15				
12 N 20	Plat & Cont	9	1.0	600	76367
32/21	Plat & Cont	9	1.0	600	
	m x 400 m	0	1		
	□	1	1		
	P. 18				
8 N 20	Plat & Cont	9	1.0	600	43488
33/25	Plat & Cont	9	1.0	600	
	m x 400 m	0	1		
	P. 17				
75 N 20	Plat & Cont	9	1.0	600	77908
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	796655
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	55987
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79666
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				
75 N 20	Plat & Cont	9	1.0	600	79984
	m x 400 m	0	1		
	P. 18				

Continuation

Sch. XLV-Form No.134 26

[illegible]

Continuation

✓ 12.7.23 Dated _____
 Part on ALC bill BF-90152452
 Sch. XLV-Form-No.134 27

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Memo of payment					
5% S.D. —	h				4507622
2% S.H. —	h				1803052
1% L.C. —	R				901522
1% C.H.S.T. —	R				901522
1% S.H.S.T. —	R				901522
(10%) S.R. —	B				798962
Loyalty —	h				9507122
MD (for Plantation) &					545322
Total deduction &					11310222
Pay by cheque &					78842232
Total &					90152452

Payable for (Rs. 901524522)
 Rupees ninety lakh fifteen
 thousand two hundred
 forty five only.

For ~~Signature~~ 10/6/23
 Executive Engineer
 R.W.D. (W) Division
 10-6-2023

Sch. XLV-Form No.134 28

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
N/W:- Const of Road from Chaita Gosm					
me PWD Pitch Hole huge Harijan					
Tell to Mahadevit basti.					
MQ. 2054 N/H-P. 2018					
Package No. - 79-1/2022-23 Pakri Jagel/02					
Block. Pakri Jagel.					
Agency - 71/ Shikharish Const.					
New Chandmari, Motihari					
E. Champaran					
Agreement No - 40 MBD/2022-23					
Suppl. Ag. No.:-					
Date of work (over)					
Actual Date of comp. 09.06.2023					
Measurement					
G.S.T. Return of Gov.					
12. to 18-1.					
14.7.23.					
JE.					
Abstract of cost					
1/28 PIV 4-17.5 at 79 Typo					
Sign with legs & 7 signs					
P 19					
3 N.O. 8	15343	31			9-46030--

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
21. Clearing and grubbing scum land		P. 19			
0.384 γ^3 @ 9.	2032.43			9	23572
246 Dismantling of existing structure		P. 19			
0.805 γ^3 @ 9	575.72			9	463
41.47 Dismantling of existing structure		P. 19			
30.69 γ^3 @ 9.	412.42			9	12657
248 Dismantling of existing structure		P. 19			
597 @ 9	286.70			9	1434
932 E/W in excavation for foundation		P. 19			
75.24 γ^3 @ 9	320.71			9	24582
243 Sand filling in open foundation		P. 20			
5.70 γ^3 @ 9.	541.29			9	3085
8937 Soling in open foundation					

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
		P. 20			
57.28 γ^2 @ 1	307.80			9	17631.0
9/35	Plastering	(1:2.5:5)			
	in levelling				
		P. 20			
12.33 γ^2 @ 1	7644.95			9	94262.0
10/36	Plastering	work in ch (1:3)			
	in H. wall				
		P. 20			
53.02 γ^2 @ 1	6331.76			9	335710.0
11/37	Plastering	1000 mm sq.			
	in P. 3				
		P. 20			
15.97 γ^2 @ 1	7641.20			9	114619.0
12/38	Plastering	work in ch			
	(1:4) on P. 10				
		P. 20			
68.83 γ^2 @ 1	221.77			9	15264.0
13/39	Plastering	1.5 mm cement			
	Plastering				
		P. 21			
25.56 γ^2 @ 1	70.79			9	1807.0
14/5	Plastering	G.C.B.G. 2 by			
	on wall				
		P. 21			
39.76 γ^2 @ 1	3526.44			9	140211.0
15/6	Plastering	on wall			

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
	Comp	W.B. 7	D	—	
		P. 21			
69.06 y ³	① 8	5540.90		9	382655 =
14/7	P.V. laying	sh. dy &			
	comp. by	W.B. 7	TR		
		P. 21			
132.38 y ³	② 9	4839.44		9	648588 =
17/13	Exposed p.c.	730	end		
	in drawing				
		P. 21			
247.48 y ³	③ 8	8673245		9	2146505 =
18/8	P.N. & app.	Prime &			
	with ss.				
		P. 21			
1765.06 y ³	④ 1	62.27		9	109910 =
19/10	P.V. & sh. dy	face &			
	with ss.				
		P. 22			
7446.31 y ³	⑤ 9	21.29		9	158532 =
20/9	P.V. laying & rolling				
	sh. dy. p.c. for	755			
		P. 21			
1765.06 y ³	⑥ 9	263.67		9	465429 =
21/12	P.V. & laying	sh. dy			
	with 100-12	TPH			
		P. 22			
142.03 y ³	⑦ 9	14752.68		9	2095323 =

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
22/14 Const 9 sq ft de 4					
erecting Shm/dm					
P-22					
1673.25 γ^3 @ 8 243.73					9 407821
22/27 Plv laying hot spb.					
Red parking - CC Pavm.					
P-22					
80.00 γ^2 @ 9 920.43					9 74114
24/26 Plv laying hot spb.					
Red parking RT					
P-21					
312.00 γ^2 @ 9 823.80					9 257026
25/29 Plv work in (1:3)					
on parapet					
P-23					
5.76 γ^3 @ 9 8409.33					9 48899
28/30 Plastering with 1/4" (1:1)					
in B W					
P-23					
40.22 γ^2 @ 8 224.77					9 8942
27/31 Painting 7 two coats					
including					
P-25					
65.88 γ^2 @ 9 117.85					9 7764
28/15 Plv 1/4" 9 Rce					
115 kg sta					

Continuation

Sch. XLV-Form No.134 **33**

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
		P. 23			
3 H. @ 1.	3173	27		1.	9520 ~
29/16	Piv & fixing	1ce	7'5"		
	2007	str	-		
		P. 23			
8 No @ 9	874	09		1	6993 ~
29/19	Piv & fixing	9	1.1	600	
	mm	1			
		P. 23			
12 No @ 9	4922	30		1	59068 ~
31/20	Piv & fixing	991	600 mm		
	0	6		-	
		P. 23			
12 No @ 9	6363	295		1	78367 ~
32/21	Piv & fixing	99.9	600		
	mm x 400 mm	length			
		P. 24			
8 No @ 9	5436	206		1	43488 ~
33/25	Planting & soil by 1/2				
	road side				
		P. 24			
75 No @ 9	1038	71		1	77903 ~
				1	7916174 ~
Add G.T. @ 18 %				1	1424911 ~
				1	749941 ~
Add L. cost @ 1 %				1	79162 ~
Add S. free				1	79896 ~
				1	9500143 ~

Continuation

P.T.O

34

Continuation