

mahdah main Road se Gauri yaday ke Ghar se
Anschrift Staty Tola Tqk
Schedule XIV--Form No. 131j

mmmsylsc)

हो ०० ३३ ००१

BIHAR P.W. D.

BLIXAR

DIVISION

BLIXAR

SUB-DIVISION

M.B.No-1304

MEASUREMENT BOOK.

धरिव गाले रिव

2017-18

420R
~~420R~~ 42
 42

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L	B	D	

M/W - Mardah Man Road
 Gauri Yadav Road to
 Anksachid Tadi - Tak. under
 Buxam Block.

Agg - 305 Manoj Kumar Rai

Agg No - 415 BD/12-18

Date of Ey - 16-06-22

1 - Restoration of Road
 1000

$2 \times 2 \times 30.0 \times 1.125 \times 300 = 40.5 \text{ m}^3$

$2 \times 30.0 \times 0.125 \times 300 = 20.25 \text{ m}^3$

$2 \times 22.0 \times 0.125 \times 300 = 14.85 \text{ m}^3$

2) M/W of 25-60mm

Gravel - 20

$2 \times 6 \times 30.0 \times 1.125 = 40.5 \text{ m}^3$

$2 \times 16.0 \times 1.125 = 36.0 \text{ m}^3$

$2 \times 20.0 \times 1.125 = 45.0 \text{ m}^3$

3) Removal of Pot-Holes 20.25 m³

Filler 25 mm

100 mm

$12 \times 0.05 \times 0.92 = 0.552 \text{ m}^3$

$19 \times 1.10 \times 1.15 = 24.03 \text{ m}^3$

$9 \times 1.15 \times 1.05 = 10.80 \text{ m}^3$

4) Periodical 44.22 m

Removal to existing

bituminous surface

100 mm

Area is 33.41 m²

1 lane

Continuation

33.41 m²

Particulars	Details of actual measurement				Contents of area
	No.	L	B	D	
⑤ Periodical removal to end of 1st year					
Shrub Area					
as 1/2m					
⑥ Main trunk of 11.0					
Width					
⑦ Main trunk of 10.0					
8.00					
⑧ Main trunk of 20.0					
2m Shrub					

⑨ Cut and burned
10.0 Shrub
6.0m

⑩ Cut and Shrub
from the bed
any -
13.50m

⑪ Trimmer grass
2 weeds -

$$2 \times 9 \times 30.00 \times 1.0 = 540.00 \text{ m}^2$$

$$2 \times 13.0 \times 1.0 = 26.00 \text{ m}^2$$

$$564.00 \text{ m}^2$$

⑫ White Washed
of the Shrub
Washed of 1.0m

$$2 \times 3.60 \times 1.60 = 11.52 \text{ m}^2$$

$$2 \times 4 \times 4.60 \times 0.40 = 1.92 \text{ m}^2$$

Continuation

$$13.44 \text{ m}^2$$

10.06.22
R

ABSTRACT OF COST

Sch. XLV-Form No. 13444

Particulars	Details of actual measurement				Contents of area
	No.	L	B	D.	
(1) Restoration of Ram Cup with Sot. L. ad Cup.					
75.60 m ² V _D - (42)					
Allow. - 75.26 m ²					
② 351 = 43/m ² 28449 =					
(2) Maintenance of road Shoulder - 1111					
501.25 m ² V _D - (42)					
③ 52 = 52/m ² - 26352 =					
(3) Repair of Dohdoh filled with 85 mm WMA					
44.28 m ² V _D - (42)					
Allow. - 43.53 m ²					
④ 348 = 93/m ² 15242 =					
(4) Periodical repair to road bituminous Surface 1st Cn					
43.44 m ² V _D (42)					
Allow. - 43.59 m ²					
⑤ 114 = 18/m ² - 4922 =					
(5) Periodical repair to road bituminous Surface Dressy 2nd Cn					
44.28 m ² V _D (42)					
Allow. - 43.59 m ²					
⑥ 102 = 89/m ² - 4422 =					
5101 =					
77462 =					

Continuation

Metered Statement
46

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L	B	D	
① Earth					131.70 m ³
② Stone Metal					1.40 m ³
③ Stone chips					1.18 m ³
④ Stone Screen					0.34 m ³
⑤ Bottoming SS-1					0.030 m ³
Earth RS-1					0.0119 m ³
⑥ Bottoming					0.28 m ³
⑦					
16-00					