कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, रजौली।

Mob No.: 8986915851. Email I.D.: – eerwdrajauli@gmail.com

पत्रांक...516(3-30)... रजौली / दिनांक...12/04/24...

प्रेषक,

ई0 अरविन्द कुमार,
कार्यपालक अभियंता।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी–सह–सचिव,
बिहार ग्रामीण पथ विकास अभिकरण, पटना।

विषय :- नई अनुरक्षण नीति-2018 योजनान्तर्गत आवंटित राशि का उपयोगिता प्रमाण पत्र तथा आवंटन अधियाचना के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है,कि इस प्रमंडल के अधीन नई अनुरक्षण नीति-2018 योजनान्तर्गत पथों में चल रहे कार्य के भुगतान हेतु विहित प्रपत्र में माँग पत्र एवं उपयोगिता प्रमाण पत्र संलग्न करते हुए आग्रह है,कि आवंटन उपलब्ध कराने की कृपा की जाय ताकि कराये गए कार्यों का भुगतान किया जा सकें।

अनु० :- यथोक्त।

विश्वासभाजन,

12/04/24

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल,रजौली।

12/04/24

Scanned with CamScanner

Requisition for Scheme Head :- MR (3054) under Bihar Rural Road Maintenance Policy 2018
(Initial Rectification and Surface Renewal)

Name of Works Division: RWD (W) Division, Rajauli

SI No	Package No	Name Of Road	Project Id as Per MIS	Administrative Approval (AA) Letter No & Date	Administrative Approval (AA) Length in Km	Administrative Approval (AA) Amount (in lakh)	Agreement Amount Initial Rectification with surface Renewal (in Lakh)	Agreement Amount 5 years routine Maintenance (in Lakh)	Agreement No & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/Km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen content in percentage	Previous Total allotted Amount (in Lakh)	upto date expenditure as per MIS (in Lakh)	Requisition against work done (in lakh)	Remarks
1	RWWJRJ71 2018	NH-31 taju more se dhamaul path ki mammadi tarya	199317/06/364	LL 1942 29.03.23	7.500	448.64000	302.80827	86.30430	12 MR-3054/MBD/23-24	04/08/24	-	3014	25	5.00	92.89364	92.89364	188.92317	
			G. Total		7.500	448.64000	302.80827	86.30430	0.000	-	-	3014	25	5.00	92.89364	92.89364	188.92317	

In Word One Crore Eighty Eight Lakh Ninty Two Thousand Three Hundred Seventeen only)

12.04.24

12/4/2024

Executive Engineer,
Rural Works Department,
Works Division- Rajauli.

Scanned with CamScanner

FORM GFR 19-A

(See Government of India's Decision (1) below Rule 150)

Form of Utilization Certificate up to the Month of **27-MARCH-2024.**

S. No	Name of Scheme	Sanction No. & Date with Amount (In Rs.lacs)	Amount Received (in Rs.Lacs)	Decrese (in Lacs)	Particulars
1	**Bihar Rural Roads New Maint. Policy 2018**	**As on 25-MARCH-2023**	**3787.76798**	**137.05028**	Certified that out of **Rs. 7593.00583 Lakh** received during the Financial Year **2023-24 (27-MARCH-24)** in favour of Executive Engineer,RWD (W) Divsion, Rajauli, Bihar out of which a sum of **Rs. 7350.13442 Lakh** has been utilized for the purpose of **New Maintenance Policy 2018** Under **MR3054** Scheme as given in the margin for which it was sanctioned and **Rs. 207.13771 has been surrendred** and that the balance of **Rs. 35.73370 Lacs** remaining unutilized at the end of the said period.
2		Lt. 63 Dt 13.04.23	20.97956	**22.11023**	
3		Lt. 31 Dt 31.05.23	89.44542	36.56126	
4		Lt. 78 Dt 24.05.23	198.63594	11.41594	
5		Lt. 84 Dt 08.06.23	126.74006		
6		Lt. 85 Dt 14.06.23	129.82321		
7		Lt. 92 Dt 28.06.23	613.59155		
8		Lt. 100 Dt 14.07.23	126.21474		
9		Lt. 113 Dt 14.08.23	247.90635		
10		Lt. 117 Dt 28.08.23	24.11419		
11		Lt. 120 Dt 04.09.23	46.69588		
12		Lt. 129 Dt 27.09.23	131.84459		
13		Lt. 136 Dt 10.10.23	101.11183		
14		Lt. 147 Dt 07.11.23	83.40053		
15		Lt. 151 Dt 10.11.23	144.37968		
16		Lt. 155 Dt 21.11.23	104.92788		
		Lt. 159 Dt 29.11.23	37.50471		
		Lt. 14 Dt 06.02.24	317.96752		
		Lt. 31 Dt 09.03.24	646.86587		
		Lt. 47 Dt 25.03.24	289.51395		
		Lt. 51 Dt 30.03.24	59.64980		
			7329.08124	**207.13771**	
				7121.94353	

2. Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised :-

(i) Works have been supervised by Executive Engineers/Superintending Engineer.
(ii) Periodic inspection has been conducted by Executive Engineer/Superintending Engineer.
(iii) Construction materials have been tested.
(iv) Measurements have been recorded in the MBs and test check conducted by the Assistant.
(v) All other codal formalities have been observed.

Physical Progress achieved :-

(i) Construction of Road Works
(ii) Construction of CD Works

12.04.24

Executive Engineer,
Rural Works Department,
Works Division, Rajauli.

12/04/24

Scanned with CamScanner

File :E:\Manish\Maintenance Bump Data of Rajauli\Nirman\NH 31 (Lalu More) To Dhamaul\11032024.Xls, Section

Name of Customer :Nirman Construction _Engineering, Name of Work/ Road :NH-31 lalu more se Dhmaul path ka



11/4/2024
JE

11/4/2024
AE (Cj

12.04.24
EE

Scanned with CamScanner

Name of Road- NH-31 lalu more se dhamaul path ki marammati karya

Name of Contractor- Nirman Construction & Engineering | **Batch No- RM/NA/RAJ/23/0016**

Date	Time	Section	Length	Bumps	Speed	QR		TEGORY	IRI	Latitude	Longitude	Event				
		No.	in km	in mm	Rate	mm/km	UIV	ROAD					Y = 0 * X ^ 2 + 0.854 * X + 376.5			
11/ 4/ 24	13: 40: 10	58	0.1	980	10.1	2800	2745	G	7.45	24.65341	85.40535	Normal	X = 8000			
11/ 4/ 24	13: 40: 45	58	0.1	550	10.1	2500	3073	G	6.43	24.65278	85.40473	Normal	Y = 7208			
11/ 4/ 24	13: 41: 0	58	0.1	460	20.2	3600	3304	G	5.55	24.65214	85.40394	Speed Breaker				
11/ 4/ 24	13: 41: 20	58	0.1	500	30.3	3000	2646	G	5.94	24.65145	85.40335	Culvert				
11/ 4/ 24	13: 41: 20	58	0.1	520	20.2	2200	3817	G	6.14	24.65074	85.40285	Normal	(R) RURAL ROAD			
11/ 4/ 24	13: 41: 56	58	0.1	440	20.2	2400	3134	G	5.36	24.65000	85.40239	Curve	Good	Average	Poor	
11/ 4/ 24	13:42:00	58	0.1	310	30.3	2100	3023	G	4.05	24.64913	85.40221	Normal	<4000	4001-5000	>5001	
11/ 4/ 24	13: 42: 31	58	0.1	290	30.3	2900	2853	G	3.85	24.64829	85.40234	Normal				
11/ 4/ 24	13: 42: 31	58	0.1	250	20.2	2500	2511	G	3.43	24.64766	85.40199	Normal				
11/ 4/ 24	13: 43: 0	58	0.1	330	30.3	2300	3194	G	4.25	24.64749	85.40108	Speed Breaker				
11/ 4/ 24	13: 43: 6	58	0.1	320	30.3	2200	3109	G	4.15	24.64753	85.40005	Normal				
11/ 4/ 24	13: 43: 6	58	0.1	310	30.3	2100	3023	G	4.05	24.64696	85.39938	Normal				
11/ 4/ 24	13: 43: 6	58	0.1	270	30.3	2700	2682	G	3.64	24.64618	85.39899	Curve				
11/ 4/ 24	13: 43: 41	58	0.1	300	30.3	3000	3938	G	3.95	24.64538	85.39859	Normal				
11/ 4/ 24	13: 43: 41	58	0.1	270	30.3	2700	2682	G	3.64	24.64455	85.39811	Speed Breaker				
11/ 4/ 24	13: 44: 0	58	0.1	280	20.2	2800	3767	G	3.74	24.64379	85.39769	Normal				
11/ 4/ 24	13: 44: 17	58	0.1	550	20.2	2500	3073	G	6.43	24.64305	85.39712	Normal				
11/ 4/ 24	13: 44: 52	58	0.1	600	10.1	3000	2500	G	6.91	24.64183	85.3964	Culvert				
11/ 4/ 24	13: 45: 0	58	0.1	640	20.2	3400	3842	G	7.29	24.64115	85.39586	Normal				
11/ 4/ 24	13: 45: 27	58	0.1	220	30.3	2200	2255	G	3.12	24.64053	85.39519	Normal				
11/ 4/ 24	13: 45: 27	58	0.1	250	40.4	2500	2511	G	3.43	24.63982	85.39458	Normal				
11/ 4/ 24	13: 46: 3	58	0.1	350	20.2	3500	3365	G	4.46	24.63916	85.39392	Normal				
11/ 4/ 24	13: 46: 3	58	0.1	250	30.3	2500	2511	G	3.43	24.63861	85.39322	Normal				
11/ 4/ 24	13: 46: 38	58	0.1	230	20.2	2300	2340	G	3.22	24.63782	85.39281	Curve				
11/ 4/ 24	13: 47: 0	58	0.1	260	30.3	2600	3596	G	3.54	24.63718	85.39219	Normal				
11/ 4/ 24	13: 47: 13	58	0.1	300	30.3	3000	2938	G	3.95	24.63633	85.39178	Normal				
11/ 4/ 24	13: 47: 13	58	0.1	290	30.3	2900	3853	G	3.85	24.6355	85.39145	Normal				
11/ 4/ 24	13: 48: 0	58	0.1	250	30.3	2500	2578	G	3.43	24.63484	85.39088	Normal				
11/ 4/ 24	13: 48: 24	58	0.1	250	30.3	2500	3511	G	3.43	24.63414	85.39022	Culvert				
11/ 4/ 24	13: 48: 24	58	0.1	260	20.2	2600	2596	G	3.54	24.63333	85.38958	Normal				
11/ 4/ 24	13: 49: 0	58	0.1	420	10.1	3200	3963	G	5.16	24.63257	85.38914	Normal				
11/ 4/ 24	13: 49: 0	58	0.1	240	30.3	2400	2426	G	3.33	24.63175	85.38931	Normal				
11/ 4/ 24	13: 49: 1	58	0.1	290	30.3	2900	2853	G	3.85	24.63087	85.38918	Normal				
11/ 4/ 24	13: 49: 20	58	0.1	290	30.3	2900	2853	G	3.85	24.63006	85.38862	Normal				
11/ 4/ 24	13: 49: 30	58	0.1	260	30.3	2600	2596	G	3.54	24.62938	85.38813	Culvert				
11/ 4/ 24	13: 49: 42	58	0.1	220	30.3	2200	2255	G	3.12	24.62852	85.38795	Normal				
11/ 4/ 24	13: 48: 50	58	0.1	250	30.3	2500	2511	G	3.43	24.62763	85.38774	Normal				
11/ 4/ 24	13: 50: 6	58	0.1	350	20.2	3500	3365	G	4.46	24.62675	85.38761	Curve				
11/ 4/ 24	13: 50: 17	58	0.1	260	20.2	2600	3596	G	3.54	24.62625	85.38838	Curve				
11/ 4/ 24	13: 50: 22	58	0.1	270	30.3	2700	2682	G	3.64	24.62548	85.3888	Normal				
11/ 4/ 24	13: 50:26	58	0.1	340	20.2	3400	3280	G	4.36	24.62496	85.38951	Normal				
11/ 4/ 24	13: 50: 30	58	0.1	500	20.2	3000	2646	G	5.94	24.62459	85.39040	Normal				

12.04.24
EC

Scanned with CamScanner

11/ 4/ 24	13: 50: 41	58	0.1	580	10.1	3800	2329	G	6.72	24.62383	85.39025	Normal					
11/ 4/ 24	13: 50: 52	58	0.1	540	10.1	3400	2988	G	6.33	24.62295	85.39024	Normal					
11/ 4/ 24	13: 51: 13	58	0.1	510	20.2	3100	3731	G	6.04	24.62208	85.39000	Culvert					
11/ 4/ 24	13: 51: 20	58	0.1	290	30.3	2900	2853	G	3.85	24.62124	85.38978	Normal					
11/ 4/ 24	13: 51: 35	58	0.1	340	20.2	3400	3280	G	4.36	24.6204	85.38951	Normal					
11/ 4/ 24	13: 51: 46	58	0.1	330	20.2	3300	3194	G	4.25	24.61953	85.38948	Normal					
11/ 4/ 24	13: 51: 50	58	0.1	350	20.2	3500	3365	G	4.46	24.61862	85.38928	Normal					
11/ 4/ 24	13: 52: 18	58	0.1	370	20.2	3700	3536	G	4.52	24.61798	85.3886	Normal					
11/ 4/ 24	13: 52: 29	58	0.1	370	20.2	3700	3536	G	4.66	24.61739	85.38793	Normal					
11/ 4/ 24	13: 52: 35	58	0.1	250	30.3	2500	2511	G	3.43	24.61671	85.38737	Curve					
11/ 4/ 24	13: 52: 50	58	0.1	220	30.3	2200	3255	G	3.12	24.61589	85.38689	Normal					
11/ 4/ 24	13: 53: 45	58	0.1	250	20.2	2500	2511	G	3.43	24.61507	85.38655	Normal					
11/ 4/ 24	13: 53: 53	58	0.1	290	20.2	2900	2853	G	3.85	24.61429	85.38621	Normal					
11/ 4/ 24	13: 54: 24	58	0.1	360	20.2	3600	3450	G	4.56	24.61347	85.38571	Normal					
11/ 4/ 24	13: 54: 35	58	0.1	620	10.1	3200	2671	G	7.10	24.61278	85.3851	Normal					
11/ 4/ 24	13: 54: 46	58	0.1	590	10.1	3900	3415	G	6.81	24.61200	85.38473	Curve					
11/ 4/ 24	13: 55: 0	58	0.1	570	20.2	3700	2244	G	6.62	24.61118	85.38434	Normal					
11/ 4/ 24	13: 55: 28	58	0.1	520	10.1	3200	3817	G	6.14	24.61009	85.38345	Normal					
11/ 4/ 24	13: 55: 49	58	0.1	640	20.2	3400	2842	G	7.29	24.60957	85.38266	Normal					
11/ 4/ 24	13: 56: 30	58	0.1	580	10.1	3800	3385	G	6.52	24.60905	85.38192	Normal					
11/ 4/ 24	13: 56: 41	58	0.1	580	20.2	2800	3329	G	6.72	24.6082	85.38163	Normal					
11/ 4/ 24	13: 56: 52	58	0.1	290	10.1	3000	2208	G	8.79	24.60786	85.38135	Normal					
11/ 4/ 24	13: 56: 53	58	0.1	250	20.2	2500	2511	G	3.43	24.61507	85.38655	Normal					
11/ 4/ 24	13: 56: 54	58	0.1	290	20.2	2900	2853	G	3.85	24.61429	85.38621	Normal					
11/ 4/ 24	13: 56: 55	58	0.1	360	20.2	3600	3450	G	4.56	24.61347	85.38571	Normal					
11/ 4/ 24	13: 56: 56	58	0.1	620	10.1	3200	2671	G	7.10	24.61278	85.3851	Normal					
11/ 4/ 24	13: 56: 57	58	0.1	590	10.1	3900	3415	G	6.81	24.61200	85.38473	Normal					
11/ 4/ 24	13: 56: 58	58	0.1	570	20.2	3700	2244	G	6.62	24.61118	85.38434	Normal					
11/ 4/ 24	13: 56: 59	58	0.1	520	10.1	3200	3817	G	6.14	24.61009	85.38345	Normal					
11/ 4/ 24	13: 56: 60	58	0.1	640	20.2	3400	2842	G	7.29	24.60957	85.38266	Normal					
11/ 4/ 24	13: 56: 61	58	0.1	580	10.1	3800	3385	G	6.52	24.60905	85.38192	Normal					
11/ 4/ 24	13: 56: 62	58	0.1	580	20.2	2800	3329	G	6.72	24.6082	85.38163	Normal					
11/ 4/ 24	13: 56: 63	58	0.1	290	10.1	3000	2208	G	8.79	24.60786	85.38135	Normal					
	Total		**7.500**	**29500.000**	**1636.200**	**221200.00**	**226024.00**										
	Average			**393.33**	**21.82**	**2949.33**	**3013.65**										

11/4/2024 KE

11/4/2024 DE Roj

12.04.24 EC

Scanned with CamScanner