

कार्यपालक अभियंता, का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, बिहारशरीफ

पत्रांक 451/313/ बिहारशरीफ, दिनांक 24.4.2024

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, बिहारशरीफ ।

सेवा में,

नोडल पदाधिकारी NABARD MAINTENANCE
ग्रामीण कार्य विभाग बिहार पटना।

विषय:-

शीर्ष NABARD मरम्मति/अनुरक्षण योजनान्तर्गत पूर्ण पथों का 5-वर्षीय रूटीन अनुरक्षण कार्य के कार्यान्वयन हेतु अधियाचना पत्र समर्पित करने के संबंध में।

महापय,

NABARD मरम्मति/अनुरक्षण योजनान्तर्गत पूर्ण पथों का 5-वर्षीय रूटीन अनुरक्षण कार्य संवेदक द्वारा कराये गये पथों में एकरारनामा के अनुसार राशि की अधियाचना पत्र समर्पित की जा रही है।

अनुरोध है कि 5-वर्षीय रूटीन अनुरक्षण कार्य कराने हेतु संलग्न सूची के अनुसार राशि उपलब्ध कराने की कृपा की जाय ताकि संवेदक को भुगतान किया जा सके।

अनु०:- यथोक्त।

24/4/24

विश्वासभाजन

कार्यपालक अभियंता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, बिहारशरीफ

24/4/24

24/4/24

FORM GFR 19-A

(See Government of India's Decision (1) below Rule-150)

Form of Utilisation Certificate up to the month of -20.4.2024

(NABARD MAINTENANCE FUND)

PIU- BIHARSHARIF

Year-2024-25


Sl. No.	Name of Scheme	Sanction No. & Date with Amount (in Rs. Lacs)	Amount Received (in Rs. Lacs)	Particulars	Remarks
1	Construction of Rural Roads under NABARD (4515) MAINTENANCE FUND	Order No-8466 Date-30.01.2023	22.48793	Certified that out of Rs 22.48793 received & balance during the years 2024-25 in favour of Ex. Engineer, R.W.D. Works Division Biharsharif, sum of Rs 22.48793 has been utilized for the purpose of NABARD MAINTENANCE FUND scheme as given in the margin for which it was sanctioned and that the balance of Rs 0.0 lacs remaining unutilized at the end of the period under- 20.04.2024	
	Total Rs.		22.48793		



2 Certified that I have satisfied myself that the conditions on which the grants-in- aid was Kind of Checks exercised :-

- Works have been supervised by Executive Engineer/Superintending Engineer.
- Periodical inspection has been conducted by Executive Engineer/Superintending Engineer.
- Construction material have been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant .
- All other codal formalities have been observed.

3 Physical Progress achieved:

- Construction of Road Works.
- Construction of CD works


24/4/24
Divisinal Accounts Officer
Rural Works Department
Works Division Biharsharif


24/4/24
Executive Engineer
Rural Works Department
Works Division Biharsharif

24/4/24

[illegible]

4. अनुलानक - प्रशासनिक शीकृति का पत्र. अनुमोदित परिमाण विपत्र एव एकरानागा की अभिप्रमाणित प्रति।

प्राचीन कार्य विभाग.
कार्य प्रमंडल, बिहारशासकीय

कार्यपालक अभियंता
ग्रामीण कार्य विभाग,
कावे प्रकल्प, विहारराशिक
सिर्सना/अम्
24/5/24
24/5/24



ग्रामीण कार्य विभाग

Rural Works Department, Govt of Bihar

SBD GREEMENT

NABARD RAJYA YOJNA

UNDER

RWD WORKS DIVISION BIHARSHARIF

C/S Approved By S.E. RWD Work Circle Nalanda Vide Letter 1794(we) Dated 18.10.19

PROJECT NAME :- CONSTRUCTION OF ROAD FROM BIHAR-

NIJAY ROAD TO MATHURAPUR ROAD IN

CHADARIYA MORE TO HAWANPURA SOUTH

WEST TOLA INCLUDING FIVE YEAR MAINT.

REGISTRATION NO.- 1190187 CLASS-I, PAN NO.- AFXPC7065D

TEENDER ID- 78351 BID ID- 357186

NAME OF CONTRACTOR :- BRAHM PRAKASH CHOUDHARY

CONTRACTOR ADD. :- NAISARAI, BIHARSHARIF, NALANDA.

BLOCK :- RAHUI

AGREEMENT No. :- SBD- .54...../2019-20

ACCEPTED RATE :- 0.50% Below of BOQ Rate.

AGREEMENT Value :- Rs. 1,95,14,621.00

WORK STARTED DATE :- 18/11/19

INTENDED DATE OF COMPLETION:- 17/11/2020

Brahm Prakash Choudhary

Executive Engineer

R.W.D. Work Division

18/11/19 Bihar Sharif



Agreement

This agreement made the 18 day of 12 2016

Between Executive Engineer, Rural Works Department, Works Division, Bihar Sharif under Plan Head Nabard (Rajya Yojna) for BRRDA 5th Floor Vishweshwaraiya Bhawan, Jawaharlal Nehru Marg, Patna- 15 (Name and address of Employer) (hereinafter called "the Employer") of part, and
Brahm Prakash Choudhary,
Patel Nagar, Nai Sarai,
Bihar Sharif, Nalanda.

Whereas the Employer is desirous that the Contractor execute of the of Construction of Road from Bihar-Nijay Road to Mathurapur Road in Chadariya More to Hawanpura South West Tola including five year maintenance under Head Nabard Rajya Yojna. [Name and identification number of Contract] (here in after called "the works") and the Employer has accepted the Bid by the Contractor for the execution and completion of such Works and the remedying of any defects there in at a cost of Rupees 1,95,14,621.00 (One Crore Ninety Five Lacs Fourteen Thousand Six Hundred & Twenty One) only i.e on 0.50% (Zero Point Five, Zero Percent) below of Estimated Rate with the intended completion date for the whole of the works 12 (Twelve) months from the date of issue of LOA.

Brahm Prakash Choudhary

Executive Engineer
R.W.D. Work Division

Bihar Sharif

Validate

Print

Help

Percentage BoQ

Tender Inviting Authority: Engg-in Chief RWD Patna

Name of Work:

Bihar-Nijay Road to Mathurapur in Chadariya More to Hawanpura South West Tola.

Contract No: Civil Works/

Name of the

Bidder/

Bidding

Firm /

Company :

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT With Taxes	TOTAL AMOUNT In Words	
1	2	3	4	5	6	7	
1	Providing & Fixing of Working benchmark/Reference Pillars 01 nos. per km & 04 Nos. of reference pillars required for 1 Km. as per drawings given and direction of E/I				0.00	INR Zero Only	
2	Benchmark Pillars 01 nos. per km	4	No	3875.85	15503.40	INR Fifteen Thousand Five Hundred & Three and Paise Forty Only	
3	Reference Pillars 04 nos. per km	12	No	1747.51	20970.12	INR Twenty Thousand Nine Hundred & Seventy and Paise Twelve Only	
4	Clearing and Grubbing Road Land (By manual means) including uprooting wild vegetation , grass ,bushes ,shrubs , saplings and trees of girth upto 300mm , removals of stumps of such trees cut earlier & disposal of unserviceable materials & stacking of serviceable materials to be used or auctioned upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150mm in thickness as per technical specification - clause 201.1 and direction of F-1 (By Manual Means) In area of non-thorny	2.19	Heet.	49496.70	108397.77	INR One Lakh Eight Thousand Three Hundred & Ninety Seven and Paise Seventy Seven Only	

Shri. Balash Chakraborty

Executive Engineer

R.W.D. Work Division

Nishu Ghosh

5	Construction of embankment with approved material obtained from borrow pits with a lift upto 1.5 m, transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m as per Technical Specification Clause 301.5	4812.21	Cum	174.83	841318.67	INR Eight Lakh Forty One Thousand Three Hundred & Eighteen and Paise Sixty Seven Only
6	Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead upto 1000 m & 100 m as per Technical Specification Clause 303.1. (Including Royalty & Labour Granular Sub-base with Well Graded Material (Table 400.1) :- Construction of granular sub-base by providing well graded material, spreading in uniform layers with tractor mounted grader arrangement on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401. (For Grading I Material)	8861.86	Cum	176.96	1568194.75	INR Fifteen Lakh Sixty Eight Thousand One Hundred & Ninety Four and Paise Seventy Five Only
7	Granular Sub-base with Well Graded Material (Table 400.1) :- Construction of granular sub-base by providing well graded material, spreading in uniform layers with tractor mounted grader arrangement on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401. (For Grading I Material)	2497.27	Cum	1851.75	4624319.72	INR Forty Six Lakh Twenty Four Thousand Three Hundred & Nineteen and Paise Seventy Two Only
8	WBM Grading 3 :- Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Prime Coat (Low Porosity) :- Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0kg/sqm using mechanical means as per Technical Specification Clause Tack Coat:- Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25-0.30kg per sqm on the prepared granular surfaces treated with primer & cleaned with Hydraulic broom as per Technical Specification Clause 503.	897.92	Cum	2583.07	2319390.21	INR Twenty Three Lakh Nineteen Thousand Three Hundred & Ninety and Paise Twenty One Only
9	Prime Coat (Low Porosity) :- Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0kg/sqm using mechanical means as per Technical Specification Clause Tack Coat:- Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25-0.30kg per sqm on the prepared granular surfaces treated with primer & cleaned with Hydraulic broom as per Technical Specification Clause 503.	11207.25	Sqm	41.12	460842.12	INR Four Lakh Sixty Thousand Eight Hundred & Forty Two and Paise Twelve Only
10	Prime Coat (Low Porosity) :- Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0kg/sqm using mechanical means as per Technical Specification Clause Tack Coat:- Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25-0.30kg per sqm on the prepared granular surfaces treated with primer & cleaned with Hydraulic broom as per Technical Specification Clause 503.	11207.25	Sqm	13.95	156341.14	INR One Lakh Fifty Six Thousand Three Hundred & Forty One and Paise Fourteen Only

Executive Engineer
R.W.D. Work Division
Bihar Sharif

Prashant Kumar

Construction of embankment with pavadas					
11	Mix Seal Surfacing Type B Providing, laying and rolling of close-graded premix surfacing material of 20 mm thickness composed of 11.2 mm to 0.9 mm (Type-A) or 13.2 mm to 0.9 mm (Type-B) aggregates using penetration grade bitumen to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 8-10 kN	11207.25	Sqm	182.25	2042521.31
	Cement Concrete Pavement M30				INR Twenty Lakh Forty Two Thousand Five Hundred & Twenty One and Paise Thirty One Only
12	Construction of un-reinforced, plain cement concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement or any other type as per Clause 1501.2.2 M30 (Grade), coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not exceeding 25 mm, mixed in a concrete mixer of not less than 0.2 cum capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick polythene film, wedges, steel plates including levelling the formwork as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs for 14-days, using curing compound (where specified) and water finishing to lines and grade as per drawing and Technical Specification Clause 1501.	122.40	Cum	6119.15	748983.96
					INR Seven Lakh Forty Eight Thousand Nine Hundred & Eighty Three and Paise Ninety Six Only
13	Hard Shouldering :- Laying brick soling layer on prepared sub-grade with brick on end edging according to lines, graded and cross-section shown on the drawing filling joints with sand and earth, spreading 25 mm thick layer of earth over brick soling, watering and rolling the same with three wheel road roller 80-100 kN as per Technical Specification Clause 412	200.00	sqm	542.59	108518.00
					INR One Lakh Eight Thousand Five Hundred & Eighteen Only
14	Reinforced cement concrete M15 grade kilometre stone/local stone of standard design as per IRC:8 fixing in position including painting and printing, etc as per drawing and Technical Specification Clause 1703				0.00
					INR Zero Only
15	Ordinary Kilometer Stone (Precast)	4	Each	1888.05	7552.20
					INR Seven Thousand Five Hundred & Fifty Two and Paise Twenty Only

Borhan Bada Chaudhary

Executive Engineer
R.W.D. Work Division
Bihar
18/11/19

16	200 m stone (gross)	12	Each	549.36	6592.32	INR Six Thousand Five Hundred & Ninety Two and Paise Thirty Two Only
17	(U) Providing and Fixing 'Logo' of MMGSY Project :- Providing and fixing of typical MMGSY informative sign board with Logo as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos. 75mm x 75 mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 450mm x 450mm x 600mm, 600mm below ground level. The top most diamond plate will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1	3	Each	9040.04	27120.12	INR Twenty Seven Thousand One Hundred & Twenty and Paise Twelve Only
18	Printing new letter and figures of any shade with synthetic enamel paint black or any other approved colour to give an even shade as per drawings and Technical Specification Clause 1701	264	per cm height per letter	0.50	132.00	INR One Hundred & Thirty Two Only
19	Boundary Pillar/ Guard Post Reinforced cement concrete M15 grade boundary pillars/local stone of standard design as per IRC:25, fixed in position including finishing and lettering but excluding painting as per drawing and Technical Specification Clause 1704	24	No	463.63	11127.12	INR Eleven Thousand One Hundred & Twenty Seven and Paise Twelve Only
20	Retro-reflectorisec Traffic Signs :- Providing and fixing of retro-reflectorisec cautionary, mandatory and informative sign as per IRC:67 made of encapsulated lens type reflective sheeting wide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801				0.00	INR Zero Only

Executive Engineer
R.O. Work Division
Bihar Sahib

Babbar Babbar Babbar

21	600 mm equilateral & triangle	12	Each	3607.67	43292.04	INR Forty Three Thousand Two Hundred & Ninety Two and Paise Four Only
22	600 mm circular	8	Each	4879.58	39036.64	INR Thirty Nine Thousand & Thirty Six and Paise Sixty Four Only
23	800 mm x 600 mm rectangular	6	Each	6852.56	41115.36	INR Forty One Thousand One Hundred & Fifteen and Paise Thirty Six Only
24	600 mm x 450 mm rectangular	6	Each	4749.39	28496.34	INR Twenty Eight Thousand Four Hundred & Ninety Six and Paise Thirty Four Only
25	900 mm side octagon, OR	2	Each	8775.46	17550.92	INR Seventeen Thousand Five Hundred & Fifty and Paise Ninety Two Only
26	Road Marking with Hot Applied Thermoplastic Compound with Reflectorisng Glass Beads on Bituminous Surface :- Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorisng glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35 .The finished surface to be level, uniform and free from streaks and holes.	586.00	Sqm	735.40	430944.40	INR Four Lakh Thirty Thousand Nine Hundred & Forty Four and Paise Forty Only
27	Road Marking with Hot Applied Thermoplastic Compound with Reflectorisng Glass Beads on Concete Surface :- Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorisng glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35 .The finished surface to be level, uniform and free from streaks and holes.	40.00	Sqm	\$20.58	32833.20	INR Thirty Two Thousand Eight Hundred & Twenty Three and Paise Twenty Only
28	Planting of tree by the road side (Avenue Tree) in 0.6 m dia holes, 1 m deep dug in the Ground, Mixing the soil with decayed farm yard/ slug manure, planting the saplings back filling the trench, watering, fixing the tree guard & maintain the Plant for One Year.	293.00	Sqm	790.81	231707.33	INR Two Lakh Thirty One Thousand Seven Hundred & Seven and Paise Thirty Three Only
29	Earth work in excavation for foundation of structures upto 3.0 m depth as per drawing and technical specification clause 1104	355.94	Cum	260.59	92754.40	INR Ninety Two Thousand Seven Hundred & Fifty Four and Paise Forty Only
30	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 PCC M-15 Grade	34.03	Cum	4269.63	145295.51	INR One Lakh Forty Five Thousand Two Hundred & Ninety Five and Paise Fifty One Only

बिहार बिहार

Executive Engineer
R.W.D. Work Division
Nisw
18/11/19

Sl. No.	Description of Work	Unit	Rate	Quantity	Amount	Remarks
32	Supply and laying HYSD bar reinforcement in foundations complete as per drawings and technical specifications Clause 1000 and 1202	0.399	MT	55638.06	22199.59	INR Twenty Two Thousand One Hundred & Ninety Nine and Paise Fifty Nine Only
33	Providing concrete for plain reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 PCC M-20	155.49	Cum	4979.21	774217.36	INR Seven Lakh Seventy Four Thousand Two Hundred & Seventy Four and Paise Thirty Six Only
34	Providing and laying RCC pipe NP-3 for culverts on first class bedding of PCC M10 material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling concrete and masonry works in head walls and parapets as per clause 1106	15.00	M	975.52	14632.80	INR Fourteen Thousand Six Hundred & Thirty Two and Paise Eighty Only
35	Providing and laying RCC pipe NP-3 for culverts on first class bedding of PCC M10 material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling concrete and masonry works in head walls and parapets as per clause 1106	15.00	M	3651.20	54768.00	INR Fifty Four Thousand Seven Hundred & Sixty Eight Only
36	Painting on Parapet Wall (Black & White Strips) Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new, plastered / concrete surfaces as per drawing and Technical Specification Clause 1701	131.33	Sqm	95.63	12559.09	INR Twelve Thousand Five Hundred & Fifty Nine and Paise Nine Only
37	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification Clause 614, 709, 1204, 3.7	90.00	Nos.	109.64	9867.60	INR Nine Thousand Eight Hundred & Sixty Seven and Paise Sixty Only
38	Plain reinforced cement concrete in substructure complete as per drawings and technical specification Clause 802, 804, 805, 806, 807, 1202 and 1204 RCC M-25 Grade	28.86	Cum	5589.75	161320.19	INR One Lakh Sixty One Thousand Three Hundred & Twenty and Paise Nineteen Only
39	Supplying, fitting and placing HYSD bar reinforcement (Fe 415) in substructure complete as per drawings and technical specification Clause 1002, 1005, 1010 & 1202	2.86	MT	55774.44	159514.90	INR One Lakh Fifty Nine Thousand Five Hundred & Fourteen and Paise Ninety Only

Executive Engineer
R.W. Work Division
Muzaffargarh

40	Backfilling behind abutment, wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 (With Sandy Materials)	89.88	Cum	690.24	6,2038.77	INR Sixty Two Thousand & Thirty Eight and Paise Seventy Seven Only
41	Providing and laying filter media with granular crushed aggregates as per specification to a thickness of not less than 600 mm with smaller size towards the soil and bigger size towards the wall and providing over the entire surface behind abutment, wing wall, return wall to the full height, compacted to firm condition complete as per drawing and technical specification Clause 1204.3.8	50.33	Cum	2133.96	107402.21	INR One Lakh Seven Thousand Four Hundred & Two and Paise Twenty One Only
42	Providing and laying reinforced cement concrete in superstructure as per drawing and technical specifications Clauses 800, 1205.4 and 1205.5 RCC M-30 Grade	12.06	Cum	6151.76	74190.23	INR Seventy Four Thousand One Hundred & Ninety and Paise Twenty Three Only
43	Supplying, fitting, and placing HYSD bar reinforcement in superstructure complete as per drawing and technical specifications Clauses 1002, 1010 and 1202	1.04	MT	56795.78	59067.61	INR Fifty Nine Thousand & Sixty Seven and Paise Sixty One Only
44	Drainage spouts complete as per drawing and technical specifications Clause 1209	8.00	Nos.	397.97	3183.76	INR Three Thousand One Hundred & Eighty Three and Paise Seventy Six Only
45	Providing and laying cement concrete wearing course M 30 grade including reinforcement complete as per drawing and technical specifications Clauses 800 and 1206.3	1.482	Cum	11127.43	16490.85	INR Sixteen Thousand Four Hundred & Ninety and Paise Eighty Five Only
46	Dismantling of existing structures like culverts, bridges, retaining walls and other structure comprising of masonry, cement concrete, wood work, steel work, including T&P and scaffolding wherever necessary, sorting the dismantled material, disposal of unserviceable material and stacking the serviceable material with all lifts and lead of 1000 m as per Technical Specification Clause 202					
47	(B) Cement Concrete	0.150	Cum	473.83	71.07	INR Seven (One and Paise Seven) Only
48	(C) Reinforced Cement Concrete	1.680	Cum	1062.80	1785.50	INR One Thousand Seven Hundred & Eighty Five and Paise Fifty Only
49	Dismantling of existing structures like culverts, bridges, retaining walls and other structures comprising of brick masonry, including disposal of unserviceable material and stacking the serviceable material with all lift and lead of 1000 m as per Technical Specification Clause 202	24.750	Cum	228.72	5660.82	INR Five Thousand Six Hundred & Sixty and Paise Eighty Two Only

For: Babbar Babbar Babbar

Executive Engineer
R.W.D. Work Division
Biharsharif
12/11/17

50	Providing and laying of a reinforced cement concrete pipe duct, 100 mm dia. across the road (new construction), extending from drain to drain in cuts and toe of slope to toe of slope in fills, constructing head walls at both ends, providing a minimum fill of granular material over top and sides of RCC pipe as per IRC:981997, bedded on a 0.3 m thick layer of granular material free of rock pieces, outer to outer distance of pipe at least half dia of pipe subject to minimum 450 mm in case of double and triple row ducts, joints to be made leak proof, invert level of duct to be above higher than ground level to prevent entry of water and dirt, all as per IRC: 98 - 1997 and approved drawings.	30.000	RM	878.96	26368.80	INR Twenty Six Thousand Three Hundred & Sixty Eight and Paise Eighty Only
51	GST @ 12% ON (PART A) & LABOUR CESS @ 1%	1.000	Thousand	2097448.00	2097448.00	INR Twenty Seven Lakh Thirty Eight Thousand Eight Hundred & Forty Four and Paise Ninety Six Only
52	1st Year Maintenance cost	1	Year	33861.00	33861.00	Thirty Three Thousand Eight Hundred & Sixty One Only
53	2nd Year Maintenance cost	1	Year	40618.00	40618.00	Forty Thousand Six Hundred & Eighteen Only
54	3rd Year Maintenance cost	1	Year	528937.00	528937.00	Five Lakh Twenty Eight Thousand Nine Hundred & Thirty Seven Only
55	4th Year Maintenance cost	1	Year	69419.00	69419.00	Sixty Nine Thousand Four Hundred & Nineteen Only
56	5th Year Maintenance cost	1	Year	549306.00	549306.00	Five Lakh Forty Nine Thousand Three Hundred & Six Only
57	GST @ 12% ON (PART A) & LABOUR CESS @ 1%	1.000	Thousand	158878.00	158878.00	One Lakh Fifty Eight Thousand Eight Hundred & Seventy Eight Only
Total in Figures					19612685.17	One Crore Ninety Six Lakh Twelve Thousand Six Hundred & Eighty Five and Paise Seventeen Only
Quoted Rate in Figures			Select		19612685.00	INR Zero Only
Quoted Rate in Words		INR One Crore Ninety Six Lakh Twelve Thousand Six Hundred & Eighty Five Only				

Executive Engineer
W.D. Work Division
Biharsharif

Dr. S. K. Singh

बिहार सरकार
ग्रामीण कार्य विभाग

पत्रांक-मु0 अ0-4 (मु0)रा0यो0-03-142/2019

829

/पटना, दिनांक-27/12/19

प्रेषक,

मो0 सोहेल, मा0प्र0यो0
अपर सचिव।

सेवा में,

महालेखाकार (लेखा एवं हकदारी)
बिहार, पटना।

आंतरिक वित्तीय सलाहकार द्वारा
अनौपचारिक रूप से परामर्शित

विषय:- योजना शीर्ष 4515-अन्य ग्राम विकास कार्यक्रमों पर पूंजीगत परिव्यय-103-ग्राम विकास-राज्य योजना-0105-ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)-उपशीर्ष के अन्तर्गत राज्य के नालन्दा जिलान्तर्गत कार्य प्रमंडल, बिहारशरीफ अन्तर्गत रहुई प्रखंड के बिहार निजाय पथ से मथुरापुर पथ में चंदरिया मोड़ से हवनपुरा दक्षिण पश्चिम टोला तक पथ निर्माण कार्य जिसकी लम्बाई 3.130 कि0मी0 निर्माण हेतु रु0 197.818 लाख एवं अनुरक्षण की राशि रु0 13.823 लाख अर्थात् कुल 211.641 लाख रुपये (दो करोड़ ग्यारह लाख चौसठ हजार एक सौ रु0 मात्र) की लागत पर प्रशासनिक स्वीकृति प्रदान करने के संबंध में।

महाशय,

निदेशानुसार योजना शीर्ष 4515-अन्य ग्राम विकास कार्यक्रमों पर पूंजीगत परिव्यय-103-ग्राम विकास-राज्य योजना-उप शीर्ष-0105-ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)-उप शीर्ष के अन्तर्गत राज्य के नालन्दा जिलान्तर्गत कार्य प्रमंडल, बिहारशरीफ अन्तर्गत रहुई प्रखंड के बिहार निजाय पथ से मथुरापुर पथ में चंदरिया मोड़ से हवनपुरा दक्षिण पश्चिम टोला तक पथ निर्माण कार्य जिसकी लम्बाई 3.130 कि0मी0 निर्माण हेतु रु0 197.818 लाख एवं अनुरक्षण की राशि रु0 13.823 लाख अर्थात् कुल 211.641 लाख रुपये (दो करोड़ ग्यारह लाख चौसठ हजार एक सौ रु0 मात्र) की लागत पर प्रशासनिक स्वीकृति प्रदान किया जाता है।

1. इस योजना को दो वित्तीय वर्ष 2018-19 एवं 2019-20 में पूरा किये जाने का लक्ष्य है।
2. कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, बिहारशरीफ द्वारा इस योजना के कार्य सम्पादन हेतु निकासी एवं व्ययन पदाधिकारी होंगे। कार्य निविदा के माध्यम से कराया जाएगा।
3. योजना के क्रियान्वयन से पूर्व इस पर सक्षम पदाधिकारी से प्रावधिक स्वीकृति प्राप्त कर ली जायगी।
4. इस योजना का व्यय योजना शीर्ष 4515-अन्य ग्राम विकास कार्यक्रमों पर पूंजीगत परिव्यय-103-ग्राम विकास-राज्य योजना-0105-ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)-उपशीर्ष जिसका विपत्र कोड 37-4515001030105 के अन्तर्गत वित्तीय वर्ष 2018-19 में उपबंधित राशि से विकलनीय होगा।
5. योजना शीर्ष 4515-अन्य ग्राम विकास कार्यक्रमों पर पूंजीगत परिव्यय-103-ग्राम विकास-राज्य योजना-0105-ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)-उपशीर्ष के अन्तर्गत वित्तीय वर्ष 2018-19 में 459.31 करोड़ रुपये का बजट उपबंध स्वीकृत है।
6. संबंधित कार्यपालक अभियंता, द्वारा योजनाओं का वित्तीय एवं भौतिक प्रतिवेदन प्रत्येक माह के पाँच तारीख तक ऑनलाईन प्रविष्टि कराते हुए अधीक्षण अभियंता, कार्य अंचल नालन्दा एवं मुख्य अभियंता के माध्यम से विभाग को निश्चित रूप से उपलब्ध करायेंगे।
7. कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, बिहारशरीफ यह सुनिश्चित करेंगे कि यह योजना किसी अन्य योजना शीर्ष अन्तर्गत स्वीकृत नहीं है।
8. इस योजना का चयन मा0 मंत्री, ग्रामीण कार्य विभाग, द्वारा संचिका संख्या- मु0 अ0-4 (मु0)नाबार्ड-03-116/2014 पार्ट के पृ0 सं0-68/पृ0 पर दिनांक-20.02.2019 को किया गया है।

SP

Dr. Mahesh Chandra

Executive Engineer
R.W.D. Work Division
Biharsharif

Misc
18/11/19

(1)

9. इस योजना की स्वीकृति सक्षम प्राधिकार सचिव, ग्रामीण कार्य विभाग द्वारा सचिव सं- मु0 अ0-4 (मु0)स0यो0-03-142/2019 को प्राप्त है।
10. बादा के निर्धारित प्रावधान/प्रक्रिया के आलोक में बजट प्रावधान के अंतर्गत राशि की निकाली की जाएगी।
11. कार्यपालक अभियंता (PMU) का उत्तरदायित्व होगा कि कार्यों का विशिष्टताओं/विशिष्ट के अनुषंग कार्यान्वित करा कर एकसंस्कार एवं सुसंगत वित्तीय प्रावधानों के पालन उपरान्त पूर्णतः संतुष्ट होकर ही राशि की निविदाओं एवं व्यय करेंगे।
12. वित्त विभाग के संकल्प संख्या-3760 दिनांक-31.05.2017 में निहित निर्देशों को अक्षरशः पालन किया जाएगा तथा बिहार वित्त नियमावली के सुसंगत प्रावधानों के आलोक में योजना में उपबंधित राशि की उपलब्धता के आधार पर व्यय की जाएगी।
13. यह आदेश आंतरिक वित्तीय सलाहकार की सहमति प्राप्त कर निर्गत किया जा रहा है। आंतरिक वित्तीय सलाहकार की सहमति सचिव सं-मु0 अ0-4(मु0)स0यो0-03-142/2019 के पृष्ठ संख्या-06/टि0 पर दिनांक-26.02.17 को प्राप्त है।
14. यह राशि उसी मद में खर्च की जायेगी, जिसके लिए पुनर्विनियोजित की गयी है, अन्य मद में नहीं।
15. प्राकल्पन की विशिष्टताओं के अनुसार निर्धारित समयवधि के अंदर कार्य पूर्ण करना सुनिश्चित किया जाएगा।
16. योजना के कार्यान्वयन के क्रम में इनका निर्धारित निर्देशानुसार सरकार से निर्गत आदेशों में प्रावधानित सक्षम नियंत्री पदाधिकारियों द्वारा नियमित अंतराल पर अनिवार्य रूप से किया जाएगा एवं कार्यों को सारगम्य तथा गुणवत्तापूर्वक सम्पन्न करना सुनिश्चित कराया जाएगा। योजना के कार्यान्वयन में अनियमितता की स्थिति में सभी निरीक्षी प्राधिकार भी उत्तरदायी माने जाएंगे।
17. वित्त विभाग के पत्रांक-770, दिनांक 20.09.11 के द्वारा सूचित किया गया है कि नाबार्ड से RIDP के अन्तर्गत नई परियोजनाओं की प्रशासनिक अनुमोदन प्राप्त करने के उपरान्त ही स्वीकृति हेतु नाबार्ड को भेजी जाये।

विश्वासमानजन

(मु0)स0यो0-03-142/2019
अप सचिव
/पटना, दिनांक 27/02/17

ज्ञापांक- मु0 अ0-4 (मु0)स0यो0-03-142/2019

829

प्रतिलिपि- कोषागार पदाधिकारी, नालन्दा को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

अपर सचिव

ज्ञापांक- मु0 अ0-4 (मु0)स0यो0-03-142/2019

829

/पटना, दिनांक 27/02/17

प्रतिलिपि- माननीय मंत्री के आप्त सचिव, ग्रामीण कार्य विभाग/प्रधान सचिव, योजना एवं विकास विभाग/वित्त विभाग (आय-व्यय शाखा)/आंतरिक वित्तीय सलाहकार, ग्रामीण कार्य विभाग/प्रमंडल सचिवालय एवं समन्वय विभाग/कार्मिक एवं प्रशासनिक सुधार विभाग, प्रमण्डलीय आयुक्त, पटना/जिला पदाधिकारी, नालन्दा/उप विकास आयुक्त, नालन्दा/अभियंता प्रमुख सह-सचिव, BRRDA, ग्रा0 का0 वि0, बिहार, पटना/मुख्य अभियंता-1, पटना, ग्रामीण कार्य विभाग/मु0 अ0-4 (मुख्यालय), ग्रा0 का0 वि0/अधीक्षण अभियंता, ग्रा0 का0 वि0, कार्य अंचल, नालन्दा/कार्यपालक अभियंता, ग्रा0 का0 वि0 कार्य प्रमंडल, बिहारशरीफ/मुख्य महाप्रबंधक नाबार्ड, बिहार क्षेत्रीय कार्यालय, (गौरा कम्पलेक्स, पॉचकी मंजिल) डाक बंगला रोड, पटना को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित। आई0टी0 नोडल, ग्रामीण कार्य विभाग को विभाग के वेबसाइट पर अपलोड करने हेतु प्रेषित। एम0आई0एस0 नोडल, ग्रामीण कार्य विभाग को स्टेट एम0आई0एस0 में प्रविष्टि हेतु प्रेषित।

(अपर सचिव)
27/2/17

Dr. Rakesh Chaudhary

Executive Engineer
R.W.D. Division
Nalanda
27/2/17