

कार्यपालक अभियन्ता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, हथुआ।

पत्रांक- 933

दिनांक- 31-7-2024

प्रेषक,

कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, हथुआ।

सेवा में,

सचिव,
बिहार, ग्रामीण पथ विकास अभिकरण,
बिहार, पटना।

विषय :- बिहार ग्रामीण पथ नई अनुरक्षण नीति-2018 के तहत क्रियान्वित पथ मरम्मत कार्य हेतु राशि उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषयक बिहार ग्रामीण पथ नई अनुरक्षण नीति-2018 के तहत क्रियान्वित पथ मरम्मत कार्य हेतु राशि की अधियाचना विहित प्रपत्र में की जा रही है।

अतः भवदीय से अनुरोध है कि कॉलम 18 में अंकित राशि उपलब्ध कराने की कृपा की जाय।

अनु0- यथोक्त।

विश्वासभाजन
31-07-24

कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, हथुआ।

Requisition Format for Scheme Head- MR (3054) under Bihar Rural Road Maintenance Policy- 2018 (Initial Rectification and Surface Renewal)																		
Name of Works Division :- Rural Works Department, Works Division Hathua.																		
Sl No.	Package No.	Name of Road	Project ID as Per MIS	Administrative Approval (AA) Letter No & Date.	Administrative Approval (AA)		Agreement Amount (in Lakh)		Agreement No & Date	Date & Completion as per Agreement.	Actual Date of Completion	Value of IRI (in MM/KM)	Thickness of Bitumen layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in Lakh)	Up-to date expenditure as per MIS (in Lakh)	Requisition against work done. (in Lakh)	Remarks
					Length (in Lakh)	Amount (in Lakh)	Initial Rectification with surface Renewal (in Lakh)	5 Year Routine Maintenance (in Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/23-24/Hathua/-07	Atawa Mahadewa To Piprapati.	31407113019	Letter-6115, Dt-04.12.2023	1.810	76.540	51.56588	17.99650	15/MBD/2023 24 Date- 20.02.2024	19.11.2024	-	Good	25	5.00	49.000000	49.000000	2.47325	Complete
2	MR-N/23-24/Hathua/-07	Bansdila Chhatteer To Kewala hata.	31407113020	Letter-6115, Dt-04.12.2023	1.207	53.220	36.87721	12.47276	15/MBD/2023 24 Date- 20.02.2024	19.11.2024	-	Good	25	5.00	35.000000	35.000000	1.82679	Complete
					3.017	129.760	88.44309	30.46926							84.000000	84.000000	4.30004	

प्रमाणित किया जाता है कि पथ में कराये गये कार्य मानक एवं विशिष्टियों के अनुरूप है।

J.E
Hathua
31/07/24

A.E
Hathua
31/07/24

D.A.O
R.W.D Works Division, Hathua.
31/07/24

Executive Engineer,
R.W.D Works Division, Hathua.
31-07-24

FORM GFR 19 - A

(See Government of India's Decision (1) below Rule - 150)

Form utilisation Certificate up to the month of Up to 21.06.2024

MR-3054 (New Maintenance Policy-2018)

RWD Works Division - HATHUA

	Head	Amount Received		Expenditure		Balance	
		IN A/C-	0.00	IN A/C-	0.00	IN A/C-	0.00
1	MR-3054 (New Maintenance Policy-2018)	By CFMS-	1184942127.00	By CFMS-	1184893978.00	By CFMS-	48149.00
		Total-	1184942127.00	Total-	1184893978.00	Total-	48149.00
						Certified that sum of Rs 11848.94 Lac has been utilized for the purpose of MR-3054 (New Maintenance Policy-2018) Schemes as given in the margin for which it was sanctioned and that the balance of Rs 0.48149 Lac Lacs remaining utilized at the end of the period under.	

2. Certified that I have satisfied myself that the conditions on which the grants-in aid was sanctioned have been duly

Kind of Checks exercised :-

- (i) Works have been supervised by Executive Engineer/Superintending Engineer.
- (ii) Periodical inspection has been conducted by Executive Engineer/Superintending Engineer.
- (iii) Construction material have been tested.
- (iv) Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/Executive Engineer.
- (v) All other codal formalities have been observed.

3. Physical Progress achieved :-

- (i) Construction of Road Works.
- (ii) Construction of CD Works


31.7.24
D.A.O

Rural Works Department
Works Division Hathua


31.57.29

Executive Engineer
Rural Works Department
Works Division Hathua

Name of work : Atawa Mahadewa To Piprapati

Name of customer : Amit Kumar

(R)Rural Road


Good		Average		Poor											
< 4000		4001 - 5000		> 5000											
Date	Time	Test No	Distance(m)	Total Distance(m)	BUMP(cm)	* Speed(Km/Hr)	Ul(mm/Km)	Corrected Ul (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks
30/05/24	13:03:01	96	0	0	0.0 cm	12.8 Km/Hr	0.0 mm/Km	245	0.43	Good	26.4294729	N	84.1630564	E	Normal
30/05/24	13:03:02	96	100	100	20.0 cm	18.4 Km/Hr	2000.0 mm/Km	2117	2.95	Good	26.4294729	N	84.1630564	E	Normal
30/05/24	13:03:22	96	100	200	14.0 cm	17.6 Km/Hr	1400.0 mm/Km	1556	2.24	Good	26.4294729	N	84.1630564	E	Normal
30/05/24	13:07:03	96	100	300	16.0 cm	15.7 Km/Hr	1600.0 mm/Km	1743	2.48	Good	26.3290586	N	84.2575846	E	Normal
30/05/24	13:07:45	96	100	400	17.0 cm	18.5 Km/Hr	1700.0 mm/Km	1836	2.6	Good	26.3281946	N	84.2572794	E	Normal
30/05/24	13:08:59	96	100	500	19.0 cm	14.8 Km/Hr	1900.0 mm/Km	2024	2.83	Good	26.3273687	N	84.2572565	E	Normal
30/05/24	13:09:18	96	100	600	14.0 cm	18.6 Km/Hr	1400.0 mm/Km	1556	2.24	Good	26.3270769	N	84.2570658	E	Normal
30/05/24	13:09:32	96	100	700	16.0 cm	25.2 Km/Hr	1600.0 mm/Km	1743	2.48	Good	26.3257132	N	84.2567911	E	Normal
30/05/24	13:09:46	96	100	800	14.0 cm	24.9 Km/Hr	1400.0 mm/Km	1556	2.24	Good	26.3252459	N	84.2567377	E	Normal
30/05/24	13:10:00	96	100	900	18.0 cm	27.0 Km/Hr	1800.0 mm/Km	1930	2.72	Good	26.3240004	N	84.2561502	E	Normal
30/05/24	13:10:12	96	100	1000	17.0 cm	27.9 Km/Hr	1700.0 mm/Km	1836	2.6	Good	26.3234377	N	84.2554865	E	Normal
30/05/24	13:10:25	96	100	1100	13.0 cm	29.0 Km/Hr	1300.0 mm/Km	1462	2.12	Good	26.3229303	N	84.2547235	E	Normal
30/05/24	13:10:39	96	100	1200	15.0 cm	24.6 Km/Hr	1500.0 mm/Km	1649	2.36	Good	26.3223600	N	84.2539759	E	Normal
30/05/24	13:10:55	96	100	1300	16.0 cm	23.6 Km/Hr	1600.0 mm/Km	1743	2.48	Good	26.3216963	N	84.2535028	E	Normal
30/05/24	13:11:08	96	100	1400	21.0 cm	26.4 Km/Hr	2100.0 mm/Km	2211	3.07	Good	26.3214235	N	84.2527018	E	Normal
30/05/24	13:13:34	96	100	1500	19.0 cm	12.7 Km/Hr	1900.0 mm/Km	2024	2.83	Good	26.3203821	N	84.2528162	E	Normal
30/05/24	13:13:59	96	100	1600	17.0 cm	13.9 Km/Hr	1700.0 mm/Km	1836	2.6	Good	26.3204794	N	84.2537317	E	Normal
30/05/24	13:16:35	96	100	1700	16.0 cm	12.3 Km/Hr	1600.0 mm/Km	1743	2.48	Good	26.3203745	N	84.2543497	E	Normal
30/05/24	13:16:59	96	100	1800	19.0 cm	13.8 Km/Hr	1900.0 mm/Km	2024	2.83	Good	26.3203745	N	84.2543497	E	Normal
30/05/24	13:17:34	96	100	1900	15.0 cm	10.0 Km/Hr	1500.0 mm/Km	1649	2.36	Good	26.3203745	N	84.2543497	E	Normal

[Signature]
21.07.24

[Signature]
21/07/24

[Signature]
31/07/24
I.E.

Name of Customer: Amit Kumar , Machine no: 19193 , Road: Atawa Mahadeva To Piprapati , Date: 30-05-24 , Section No: 96 , Equation: $Y=0.936X-245.3$



[Signature]
31-05-24

[Signature]
31/05/24

[Signature]
31/07/2024
I.E

Name of work : Bansdila Chhaltheer To Kewala hata

Name of customer : Amit Kumar

(R)Rural Road

Good

Average

Poor

< 4000

4001 - 5000

> 5000

Date	Time	Test No	Distance(m)	Total Distance(m)	BUMP(cm)	Speed(Km/Hr)	Ul(mm/Km)	Corrected Ul (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks
30/05/24	13:17:40	97	0	0	0.0 cm	10.0 Km/Hr	0.0 mm/Km	245	0.43	Good	26.3203745	N	84.2543497	E	Normal
30/05/24	13:45:33	97	100	100	13.0 cm	13.6 Km/Hr	1300.0 mm/Km	1482	2.12	Good	26.3573256	N	84.2735224	E	Normal
30/05/24	13:45:50	97	100	200	19.0 cm	22.0 Km/Hr	1900.0 mm/Km	2024	2.83	Good	26.3566618	N	84.2735529	E	Normal
30/05/24	13:46:06	97	100	300	14.0 cm	21.1 Km/Hr	1400.0 mm/Km	1556	2.24	Good	26.3562422	N	84.2733545	E	Normal
30/05/24	13:46:22	97	100	400	19.0 cm	22.9 Km/Hr	1900.0 mm/Km	2024	2.83	Good	26.3554258	N	84.2731485	E	Normal
30/05/24	13:46:36	97	100	500	20.0 cm	25.2 Km/Hr	2000.0 mm/Km	2117	2.95	Good	26.3550386	N	84.2740259	E	Normal
30/05/24	13:46:49	97	100	600	21.0 cm	27.2 Km/Hr	2100.0 mm/Km	2211	3.07	Good	26.3548098	N	84.2745600	E	Normal
30/05/24	13:47:03	97	100	700	24.0 cm	26.7 Km/Hr	2400.0 mm/Km	2492	3.41	Good	26.3544245	N	84.2757196	E	Normal
30/05/24	13:47:16	97	100	800	28.0 cm	27.6 Km/Hr	2800.0 mm/Km	2866	3.87	Good	26.3542242	N	84.2766123	E	Normal
30/05/24	13:47:40	97	100	900	26.0 cm	15.9 Km/Hr	2600.0 mm/Km	2679	3.64	Good	26.3535490	N	84.2776041	E	Normal
30/05/24	13:47:59	97	100	1000	21.0 cm	18.3 Km/Hr	2100.0 mm/Km	2211	3.07	Good	26.3528891	N	84.2771463	E	Normal
30/05/24	13:48:13	97	100	1100	25.0 cm	26.4 Km/Hr	2500.0 mm/Km	2585	3.53	Good	26.3518763	N	84.2767878	E	Normal
30/05/24	13:48:36	97	100	1200	23.0 cm	16.5 Km/Hr	2300.0 mm/Km	2398	3.3	Good	26.3510580	N	84.2763987	E	Normal

Amish


31/07/24

J.E

31/07/24

31-07-24

Name of Customer: Amit Kumar , Machine no: 19193 , Road: Bausdila Chhatreer To Kewala hata , Date: 30-05-24 , Section No: 97 , Equation: $Y=0.936X-245.3$



Indhi
31/07/24
I.E

31/07/24
I.E

31.07.24
I.E