कार्यपालक अभियंता, का कार्यालय ग्रामीण कार्य विभाग, कार्य प्रमंडल, विहारशरीफ

पत्रांक 803 अप विहारशरीफ, दिनांक 31.97.24

प्रेषक.

कार्यपालक अभियंता, ग्रामीण कार्य विमाग, कार्य प्रमंडल, बिहारशरीफ ।

सेवा में,

नोडल पदाधकारी NABARD MAINTENANCE ग्रामीण कार्य विभाग बिहार पटना |

विषय:— शीर्ष NABARD मरम्मति / अनुरक्षण योजनान्तर्गत पूर्ण पथों का 5—वर्षीय रूटीन अनुरक्षण कार्य के कार्यान्वयन हेतु अधियाचणा पत्र समर्पित करने के संबंध में।

महाषय,

NABARD मरम्मति / अनुरक्षण योजनान्तर्गत पूर्ण पथों का 5—वर्षीय रूटीन अनुरक्षण कार्य संवेदक द्वारा कराये गये पथों में एकरारनामा के अनुसार राषि की अधियाचना पत्र समर्पित की जा रही है।

अनुरोध है कि 5-वर्षीय रूटीन अनुरक्षण कार्य कराने हेतु संलग्न सूची के अनुसार राषि उपलब्ध कराने की कृपा की जाय ताकि संवेदक को भुगतान किया जा सके।

अनु०:- यथोक्त।

विश्वासभाजन

कार्यपालक अभियंता,

ग्रामीण कार्य विभाग,

कार्य प्रमंडलू, बिहारशरीफ

FORM GFR 19-A

(See Government of India's Decision (1) below Rule-150)

Form of Utilisation Certificate up to the month of 29.07.24 (NABARD MAINTENANCE FUND)

PIU-BIHARSHARIF

Year-2024-25

SI. No. Name of Scheme		Sanction No. & Date with Amount (in Rs. Lacs)	I Received	Particulars Remarks Certified that out of Rs 22.48793 received & balance during the years 2024-25 in favour of Ex. Engineer, R.W.D. Works Division Biharsharif, sum of Rs 22.48793 has been utilized			
1	Construction of Rural Roads under NABARD (4515) MAINTENANCE FUND	Order No-8466 Date-30.01.2023	22.48793	received & balance during the years 2024-25 in favour of Ex. Engineer, R.W.D. Works Division Biharsharif,			
	Total Rs.		22.48793				

- Certified that I have satisfied myself that the conditions on which the grants-in- aid was Kind of Checks exercised :-
 - Works have been supervised by Executive Engineer/Superintending Engineer. (i)
- Periodical inspection has been conducted by Executive Engineer/Superintending Engineer. (ii)
- Construction material have been tested. (iii)
- Measurements have been recorded in the MBs and test check conducted by the Assistant. (iv)
- All other codal formalities have been observed. (v)

Divisinal Accounts Officer

Rural Works Department

Works Division Biharsharif

- Physical Progress achieved: 3
- Construction of Road Works. (i)
- Construction of CD works (ii)

Executive Engineer Rural Works Department

Works Division Biharsharif

राज्य योजना (नाबार्ड) अन्तर्गत पथों में पंचवर्षीय अनुरक्षण अधियाचना प्रपत्र

12			-		-			취. ' 원	1	
Bibarsha rif		-			12			कार्व प्रमहत्त्व. विहारशरीय	कार्य प्रमंडल	2
Maintenan ce of Road from SH- 78 Suratpur at sadhu ji ke kona to	Malawan	r Shekhura to Chhori	Beldanya Jagjeevanpo	Pojh to	u			होजना का नाम		
0.940					+	_	Дe		एकरा	
1.157		1	9 =======		21		F	इतीय वर्ष राशि(लाख में)	रनामा के	
1.900	1.900		4.0580		6		ą	तीय वर्ष राशि (लाख में)	अनुसार वर्षवा	
2.304	1	1	5.2483		7		7	चतुर्थ वर्ष राशि(लाख में)	प्रावधानि र	
2.709			5.34466		œ		t	पंचम वर्ष राशि (लाख में)	त राशि	
9.01022			18.58912		2	,		कुल राशि (लाख में)		
			0		10	5		प्रथम वर्ष राशि (लाख में)		
1.13971			0		:	=		द्धितीय वर्ष राशि(लाख में)	組	
			0			12		तृतीय वर्ष राशि (लाख में)	र की राशि	
2.00172			0			<u></u>		चतुर्थ वर्ष राशि (लाख में)	वर्षवार	,
1.95795			0			Į		पंचम वर्ष राशि(लाख में)		
5.09938			0		15		कुल राशि (लाख में)			
194.15 8582709.10.1			9535/20.12.1	238.33		16	F 4.0	प्रशासनिक स्वीकृति की राशि एवं प्रसंग दिनांक सहित पत्रांक (लाख मे)		
10.63000							1	अनुरक्षण की राशि सहित अनुमोदित परिमाण विपत्र की राशि (लाख में)	पंचवर्षीय	
8582/09.10. 2017		17	9535/20.12.		-	2	अनुष्तण हेतु प्रशासनिक स्वीकृति का पत्रांक / दिनां			
			10.10			;	19	मुल निर्माण कार्य करने की वास्तविक तिथि		
0.91450							20	प्रथम वर्ष राशि(लाख में)		
							21	द्धितीय वर्ष राशि (लाख में)		वर्नमान
1.87897							22	तृतीय वर्ष राशि (लाख में)		अधियाचि
			11				2.3	चतुर्ध वर्ष राशि (लाख में)		न राशि
= '							24	पंचम वर्ष राशि (लाख में)		
2.79347				3.77830			25	कुल रागि (लाख में)		
				-			26	कुल अधियादित रात्रि (लास्त्र में)		
7 749 8 6 23							27	eg .		
	Maintenan Ce of Road From SH- 78	Maintenan Main	T. Seckharia T. Seckharia T. Seckharia T. Seckharia T. Seckharia T. Sechheria T. S	Beldariya 1,26719 ###### 40580 5.2483 6.34466 18.58912 0 0 0 0 0 0 0 0 0	Pojn to Beldariya Jacob Pojn to Beldariya Jacob Pojn to Beldariya Jacob Beldariya Jacob Beldariya Jacob Beldariya Jacob Beldariya Jacob Beldariya Jacob Jaco	2 3 4 5 6 7 8 9 10 1 1 2 1 2 1 2 1 2 2	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 17 17 17 17 17 17	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26	Record 19 19 19 19 19 19 19 1	श्री विकास की ती हैं। स्वीति को स्थाप की स्याप की स्थाप

कार्य विशिष्टियों के अनुरूप पूर्ण कर लिया गया है।

प्रमंडलीय लेखा पदार्थिकी

कार्य प्रमडल, विहारशरीफ ग्रामीण कार्य विभाग, अनुलग्नक :- प्रशासनिक स्वीकृति का पत्र, अनुमोदित परिमाण विपत्र एवं एकरारनामा की अभिप्रमाणित प्रति। 3. अनुमोदित परिमाण विपत्र की कुल राशि प्रशासनिक स्वीकृति की राशि से 20% अधिकतम सीमा के भीतर है साथ ही अनुमोदित परिमाण विपत्र के मदों की मात्रा का विस्तार का विवरणी

ग्रामीण कार्य विभाग, कार्य प्रभुद्धल, बिहारशरीफ कार्यपालक अभियंता

11月





SBD AGREEMENT HEAD:- 4515 NAB

Main Coodract Value.

UNDER

RWD WORKS DIVISION BIHARSHAI

C/S Approved By S.E. RWD Work Circle Nalanda Vide Letter 08 (we) Dated 02.01.18

PROJECT NAME: - CONSTRUCTION OF ROAD FROM SH-78

SURATPUR NEAR SADHUJI KE KON TO

BAKRA Inc. 5yrs. MAINTANANCE.

NAME OF CONTRACTOR :- SRI RAM PRASAD SINGH

CONTRACTOR ADDRES :- MURHARI, HARNAUT, NALAND.

REGISTRATION NO:-1140018, PAN NO.- CCMPS5887B

BLOCK :- BIND

:- SBD- 30..../2017-18 AGREEMENT No.

ACCEPTED RATE :- 10.00% Below of BOO Rate.


AGREEMENT Value :- Rs. 1,69,68,970.00

:- LOA: - 27.12.2017 **WORK STARTED DATE**

26.12.2018 Date of Completion:

Executive Engineer

217 8016 616



Bhawan, Jawaharlal Nehru Marg, Patna.- 15 (Name and address of Employer) (hereinafter called" the Employer") of part, and

SRI RAM PRASAD SINGH

VILL+PO- MURHARI

HARNAUT, NALANDA.

Whereas the Employer is desirous that the Contractor execute of the of Construction of Road from SH-78 Suratpur Near Sadhuji Ke Kon to Bakra including five year maintenance under Head 4515 Nabard. [Name and identification number of Contract] (here in after called" the works") and the Employer has accepted the Bid by the Contractor for the execution and completion of such Works and the remedying of any defects there in at a cost of Rupees 1,69,68,970.00 (One Crore Sixty Nine Lacs Sixty Eight Thousand Nine Hundred & Seventy) only i.e on 10.00% (Ten Point Zero Percent) below of Estimated Rate with the intended completion date for the whole of the works 12 (Twelve) months from the date of issue of LOA.

214- 7816/618

Tender Inviting Authority: Engg-in Chief RWD Patna

Name of Work:- Construction of Road From SH-78 Suratpur At Sudhujee Ke Kone To Bakra Contract No: Civil Works/NABARD

Contrac	CONT. COM WORKS/NABARD	
Bidder		
Name:	Excess (+)	
2	PATRICLE AND WASHIE	

SCHEDULE OF WORKS.
(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent

SI. No.	Description of work	Quantity	Units	Estimated Rate	Total Amount With Taxes	Total Amounts in Words
1	Setting Out Pillars: Providing & Fixing of Working benchmark Pillars 01 nos. per km & 04 Nos. of reference pillars required for 1 Km. as per drawings given and direction of E/I		Km	12322.04	38568.00	
2	Clearing and Grubbing Road Land Clearing and Grubbing Road Land (By manual means) including uprooting wild vegetation, grass ,bushes, shrubs, saplings and trees of girth upto 300mm, removals of stumps of such trees cut earlier & disposal of unserviceable materials & stacking of					
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	serviceable materials to be used or auctioned upto a lead of 1000 m including removal and disposal of top organic soil not exeeding 150mm in thickness as per technical specification - clause 201.1 and direction of E/I (By Manual Means) In area of non-thorny jungle	्रच १ प्रमा	Hect.	47809.31	104750.00	
3	Construction of embankment with approved material obtained from borrow pits with a lift upto 1.5 m, transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 100 m as per Technical Specification Clause 301.5	8001.26	Cum	128.75	1030162.00	
	Construction of embankment with approved material obtained from borrow pits with a lift upto 1.5 m, transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m as per Technical Specification Clause 301.5	564.49	Cum	148.16	83635.00	
t	Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead upto 1000 m & 100 m as per Technical Specification Clause 303.1. (Including Royality & Labour Cess).	8953.84	Cum	1149.82	1341464.00	
4 F II F T V a	Granular Sub-base with Well Graded Material (Table 100.1): Construction of granular sub-base by providing well graded material, spreading in uniform ayers with tractor mounted grader arrangement on prepared surface, mixing by mix in place method with otavator at OMC, and compacting with smooth wheel roller to achieve the desired density, completed per Technical Specification Clause 401. (For Grading I Material)	2528.33				

Executive Engineer

BWD (Work Division)

20(3) Bihar Sharif

Tender Inviting Authority: Engg-in Chief RWD Patna Name of Work:- Construction of Road From SII-78 Suratpur At Sudhujee Ke Kone To Bakra Contract No: Civil Works/NABARD Bidder Excess (+) Name: SCHEDULE OF WORKS (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only Estimated Total Amount Total SI. Units Quantity Amounts in With Taxes Description of work Rate No. Words WBM Grading 3 :-Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405. 2331449.00 2596.50 897.92 Cum Prime Coat (Low Porosity) :- Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70 1.0kg/sqm using mechanical means as per Technical 522801.00 Specification Clause 502 45.56 v11475 Sqm Surface Dressing using Bituminous (Penetrations grade / modified bitumen) Binder- (By Mechanical Means) Providing and laying surface dressing as wearing course consisting of a layer of bitumen emulsion laid on the prepared surface, followed by a cover of crushed stone chippings of specified size and rolling with 80-100 kN roller including cleaning the road surface as per Technical Specification Clause Case – I: Nominal chipping size 13.2 mm (11475 73.67 (845363.00 Sqm Case - II: Nominal chipping size 9.5 mm 11475 64.24 Sqm 737154.00 10 Cement Concrete Pavement M30 Construction of un-reinforced, plain cement concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement or any other type as per Clause 1501.2.2 M30 (Grade), coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not exceeding 25 mm, mixed in a concrete mixer of not less than 0.2 cum capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick polythene film, wedges, steel plates including levelling the formwork as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate Executive Engineer
RWD (Work Division)
Bihar Sharif vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs for 14-days, using curing compound (where specified) and water finishing to lines and grade as per drawing and Technical noisivi Specification Clause 1501. 79.56 Cum 6962.45 ¥ 553933.00

Tender Inviting Authority: Engg-in Chief RWD Patna

Name of Work:- Construction of Road From SII-78 Suratpur At Sodhujee Ke Kone To Bakra

Contract No: Civil Works/NABARD

Bidder Excess (+) Name:

SCHEDULE OF WORKS

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent

SI. No.	Description of work	Quantity	Units	Estimated Rate	Total Amount With Taxes	Amounts in Words
11	Reinforced cement concrete M15 grade kilometre stone/local stone of standard design as per IRC:8 fixing in position including painting and printing, etc as per drawing and Technical Specification Clause				3615.00	
7	5th Kilometre Stone (precast)	1 600	Each	3614.85	6487.00	
	Ordinary Kilometer Stone (Precast)	3	Each	2162.48	7229.00	
	200 m stone (precast)	12	Each	602.39	7229.00	1
- 4	(1)Providing and Fixing 'Logo' of MMGSY Project: Providing and fixing of typical MMGSY informatory sign board with Logo as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos. 75mm x 75 mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 450mm x 450mm x 600mm, 600mm below ground level. The top most diamond plate will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1	2. 27 1-75 201	Each	9327.30	18655	.00
i i i i f s s n c c	Retro-reflectorised Traffic Signs: Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 801	Δin Annual Control				
0	000 mm equilateral & triangle	12	Each	1663.24	1995	9 00
	300 mm x 600 mm rectangular	2	Each	1769.22		8.00
	NAV HILL A DAVI HILL ICCIALIZUIAI	. 4 .	Lacii	1 1/07.44		0.001

21H 4816 F16

Executive Engineer RWD (Work Division) 20/08

Executive Engineer RWD (Work Division) Bihar Sharif

Tender Inviting Authority: Engg-in Chief RIVD Patna Contract No: Civil Works/NABARD Bidder 0/0 Name: Excess (+) SCHEDULE OF WORKS This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only Total Estimated **Total Amount** Amounts in No. Units Description of work With Taxes Quantity Rate Words 14 Road Marking with Hot Applied Thermoplastic Compound with Reflectorising Glass Beads on Bituminous Surface :- Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35 .The finished surface to be level, uniform and free from streaks and 491190.00 818.65 600 Sqm 15 Earth work in excavation of foundation trenches :--Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material. 274.58 174135.00 634.188 Cum 16 Sand Filling in Foundation :-- Sand Filling in Foundation Trenches as per drawing and technical specification Clause 1108. 22.746 494.29 17 Sqm 11243.00 Brick Flat Soling in Foundation & Flooring :-- Brick Flat Soling in foundation Trenches as per drawing and technical specification Clause 1108 217.365 328.00 Sqm 71296.00 Providing M15 (PCC 1:2.5:5) as levelling course in foundation :-- Providing PCC M 10 (1:3:6) concrete for plain concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 292.29 Cum 5120.75 19 Plain/reinforced cement concrete in substructure 1496744.00 complete as per drawings and technical specification Clauses 802, 804, 805, 806, 807, 1202 ans 1204 (M15 (PCC 1:2.5:5) 225.144 Cum Plain/reinforced cement concrete in substructure 5518.77 20 1242518.00 complete as per drawings and technical specification Clauses 802, 804, 805, 806, 807, 1202 ans 1204. (M15 (PCC 1:2.5:5) 78.45 Cum Plain/reinforced cement concrete(M-20) in 6551.69 21 513980.00 substructure complete as per drawings and technical specification Clauses 802, 804, 805, 806, 807, 1202 ans 1204 25.801 Cum 22 Providing RCC M25 in Deck Slab :-- Providing and 6009.09 155041.00 laying reinforced cement concrete in superstructure (Deck slab M25) as per drawing and technical ginee specifications Clauses 800, 1205.4, 1205.5 d. soithdand 42.193 Cum Supplying, fitting and placing HYSD bar 7240.68 305506.00 reinforcement in super-structure complete as per drawing and technical specifications 4.913

217 7416 1616



294794.00

60002.80

MT

Tender Inviting Authority: Engg-in Chief RWD Pains
Name of Work:- Construction of Road From SH-78 Suratpur At Sudhnjee Ke Kone To Bakra

ontract No: Civil Works/NABARD
idder
nme: Excess (+) %
(This process SCHEDULE OF WORKS

(This BOO	SCHEDULE OF WORKS	
columns also template must not be	modified/replaced by the bidder and the same	should be uploaded after filling the relevent
commis, else the bidder is liable to	be rejected for this tender. Bidders are allow	ed to enter the Bidder Name and Values only)
Ci i		Alder out.

No.	Description of work	Quantity	Units	Estimated Rate	Total Amount With Taxes	Total Amounts in
24	Providing and filling joint scaling compound as per drawings and technical specifications with coarse sand and 6 per cent bitumen by weight	34.50				Words
25	Providing weep holes in abutement : Providing Weepholes in brick masonary, Plain / Reinforced concrete abutement, wing wall, return wall with 100 mm dia AC pipe extending through the full width of the structure with slope of 1V: 20H towards drawing		RM	37.23	1284.00	*
26	Drainage spouts complete as per drawing and	44	No	138.11	6077.00	o
27	Providing and laying BCC at a No.	12	No	617.66	7412.00	0
	including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling concrete and masonary works in head walls and parapets as per clause 1106					
28	Providing and laying of a reinforced cement concrete pipe duct,300 mm dia agree to the concrete	45	RM /	4252.38	191357.0	
1 5 1 1 F	pipe duct,300 mm dia, across the road (new construction), extending from drain to drain in cuts and toe of slope to toe of slope in fills, constructing head walls at both ends, providing a minimum fill of granular material over top and sides of RCC pipe as per IRC:981997, bedded on a 0.3 m thick layer of granular material free of rock pieces, outer to outer distance of pipe at least half dia of pipe subject to minimum 450 mm in case of double and riple row ducts, joints to be made leak proof, invert evel of duct to be above higher than ground level to prevent entry of water and dirt, all as per IRC: 98 - 997 and approved drawings.					
9	1st Year Maintenance cost	60	RM			
+	2nd Year Maintenance cost	1	Year	966.28	57977	.00
	3rd Year Maintenance cost	9	Year	104481.00	104481	.00
+	4th Year Maintenance cost	1	Year	128528.00	120328	.00
	5th Year Maintenance cost		Year	211150.00	211130	0.00
		71	Year	255999.00 300978.00		

Executive Engineer
Executive Eng

18854412.00

बिहार संरकार ग्रामीण कार्य विभाग

पत्रोक-मु0 अ0-4 (मु0)-नाबाई-03-246/2017 8582

/पटना, दिनांक-09/10/17

प्रेषक

संजय कुमार, मा०१०००० अपर सचिव।

सेवा में,

महालेखाकार (लेखा एवं हकदारी) बिहार, पटना।

विषय:— योजना शीर्ष 4515—अन्य ग्राम विकास कार्यक्रमों पर पूंजीगत परिव्यय—103—ग्राम विकास—राज्य योजना—0105—ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)—उपशीर्ष के अन्तर्गत राज्य के नालन्दा जिलान्तर्गत कार्य प्रमंडल, बिहारशरीफ अन्तर्गत विन्द प्रखंड के अधीन एस0एच0—78 सुरतपुर साधुजी के कोणे के निकट से बकरा तक पथ निर्माण कार्य जिसकी लम्बाई 3.130 कि0 मी0 निर्माण हेतु क्0 183.52 लाख एवं अनुरक्षण की राशि क्0 10.63 लाख अर्थात कुल 194.15 लाख रूपये (एक करोड़ चौरान्वें लाख पन्द्रह हजार रूपये) की लागत पर प्रशासनिक स्वीकृति प्रदान करने के संबंध में।

महाशय,

निदेशानुसार योजना शीर्ष 4515—अन्य ग्राम विकास कार्यक्रमों पर पूंजीगत परिव्यय—103—ग्राम विकास—राज्य योजना—उप शीर्ष—0105—ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)—उप शीर्ष के अन्तर्गत राज्य के नालन्दा जिलान्तर्गत कार्य प्रमंडल, बिहारशरीफ अन्तर्गत विन्द प्रखंड के अधीन एस0एच0—78 सुरतपुर साधुजी के कोणे के निकट से बकरा तक पथ निर्माण कार्य जिसकी लम्बाई 3.130 कि0 मी0 निर्माण हेतु रू0 183.52 लाख एवं अनुरक्षण की राशि रू0 10.63 लाख अर्थात कुल 194.15 लाख रूपये (एक करोड़ चौरान्वें लाख पन्द्रह हजार रूपये) की लागत पर प्रशासनिक स्वीकृति प्रदान किया जाता है।

1. इस योजना को दो वित्तीय वर्ष 2017-18 एवं 2018-19 में पूरा किये जाने का लक्ष्य है।

2. कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, बिहारशरीफ द्वारा इस योजना के कार्य सम्पादन हेतु निकासी एवं व्ययन पदाधिकारी होंगे। कार्य निविदा के माध्यम से कराया जाएगा।

3. योजना के क्रियान्वयन से पूर्व इस पर सक्षम पदाधिकारी से प्रावैधिक स्वीकृति प्राप्त कर ली जायगी।

4. इस योजना का व्यय योजना शीर्ष 4515—अन्य ग्राम विकास कार्यक्रमों पर पूँजीगत परिव्यय—103—ग्राम विकास—राज्य योजना—0105—ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)—उपशीर्ष जिसका विपन्न कोड 37—4515001030105 के अन्तर्गत वित्तीय वर्ष 2017—18 में उपबंधित राशि से विकलनीय होगा।

5. योजना शीर्ष 4515—अन्य ग्राम विकास कार्यक्रमों पर पूँजीगत परिव्यय—103—ग्राम विकास—राज्य योजना—0105—ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)—उपशीर्ष के अन्तर्गत वित्तीय

वर्ष 2017-18 में 454.31 करोड़ रुपये का बजट उपबंध स्वीकृत है।

6. कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, बिहारशरीफ द्वारा योजना की भौतिक एवं वित्तीय प्रगति प्रतिवेदन प्रत्येक माह के 10 तारीख तक निष्टियत रूप से कमशः अधीक्षण अभियंता, कार्य अंचल नालन्दा एवं मुख्य अभियंता—1, पटना के माध्यम से विभाग को उपलब्ध कराया जाये।

7. कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, बिहारशरीफ यह सुनिश्चत करेगे कि यह योजना किसी अन्य योजना शीर्ष अन्तर्गत स्वीकृत नहीं है।

DIFFERENCE CANAINS OF THE STREET OF THE STRE

Executive Engineer
PRWD (Work Division)
206 Bihar Sharif

20/3/18 Thar Sha

कार्य . ग्रामीण मंत्री इस योजना का चयन मां० मत्रा, संख्या—BRRDA(HQ)AIMGSY-105/2014 के पृ०सं०-32/टि० पर दिनांक 27.06.2017 को किया

है। 9. इस योजना की स्वीकृति सवाम प्राधिकार संविव, ग्रामीण कार्य विमाग द्वारा संविका सं०- मु० अ०-(मु0) माबाई-03-246/2017 के पूर्व सं0-03/टिव पर दिनांक-12.09.2017 को प्राप्त है।

(मु0) माबाई-03-248/2017 के पृ0 स0-03/100 पर पिता में बजट प्रावधान के अंतर्गत ही राशि की निकासी की जाय।

- निकासी की जाय। 11. वित्त विभाग के संकल्प संख्या-4-45/94-301 वि (2) दिनांक 31,01.1995 एवं वित्त विभाग के पुत्रोंक वित्त विभाग के संकल्प संख्या-4-45/94-301 पर एवं 295 दिनांक 24.03.15 के आलोक में स्वीम (8)-11-2005-5090 वि (2) दिनांक 15.09.05 एवं 295 दिनांक 24.03.15 के आलोक में स्वीम रकीम (8)—11—2005—5090 वि (2) दिनांक 13.03.05 में निहित निदेशों का अक्षरशः पालन किया वित विभाग के संकल्प सं0 96 दिनांक 03.01.2008 में निहित निदेशों का अक्षरशः पालन किया जिय वित विभाग के संकल्प सं0 96 दिनाक 03.01.2000 तथा बिहार वित नियमावली के सुसंगत प्रावधानों के आलोक में योजना में उपबंधित राशि की तथा बिहार वित नियमावला क सुरागत अवना । उपलब्धता के आधार पर व्यय की जाय। यह आदेश आंतरिक वित्तिय सलाहकार की सहमित प्राप्त कर जपलब्धता के आधार पर व्यय का जाय। यह जाउर की सहमित संचिका सं०- मु0 अ0-4 (पु0) नाबार्ड-03-246/2017 के पृष्ठ संख्या-0 % टि० पर दिनांक-2 6 0 पे 17 को प्राप्त है।
- 12. यह राशि उसी मद में खर्च की जायेगी, जिसके लिए पुर्निविनियोजित की गयी है, अन्य में नहीं।
- 12. यह सांश उसा मद म खच का जायमा, क्यान कर 3 13. योजना के लिए कार्यपालक अभियंता, बिहारशरीफ से विस्तृत कार्य योजना मांगी जायेगी एवं प्राक्कलन की विशिष्टताओं के अनुसार निर्धारित समयाविध के अंदर कार्य पूर्ण कराना सुनिश्चित किया जाय।
- 14. योजना के कार्यान्वयन के कम में इनका निर्धारित निरीक्षण (नियमित अंतराल पर) अनिवार्य रूप से किया जाय तथा प्रतिवेदन अमिलेखवद्ध किया जाय।
- 15. वित्त विभाग के पत्रांक-770, दिनांक 20.09.11 के द्वारा सूचित किया गया है कि नाबार्ड से RIDF के अन्तर्गत नई परियोजनाओं की प्रशासनिक अनुमोदन प्राप्त करने के उपरान्त ही स्वीकृति हेतु नाबाई को भेजी जाये।

(संजय क्मार) अपर सचिव

/पटना, दिनांक-०9 ||०//> ज्ञापांक— मु0 अ0-4 (मु0)-नाबार्ड-03-246/2017 प्रतिलिपि – कोषागार पदाधिकारी, बिहारशरीफ को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित

अपर सचिव ज्ञापांक मु0 अ0-4 (मु0)-नाबार्ड-03-246/2017 8582 /पटना, दिनांक-०9 | 10 | 17 प्रतिलिपि— माननीय मंत्री के आप्त सचिव, ग्रामीण कार्य विमाग/प्रधान सचिव, योजना एवं विकास विमाग / वित्त विमाग (आय-व्यय शाखा) / आंतरिक वित्तीय सलाहकार, ग्रामीण कार्य विमाग / मंत्रिमंडल सचिवालय एवं समन्वय विमाग/कार्मिक एवं प्रशासनिक सुधार विमाग, प्रमण्डलीय आयुक्त, पटना/जिला पदाधिकारी, नालन्दा / उप विकास आयुक्त, नालन्दा / अभियंता प्रमुख सह – सचिव, BRRDA, ग्रा० का० वि०, बिहार, पटना / मुख्य अमियंता--1, पटना, ग्रामीण कार्य विमाग / मु० अ०--4 (मुख्यालय), ग्रा० का० वि० / अधीक्षण अभियंता, ग्रा० का० वि०, कार्य अंचल, नालन्दा/कार्यपालक अभियंता, ग्रा० का० वि० कार्य प्रमंडल, बिहारशरीफ / मुख्य महाप्रबंधक नाबार्ड, बिहार क्षेत्रीय कार्यालय, (मौर्या कम्पलेक्स, पाँचवी मंजिल) डाक बंगला रोड, पटना को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेमित। आई०टी० नोडल, ग्रामीण कार्य विभाग को विभाग के वेबसाईट पर अपलोड करने हेतु प्रेषित ।

217 8/416 /6/6

अपर सचिव

Executive Engineer RWD (Work Division) Binar Sharif

Executive Engineer RWD (Work Division)
20 3 | Bihar Sharif