

कार्यपालक अभियंता, का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, बिहारशरीफ

पत्रांक 815 उडि / बिहारशरीफ, दिनांक 03.08.2024

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, बिहारशरीफ ।

सेवा में,

नोडल पदाधिकारी NABARD MAINTENANCE
ग्रामीण कार्य विभाग बिहार पटना ।

विषय:-

शीर्ष NABARD मरम्मत/अनुरक्षण योजनान्तर्गत पूर्ण पथों का 5-वर्षीय रूटीन अनुरक्षण कार्य के कार्यान्वयन हेतु अधियाचना पत्र समर्पित करने के संबंध में।

महाशय,

NABARD मरम्मत/अनुरक्षण योजनान्तर्गत पूर्ण पथों का 5-वर्षीय रूटीन अनुरक्षण कार्य संवेदक द्वारा कराये गये पथों में एकरारनामा के अनुसार राशि की अधियाचना पत्र समर्पित की जा रही है।

अनुरोध है कि 5-वर्षीय रूटीन अनुरक्षण कार्य कराने हेतु संलग्न सूची के अनुसार राशि उपलब्ध कराने की कृपा की जाय ताकि संवेदक को भुगतान किया जा सके।

अनु०:- यथोक्त।

विश्वासभाजन

कार्यपालक अभियंता,

ग्रामीण कार्य विभाग,

कार्य प्रमंडल, बिहारशरीफ



FORM GFR 19-A

(See Government of India's Decision (1) below Rule-150)

Form of Utilisation Certificate up to the month of 02.08.2024

(NABARD MAINTENANCE FUND)

PIU- BIHARSHARIF

Year-2024-25


Sl. No.	Name of Scheme	Sanction No. & Date with Amount (in Rs. Lacs)	Amount Received (in Rs. Lacs)	Particulars	Remarks
1	Construction of Rural Roads under NABARD (4515) MAINTENANCE FUND	Order No-8466 Date-30.01.2023	22.48793	Certified that out of Rs 22.48793 received & balance during the years 2024-25 in favour of Ex. Engineer, R.W.D. Works Division Biharsharif, sum of Rs 22.48793 has been utilized for the purpose of NABARD MAINTENANCE FUND scheme as given in the margin for which it was sanctioned and that the balance of Rs 0.0 lacs remaining unutilized at the end of the period under- 02.08.2024	
Total Rs.			22.48793		


2 Certified that I have satisfied myself that the conditions on which the grants-in- aid was Kind of Checks exercised :-

- Works have been supervised by Executive Engineer/Superintending Engineer.
- Periodical inspection has been conducted by Executive Engineer/Superintending Engineer.
- Construction material have been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant .
- All other codal formalities have been observed.

3 Physical Progress achieved:

- Construction of Road Works.
- Construction of CD works


31/7/24
Divisinal Accounts Officer
Rural Works Department
Works Division Biharsharif



3/8/24
Executive Engineer
Rural Works Department
Works Division Biharsharif
31/7/24




राज्य योजना (नाबार्ड) अन्तर्गत पथों में पंचवर्षीय अनुरक्षण अधियाचना प्रपत्र

क्र. सं०	कार्य प्रमडल, बिहारशरीफ	योजना का नाम	एकरारनामा के अनुसार प्रावधानित राशि वर्षवार					कुल राशि (लाख में)	व्यय की राशि वर्षवार					कुल राशि (लाख में)	प्रशासनिक स्वीकृति की राशि एवं प्रमाण दिनांक (लाख में)	पंचवर्षीय अनुरक्षण की राशि सहित अनुमोदित परिमाण विपत्र की राशि (लाख में)	अनुरक्षण हेतु प्रशासनिक स्वीकृति का पत्रांक / दिनांक	मुल निर्माण कार्य करने की वास्तविक तिथि	वर्तमान अधियाधित राशि					कुल राशि (लाख में)	कुल अधियाधित राशि (लाख में)	Remarks
			प्रथम वर्ष राशि (लाख में)	द्वितीय वर्ष राशि (लाख में)	तृतीय वर्ष राशि (लाख में)	चतुर्थ वर्ष राशि (लाख में)	पंचम वर्ष राशि (लाख में)		प्रथम वर्ष राशि (लाख में)	द्वितीय वर्ष राशि (लाख में)	तृतीय वर्ष राशि (लाख में)	चतुर्थ वर्ष राशि (लाख में)	पंचम वर्ष राशि (लाख में)						प्रथम वर्ष राशि (लाख में)	द्वितीय वर्ष राशि (लाख में)	तृतीय वर्ष राशि (लाख में)	चतुर्थ वर्ष राशि (लाख में)	पंचम वर्ष राशि (लाख में)			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
1		Bihar Nijay to Sona - Sosandi Via Venda Morh	1 2307	1 5356	2 4628	2 9752	3 4875	11.69179	1 22728	1 53632	2 45577	2 96280		8.18217	165 92 2048/24 8 16	12 99090	2048/24 8 16	25 12 2017					3 46663	3 46663	3 46663	N/A
2	Biharsharif	Constructio n of Road from Vinod Pul to Farida (Devi Sthan)	0 3118	0 4595	2 9456	1 0228	3 2886	8.02828	0	0	0	0	0	0.00000	75 05 2709/19 7 1 8	3 90000	2709/19 7 1 8	12 01 2020		0 48906	0 71608			1 20514	1 20514	S
Total-																									4.67177	

- कार्य विशिष्टियों के अनुरूप पूर्ण कर लिया गया है।
- पथ में MQMU/PQM/IE से संबंधित कोई सुधार प्रतिवेदन लंबित नहीं है।
- अनुमोदित परिमाण विपत्र की कुल राशि प्रशासनिक स्वीकृति की राशि से 20% अधिकतम सीमा के भीतर है साथ ही अनुमोदित परिमाण विपत्र के मदों की मात्रा का विस्तार का विवरणी
- अनुलग्नक :- प्रशासनिक स्वीकृति का पत्र अनुमोदित परिमाण विपत्र एवं एकरारनामा की अभिप्रमाणित प्रति।


 31/08/24
 प्रमडल लेखा पदाधिकारी
 ग्रामीण कार्य विभाग,
 कार्य प्रमडल, बिहारशरीफ


 31/8/24
 कार्यपालक अभियंता
 ग्रामीण कार्य विभाग,
 कार्य प्रमडल, बिहारशरीफ



ग्रामीण कार्य विभाग

Rural Works Department, Govt of Bihar

SBD GREEMENT UNDER HEAD:- 4515 NABARD



Main Work - 63,53,000/-

Maintenance - 3,48,401/-

67,01,401/-

UNDER

RWD WORKS DIVISION BIHARSHARIF

C/S Approved By S.E. RWD Work Circle Nalanda Vide Letter 17 (we) Dated 03.01.2019

PROJECT NAME :- CONSTRUCTION OF ROAD FROM BINOD PUL
TO FARIDA (DEVI ASTHAN) INCLUDING FIVE
YEAR MAINTANANCE.

REGISTRATION NO.- 1160212 CLASS-I, PAN NO.- AFXPC7065D

TEENDER ID- 68869 BID ID- 312478

NAME OF CONTRACTOR :- BRAHM PRAKASH CHOUDHARY

CONTRACTOR ADD. :- NAISARAI, BIHARSHARIF, NALANDA.

BLOCK :- RAHUI

AGREEMENT No. :- SBD- 49.../2018-19

ACCEPTED RATE :- 10.00% Below of BOQ Rate.

AGREEMENT Value :- Rs. 67,01,401.00

WORK STARTED DATE :- 15/01/19

INTENDED DATE OF COMPLETION:- 14/01/2020 (as per bid copy)

Brahm Prakash Choudhary

Executive Engineer
R.W.D. Work Division

Nalanda Sharif
15/01/19

15/01/19



Percentage BoQ

Tender Inviting Authority: Engg-In-Chief RWID Patna
Name of Work: Binodpuri To Farida Devi Asthan

Contract No: Civil Works/

PRICE SCHEDULE

Bidder must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT With Taxes	TOTAL AMOUNT In Words
1	Providing & Fixing of Working benchmark/Reference Pillars 01 nos. per km & 04 Nos. of reference pillars required for 1 Km. as per drawings given and direction of E/I	3	4	5	6	7
1	Benchmark Pillars 01 nos. per km	2.000	No	4144.17	8288.34	INR Eight Thousand Two Hundred & Eighty Eight and Paise Thirty Four Only
2	Benchmark Pillars 04 nos. per km	4.000	No	1881.63	7526.52	INR Seven Thousand Five Hundred & Twenty Six and Paise Fifty Two Only
3	Clearing and Grubbing Road Land (By manual means) including uprooting wild vegetation , grass , bushes , shrubs , saplings and trees of girth upto 300mm , removals of stumps of such trees cut earlier & disposal of unserviceable materials & stacking of serviceable materials to be used or auctioned upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150mm in thickness as per technical specification clause 201.1 and direction of E/I (By Manual Means) in area of non-forestry jungle	0.800	Hect.	50148.62	40118.90	INR Forty Thousand One Hundred & Eighteen and Paise Ninety Only
4	Box Cutting :- Excavation for roadway in soil using manual means for carrying of cut earth to embankment site with a lift upto 1.5 m and lead upto 50 m as per Technical Specification Clause 302.3	15.000	Cum	77.70	1165.50	INR One Thousand One Hundred & Sixty Five and Paise Fifty Only
5	Construction of Embankment with Material Obtained from Roadway Cutting Construction of embankment with approved materials deposited at site from roadway cutting and excavation from drain and foundation of other structures graded and compacted to meet requirement of Tables 300.1 and 300.2 as per Technical Specification Clause 301.5.	9.000	Cum	27.3	245.70	INR Two Hundred & Forty Five and Paise Seventy Only
6	Construction of embankment with approved material obtained from borrow pits with a lift upto 1.5 m, transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 100 m as per Technical Specification Clause 301.5	3574.600	Cum	111.25	397674.25	INR Three Lakh Ninety Seven Thousand Six Hundred & Seventy Four and Paise Twenty Five Only
7	Construction of embankment with approved material obtained from borrow pits with a lift upto 1.5 m, transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 m as per Technical Specification Clause 301.5	856.000	Cum	155.23	134429.18	INR One Lakh Thirty Four Thousand Four Hundred & Twenty Nine and Paise Eighteen Only

Explain details clearly

9	Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and loads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with load upto 1000 m & 100 m as per Technical Specification Clause 303.1. (Including Royalty & Labour Cost).	2790.560	Cum	157.47	439429.48	INR Four Lakh Thirty Nine Thousand Four Hundred & Twenty Nine and Paise Forty Eight Only
10	Granular Sub-base with Well Graded Material (Table 400.1) :- Construction of granular sub-base by providing well graded material, spreading in uniform layers with tractor mounted grader arrangement on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401. (For Grading I Material)	853.130	Cum	2071.56	1767309.98	INR Seventeen Lakh Sixty Seven Thousand Three Hundred & Nine and Paise Ninety Eight Only
11	WBM Grading 3 :- Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 3 as per Technical Specification Clause 405.	327.040	Cum	2455.77	803135.02	INR Eight Lakh Three Thousand One Hundred & Thirty Five and Paise Two Only
12	Prime Coat (Low Porosity) :- Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0kg/sqm using mechanical means as per Technical Specification Clause 502	3595.500	Sqm	48.09	172907.60	INR One Lakh Seventy Two Thousand Nine Hundred & Seven and Paise Sixty Only
13	Tack Coat:- Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25-0.30kg per sqm on the prepared granular surfaces treated with primer & cleaned with Hydraulic broom as per Technical Specification Clause 503.	3595.500	Sqm	16.27	58498.79	INR Fifty Eight Thousand Four Hundred & Ninety Eight and Paise Seventy Nine Only
14	Mix Seal Surfacing Type B:- Providing, laying and rolling of close-graded premix surfacing material of 20 mm thickness composed of 11.2 mm to 0.9 mm (Type-A) or 13.2 mm to 0.9 mm (Type-B) aggregates using penetration grade bitumen to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 8-10 kN static roller and finishing to required level and grades as per Technical Specification Clause 509	3595.500	Sqm	198.09	712232.60	INR Seven Lakh Twelve Thousand Two Hundred & Thirty Two and Paise Sixty Only
15	Cement Concrete Pavement M30 Construction of un-reinforced, plain cement concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement or any other type as per Clause 1501.2.2 M30 (Grade), coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not exceeding 25 mm, mixed in a concrete mixer of not less than 0.2 cum capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick polythene film, wedges, steel plates including levelling the formwork as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs for 14-days, using curing compound (where specified) and water finishing to lines and grade as per drawing and Technical Specification Clause 1504	122.400	Cum	6730.34	823793.62	INR Eight Lakh Twenty Three Thousand Seven Hundred & Ninety Three and Paise Sixty Two Only

Shree Prakash Chaudhary

16	Hard Shouldering :- Laying brick soling layer on prepared sub-grade with brick on end edging according to lines, graded and cross-section shown on the drawing filling joints with sand and earth, spreading 25 mm thick layer of earth over brick soling, watering and rolling the same with three wheel road roller 80-100 kN as per Technical Specification Clause 412	100.00	sqm	459.17	45917.00	118 Forty Five Thousand Nine Hundred & Seventeen Only
17	TRAFFIC SIGNS, MARKINGS & OTHER ROAD APPURTENANCES					
18	Kilometre Stone					
19	Reinforced cement concrete M15 grade kilometre stone/local stone of standard design as per IRC:8 fixing in position including painting and priming, etc as per drawing and Technical Specification					Four Thousand Two Hundred & Nineteen and Paise Ninety
20	Ordinary Kilometer Stone (Precast)	2.00	Each	2109.96	4219.92	Two Thousand Four Hundred & Ninety One and Paise Sixty
21	200 m stone (precast)	4.00	Each	622.90	2491.60	
22	(i) Providing and Fixing 'Logo' of MMGSY Project :- Providing and fixing of typical MMGSY information sign board with Logo as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos. 75mm x 75 mm of 12 SWG sheet lathes posts duly embedded in concrete concrete M-15 grade blocks of 450mm x 600mm, 600mm below ground level. The top most diamond plate will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enamelled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1	4.00	Each	10013.51	40054.04	Forty Thousand & Fifty Four and Paise Four Only
23	Printing new letter and figures of any shade with synthetic enamel paint black or any other approved colour to give an even shade as per drawings and Technical Specification Clause 1701	132.00	per cm height per letter	0.53	69.96	Sixty Nine and Paise Ninety Six Only
24	Boundary Pillar/Guard Post: Reinforced cement concrete M15 grade boundary pillars/local stone of standard design as per IRC:25, fixed in position including finishing and lettering but excluding painting as per drawing and Technical Specification Clause 1704	24.00	No	493.11	11834.64	Eleven Thousand Eight Hundred & Thirty Four and Paise Sixty Four Only
25	Retro-reflectorised Traffic Signs :- Providing and fixing of retro-reflectorised cautionary, mandatory and information sign as per IRC: 67 made of encapsulated lens type reflective sheeting wide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and Technical Specification Clause 501					
26	600 mm equilateral & triangle	6.00	Each	4025.90	24155.40	Twenty Four Thousand One Hundred & Fifty Five and Paise Forty Only
27	600 mm circular	6.000	Each	5491.51	32949.24	Thirty Two Thousand Nine Hundred & Forty Nine and Paise Twenty Four Only

Antony Puthi chandray

28	800 mm x 600 mm rectangular	2.00	Each	7755.01	15530.02	Fifteen Thousand Five Hundred & Thirty and Paise Two Only
29	300 mm side octagon, OR	2.00	Each	9980.78	19961.56	Nineteen Thousand Nine Hundred & Sixty One and Paise Fifty Six Only
30	Road Marking with Hot Applied Thermoplastic Compound with Reflectorisng Glass Beads on Bituminous Surface :- Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorisng glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35. The finished surface to be level, uniform and free from strokes and holes.	188.00	Sqm	867.76	163138.88	One Lakh Sixty Three Thousand One Hundred & Thirty Eight and Paise Eighty Eight Only
31	Road Marking with Hot Applied Thermoplastic Compound with Reflectorisng Glass Beads on Concrete Surface :- Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorisng glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35. The finished surface to be level, uniform and free from strokes and holes.	40.00	Sqm	972.67	38906.80	Thirty Eight Thousand Nine Hundred & Six and Paise Eighty Only
32	Earth work in excavation for foundation of structures upto 3.0 m depth as per drawing and technical specification clause 1104	119.780	Cum	288.02	34499.04	Thirty Four Thousand Four Hundred & Ninety Nine and Paise Four Only
33	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 PCC M-15 Grade	65.652	Cum	4894.51	321334.37	Three Lakh Twenty One Thousand Three Hundred & Thirty Four and Paise Thirty Seven Only
34	Plain/reinforced cement concrete in substructure complete as per drawings and technical specification Clauses 802, 804, 805, 806, 807, 1202 and 1204 PCC M-15 Grade	71.596	Cum	5787.94	414393.35	Four Lakh Fourteen Thousand Three Hundred & Ninety Three and Paise Thirty Five Only
35	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia AG pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification Clauses 614, 709, 1204.3.7	24.00	Nos.	133.85	3212.40	Three Thousand Two Hundred & Twelve and Paise Forty Only
36	Providing and laying pitching on slopes with stone/ Boulder laid over prepared filter media as per drawing and technical specifications Clause 1302	126.00	Cum	1972.64	248592.64	Two Lakh Forty Eight Thousand Five Hundred & Fifty Two and Paise Sixty Four Only
37	Providing and laying filler material underneath pitching in slopes complete as per drawing and technical specifications Clause 1302	22.50	Cum	2474.88	55684.80	Fifty Five Thousand Six Hundred & Eighty Four and Paise Eighty Only
38	Plain/reinforced cement concrete in substructure complete as per drawings and technical specification Clauses 802, 804, 805, 806, 807, 1202 and 1204 (RCG M-20 Grade)	6.672	Cum	5787.94	38617.14	Thirty Eight Thousand Six Hundred & Seventeen and Paise Fourteen Only
39	Providing and laying reinforced cement concrete in superstructure as per drawing and technical specifications Clauses 800, 1205.4 and 1205.5 RCC M-25 Grade	3.686	Cum	7027.87	25904.73	Twenty Five Thousand Nine Hundred & Four and Paise Seventy Three Only
40	Supplying, fitting, and placing HYSD bar reinforcement in superstructure complete as per drawing and technical specifications Clauses 1002, 1010 and 1202	0.493	Cum	76456.24	37692.93	Thirty Seven Thousand Six Hundred & Ninety Two and Paise Ninety Three Only
41	Providing and filling joint sealing compound as per drawings and technical specifications with coarse sand and 6 per cent bitumen by weight	12.000	RM	39.43	473.16	Four Hundred & Seventy Three and Paise Sixteen Only
42	Painting on Parapet Wall Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new, plastered / concrete surfaces as per drawing and technical specification Clause 1701	59.680	Sqm	110.65	6603.59	Six Thousand Six Hundred & Three and Paise Fifty Nine Only

Sanjay Bhatish Chaudhary



43	Providing and laying of a reinforced cement concrete pipe duct 300 mm dia, across the road (new construction), extending from drain to drain in cuts and toe of slope to toe of slope in fills constructing head walls at both ends, providing a minimum fill of granular material over top and sides of RCC pipe as per IRC 981997 bedded on a 0.3 m thick layer of granular material free of rock pieces, outer to outer distance of pipe at least half dia of pipe subject to minimum 450 mm in case of double and triple row ducts, joints to be made leak proof, invert level of duct to be above higher than ground level to prevent entry of water and dirt, all as per IRC 98 - 1997 and approved drawings.	50 000	RM	995.33	48266.50	Forty Eight Thousand Two Hundred & Sixty Six and Paise Fifty Only
44	Painting on Parapet Wall (Black & White Strips) Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new, plastered / concrete surfaces as per drawing and Technical Specification Clause 1701	0 00	Cum	110 65	0 00	Zero Only
45	Drainage spouts complete as per drawing and technical specifications Clause 1203	2 00	Nos.	476 64	953.28	Nine Hundred & Fifty Three and Paise Twenty Eight Only
46	Providing and laying RCC pipe NP-3 for culverts on first class bedding of PCC M10 material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling concrete and masonry works in head walls and parapets as per clause 1106 (1000 mm dia)	7 50	RM	4179.84	31343.80	Thirty One Thousand Three Hundred & Forty Eight and Paise Eighty Only
47	Providing and laying RCC pipe NP-3 for culverts on first class bedding of PCC M10 material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling concrete and masonry works in head walls and parapets as per clause 1106 (600 mm dia)	7 50	RM	1090.80	8181.00	Eight Thousand One Hundred & Eighty One Only
48	Dismantling of existing structures like culverts, bridges, retaining walls and other structure comprising of masonry, cement concrete, wood work, steel work, including T&P and scaffolding wherever necessary, sorting the dismantled material, disposal of unserviceable material and stacking the serviceable material with all lifts and lead of 1000 m as per Technical Specification Clause 202.	1 62	Cum	480.23	777.97	Seven Hundred & Seventy Seven and Paise Ninety Seven Only
49	Dismantling of existing structures like culverts, bridges, retaining walls and other structures comprising of brick masonry, including disposal of unserviceable material and stacking the serviceable material with all lift and lead of 1000 m as per Technical Specification Clause 202.	61.39	Cum	231.85	14230.95	Fourteen Thousand Two Hundred & Thirty and Paise Ninety Five Only
50	Removing all types of Hume pipes and stacking including Earthwork and Dismantling of Masonry Works as per Technical Specification Clause 202.					
51	Above 600 mm to 900 mm dia Hume pipe	10.00	RM	231.69	2316.90	Two Thousand Three Hundred & Sixteen and Paise Ninety Only
52	1st Year Maintenance cost	1	Year	43420.00	43420.00	Forty Three Thousand Four Hundred & Twenty Only
53	2nd Year Maintenance cost	1	Year	54901.00	54901.00	Fifty Four Thousand Nine Hundred & One Only
54	3rd Year Maintenance cost	1	Year	80254.00	80254.00	Eighty Thousand Two Hundred & Fifty Four Only

Babun Pakesh Chaudhary

55	4th Year Maintenance cost	1	Year	96268.00	96268.00	Ninety Six Thousand Two Hundred & Sixty Eight Only
56	5th Year Maintenance cost	1	Year	112330.00	112330.00	One Lakh Twelve Thousand Three Hundred & Thirty Only
Total in Figures					7446201.09	Seventy Four Lakh Forty Six Thousand Two Hundred & One and Paise Nine Only
Quoted Rate in Figures						
Quoted Rate in Words			Select		7446201.00	INR Seventy Four Lakh Forty Six Thousand Two Hundred & One and Paise Nine Only
		INR Zero Only				

Garbar Prakash Chowdhury



बिहार सरकार
ग्रामीण कार्य विभाग

/पटना, 19/7/18

पत्रांक-मु0 अ0-4 (मु0)- राज्य योजना (नाबार्ड)-03-341/2018-2709
दिनांक-

प्रेषक,

संजय कुमार, मा0प्र0से0

अपर सचिव।

सेवा में,

महालेखाकार (लेखा एवं हकदारी)

बिहार, पटना।

विषय:- योजना शीर्ष 4515-अन्य ग्राम विकास कार्यक्रमों पर पूंजीगत परिव्यय-103-ग्राम विकास-राज्य योजना-0105-ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)-उपशीर्ष के अन्तर्गत राज्य के नालन्दा जिलान्तर्गत कार्य प्रमंडल, बिहारशरीफ के अधीन रहई प्रखंड के अधीन विनोद पुल से फरीदा (देवी स्थान) तक पथ निर्माण कार्य जिसकी लम्बाई 1.140 कि०मी० निर्माण हेतु रु० 71.15 लाख एवं अनुरक्षण की राशि रु० 3.90 लाख अर्थात् कुल 75.05 लाख रुपये (पचहत्तर लाख पाँच हजार रुपये) की लागत पर प्रशासनिक स्वीकृति प्रदान करने के संबंध में।

महाशय,

निदेशानुसार योजना शीर्ष 4515-अन्य ग्राम विकास कार्यक्रमों पर पूंजीगत परिव्यय-103-ग्राम विकास-राज्य योजना-उप शीर्ष-0105-ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)-उप शीर्ष के अन्तर्गत राज्य नालन्दा जिलान्तर्गत कार्य प्रमंडल, बिहारशरीफ के अधीन रहई प्रखंड के अधीन विनोद पुल से फरीदा (देवी स्थान) तक पथ निर्माण कार्य जिसकी लम्बाई 1.140 कि०मी० निर्माण हेतु रु० 71.15 लाख एवं अनुरक्षण की राशि रु० 3.90 लाख अर्थात् कुल 75.05 लाख रुपये (पचहत्तर लाख पाँच हजार रुपये) की लागत पर प्रशासनिक स्वीकृति प्रदान किया जाता है।

1. इस योजना को दो वित्तीय वर्ष 2018-19 एवं 2019-20 में पूरा किये जाने का लक्ष्य है।
2. कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, बिहारशरीफ द्वारा इस योजना के कार्य सम्पादन हेतु निकासी एवं व्ययन पदाधिकारी होंगे। कार्य निविदा के माध्यम से कराया जाएगा।
3. योजना के क्रियान्वयन से पूर्व इस पर सक्षम पदाधिकारी से प्रावधिक स्वीकृति प्राप्त कर ली जायगी।
4. इस योजना का व्यय योजना शीर्ष 4515-अन्य ग्राम विकास कार्यक्रमों पर पूंजीगत परिव्यय-103-ग्राम विकास-राज्य योजना-0105-ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)-उपशीर्ष जिसका विपत्र कोड 37-4515001030105 के अन्तर्गत वित्तीय वर्ष 2018-19 में उपबंधित राशि से विकलनीय होगा।
5. योजना शीर्ष 4515-अन्य ग्राम विकास कार्यक्रमों पर पूंजीगत परिव्यय-103-ग्राम विकास-राज्य योजना-0105-ग्राम विकास की परियोजनाएं (नाबार्ड ऋण संपोषित योजना)-उपशीर्ष के अन्तर्गत वित्तीय वर्ष 2018-19 में 459.31 करोड़ रुपये का बजट उपबंध स्वीकृत है।
6. कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, बिहारशरीफ द्वारा योजना की नैतिक एवं वित्तीय प्रगति प्रतिवेदन प्रत्येक माह के 10 तारीख तक निश्चित रूप से कमशः अधीक्षण अभियंता, कार्य अंचल, नालन्दा एवं मुख्य अभियंता-1, के माध्यम से विभाग को उपलब्ध कराया जाये।
7. कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, बिहारशरीफ यह सुनिश्चित करेंगे कि यह योजना किसी अन्य योजना शीर्ष अन्तर्गत स्वीकृत नहीं है।
8. इस योजना का व्यय मा० मंत्री, ग्रामीण कार्य विभाग, द्वारा संधिका संख्या- मु० अ०-4 (मु०)-नाबार्ड-03-341/2018 के पृ० सं०-03/टि० पर दिनांक 11.06.2018 को किया गया है।
9. इस योजना की स्वीकृति सक्षम प्राधिकार सचिव, ग्रामीण कार्य विभाग द्वारा संधिका सं०- मु० अ०-4 (मु०) नाबार्ड-03-341/2018 के पृ० सं०-05/टि० पर दिनांक-05.07.2018 को प्राप्त है।
10. बिहार कोषागार संहिता में निहित प्रावधानों के आलोक में बजट प्रावधान के अंतर्गत ही राशि की निकासी की जाय।

G.K

G.K

Sanjay Kumar

11. वित्त विभाग के संकल्प संख्या-4-45/94-301 वि (2) दिनांक 31.01.1995 एवं वित्त विभाग के पत्रांक स्कीम (8)-11-2005-5090 वि (2) दिनांक 15.09.05 एवं 295 दिनांक 24.03.15 के आलोक में तथा वित्त विभाग के संकल्प सं० 96 दिनांक 03.01.2008 में निहित निदेशों का अक्षरशः पालन किया जाय तथा बिहार वित्त नियमावली के सुसंगत प्रावधानों के आलोक में योजना में उपबंधित राशि की उपलब्धता के आधार पर व्यय की जाय। यह आदेश आंतरिक वित्तिय सलाहकार की सहमति प्राप्त कर निर्गत किया जा रहा है। आंतरिक वित्तिय सलाहकार की सहमति संधिका सं०- मु० अ०-4 (मु०) नाबार्ड-03-341/2018 के पृष्ठ संख्या-08/टि० पर दिनांक-18.07.18 को प्राप्त है।
12. यह राशि उसी मद में खर्च की जायेगी, जिसके लिए पुनर्विनियोजित की गयी है, अन्य में नहीं।
13. योजना के लिए कार्यपालक अभियंता, कार्य प्रमंडल, बिहारशरीफ से विस्तृत कार्य योजना मांगी जायेगी एवं प्राक्कलन की विशिष्टताओं के अनुसार निर्धारित समयावधि के अंदर कार्य पूर्ण कराना सुनिश्चित किया जाय।
14. योजना के कार्यान्वयन के कम में इनका निर्धारित निरीक्षण (नियमित अंतराल पर) अनिवार्य रूप से किया जाय तथा प्रतिवेदन अगिलेखवद्ध किया जाय।
15. वित्त विभाग के पत्रांक-770, दिनांक 20.09.11 के द्वारा सूचित किया गया है कि नाबार्ड से RIDF के अन्तर्गत नई परियोजनाओं की प्रशासनिक अनुमोदन प्राप्त करने के उपरान्त ही स्वीकृति हेतु नाबार्ड को भेजी जाये।

विश्वरूपभासन

(संजय कुमार)

अपर सचिव

ज्ञापक- मु० अ०-4 (मु०)-नाबार्ड-03-341/2018 2709

प्रतिलिपि- कोषागार पदाधिकारी, नालन्दा को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

/पटना, दिनांक-19/7/18

अपर सचिव

/पटना, दिनांक-19/7/18

ज्ञापक मु० अ०-4 (मु०)-नाबार्ड-03-341/2018 2709

प्रतिलिपि- माननीय मंत्री के आप्त सचिव, ग्रामीण कार्य विभाग/प्रधान सचिव, योजना एवं विकास विभाग/वित्त विभाग (आय-व्यय शाखा)/आंतरिक वित्तीय सलाहकार, ग्रामीण कार्य विभाग/मंत्रिमंडल सचिवालय एवं समन्वय विभाग/कार्मिक एवं प्रशासनिक सुधार विभाग, प्रमण्डलीय आयुक्त, पटना/जिला पदाधिकारी, नालन्दा/उप विकास आयुक्त, नालन्दा/अभियंता प्रमुख सह-सचिव, BRRDA, ग्रा० का० वि०, बिहार, पटना/मुख्य अभियंता-1, पटना, ग्रामीण कार्य विभाग/मु० अ०-4 (मुख्यालय), ग्रा० का० वि०/अधीक्षण अभियंता, ग्रा० का० वि०, कार्य अंचल, नालन्दा/कार्यपालक अभियंता, ग्रा० का० वि० कार्य प्रमंडल, बिहारशरीफ/मुख्य महाप्रबंधक नाबार्ड, बिहार क्षेत्रीय कार्यालय, (भौर्या कम्पलेक्स, पॉंचवी मंजिल) डाक बंगला रोड, पटना को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित। आई०टी० नोडल, ग्रामीण कार्य विभाग को विभाग के वेबसाइट पर अपलोड करने हेतु प्रेषित।

अपर सचिव

G.K

Shri. P. K. Choudhary