## कार्यपालक अभियंता का कार्यालय, ग्रामीण कार्य विभाग, कार्य प्रमंडल मसौढ़ी।

पत्रांक. 12.12.(ज्ञानुः) मसीदी.

दिनांक .0.8/08/2024

प्रेषक.

कार्यपालक अभियंता ग्रामीण कार्य विभाग, कार्य प्रमंडल मसौढी

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी, ब्राडा पटना।

विषय:- MMGSY Maintenance New योजनान्तर्गत चल रहे मरम्मित कार्यो के भुगतान हेतु आवंटन अधियाचना के सबंध में।

महाशय,

उपर्युक्त विषय के संबंध में इस प्रमंडल कें अंतर्गत MMGSY Maintenance New अंतर्गत पथों में चल रहे कार्यो मरम्मति एवं रख रखाव पर किये गये व्ययो के भुगतान हेतु रु0 3,52,520 ( तीन लाख बावन हजार पाच सौ बीस) मात्र आंवटन की आवश्यकता है।

अतः आग्रह है कि संलग्न विवरणी के अनुसार विभिन्न पथों में आवंटन शीघ्र उपलब्ध कारने की कृपा की जाए।

अनु० यथोक्त

विश्वासभाजन

कार्यपालक अभियंता

ग्रामीण कार्य विभाग, कार्य प्रमंडल मसौढ़ी।

Sr. 08.24

## FORM GFR 19-A

## (See Government of India's Decision (I) below Rule-150) Form of Utilisation Certificate upto the month of 08-08-2024

MMGSY Maintenance New

PIU- Masaurhi

Sl. No	Name of Scheme	Sanction No. & Date with Amount (in Rs. lacs)	Amount Received (in Rs. lacs)	`Particulars
1	MMGSY Maintenace New Previous Allotment Through Bank  Allotment Through CFMS Previous Allotment Add:Letter no. 14dt.30.01.2023 34dt 20.03.2023 51dt.21.04.2023 89dt. 17.07.2023 128dt.25.09.2023 146dt.25.10.2023 173dt.11.12.2023 200dt. 23.01.2023 233dt. 20.03.2024 38dt.14.06.2024  Add: 57 dt 24.07.2024	120.23604 3.23057 1.82461 15.67315 7.54868 17.55610 25.96766 0.88148 18.53080 28.92900 1.44860 241.82669 27.82691	9.46976 269.65360	Certified that out of Rs. 279.12336 Lac received during the years 2024-25 in favour of Ex. Engineer, RWD Bihar, Masaurhi a sum of Rs. 233.50413/-lacs has been utilized for the purpose of MMGSY Maintenance new Schemes as given in the margin for which it was sanctioned and that the balance of Rs 45.61923 (CFMS 42.61869 + bank 3.00054) remaining unutilized at the end of the period under.
	Total:		279.12336	

2. Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/ are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

## Kind of Checks exercised: -

- i. Works have been supervised by Executive Engineer/ Superintending Engineer.
- ii. Periodical inspection has been conducted by Executive Engineer/ Superintending Engineer.
- iii. Construction materials have been tested.
- iv. Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/ Executive Engineer.
- v. All other codal formalities have been observed.
- 3. Physical Progress achieved :
  - i. Construction of Road Works.
  - ii. Construction of CD works

D.A.O

Works Division, Rural Works Department Executive Engineer,
Works Division,
Rural Works Department
Masaurhi

8.08 ay

मुख्यमंत्री ग्राम सम्पर्क योजना के लिए अनुरक्षण मद् की राशि से संवंधित अधियाचना प्रपत्र कार्य प्रमण्डल का नाम:– मसौढ़ी

	2018-19	2	Year (English)		
Total	Hansadih Islampur path to Adalchak	3			
	0.90	4	Length		
	Kusumpuram Infrastructure Developers 07.12.2019 0.48427 0.52996 Private Limited	5	Agency Name of Contractor		
	07.12.2019	6	Actual Date of Complete		
0.48427	0.48427	7	1 Year		
0.62996	0.62996	80	2 Year	Agreeme	
0.91452	0.91452	9	3 Year	nt Maintan (In lacs)	
2.32904	2.32904	10	2 Year 3 Year 4 Year	Agreement Maintance Amount (In lacs)	
0.48427 0.62996 0.91452 2.32904 2.61190 0.25771	2.61190 0.25771	11	5 Year		
0.25771	0.25771	12	131		
0.36552	0.36552	13	2nd	Expe	
0.00000		14	3rd	Expenditure Maintance Amount (in Lacs) ( Year wise)	
0.00000		15	4116		
0.00000		16	, Sth		
0.62323	0.62323	17	Total		
0.36552 0.00000 0.00000 0.653323 0.00000 0.00000		18	151		
0.00000		19	2nd	Current Do	
0.00000 0.91406 2.61114 3.52520		20	3rd	Current Demand (Rs. In Lacs) (Year Wise)	
0.91406	0.91406	21	40	n Lacs) (Ye	
2.61114	0.91406 2.61114 3.52520	22	5th	ear Wise)	
3.52520	3.52520	23	Total		

Remarks

DAO R.W.D., Works Division Masaurhi

Executive Engineer R.W.D., Works Division Masaurhi

Sin 20.004