

कार्यपालक अभियन्ता का कार्यालय  
ग्रामीण कार्य विभाग, कार्य प्रमंडल, भागलपुर।

---

पत्रांक - 1649 (अकूठ)

/भागलपुर, दिनांक 06.08.2024

प्रेषक,

कार्यपालक अभियन्ता  
ग्रामीण कार्य विभाग  
कार्य प्रमंडल, भागलपुर।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी -सह-सचिव  
बिहार ग्रामीण पथ विकाश अभिकरण (BRRDA)  
बिहार, पटना।

विषय :- NMP -2018 मद शीर्ष 3054 एम०आर० योजना के अंतर्गत आवंटन के सम्बन्ध में।

महाशय,

उपर्युक्त विषयक के सम्बन्धित एम०आर० योजना के अंतर्गत संवेदक द्वारा कराए गये कार्यों के भुगतान हेतु विहित प्रपत्र में अधियाचित राशि का आवंटन उपलब्ध कराने की कृपा की जाय। ताकि संवेदक को भुगतान किया सके।

अनु० -यथोक्त

विश्वासभाजन



कार्यपालक अभियन्ता  
ग्रामीण कार्य विभाग  
कार्य प्रमंडल, भागलपुर

# Requisition Format for Scheme Head - MR(3054) under Bihar Rural Road Maintenance Policy - 2018 (Initial Rectification and Surface Renewal

Works Division : Bhagalpur

| Sl. No. | Package No./Batch No. | Name of Road                                                                   | Project ID as per MIS | Administrative Approval (AA) Letter No. & Date | Administrative Approval (AA) |                     | Agreement Amount (In Lakh)                           |                                       | Agreement No. & Date | Date of Completion as per Agreement | Actual Date of Completion | Value of IRI (in mm/km) | Thickness of Bitumen Layer (in mm) | Value of Bitumen Content/Volue of Bitumen Content include with waste plastic on Percentage | Previous Total Allocated Amount (in Lakh) | up-to-date expenditure as per MIS (In Lakh) | Requisition against work done (In Lakh) | Remarks |
|---------|-----------------------|--------------------------------------------------------------------------------|-----------------------|------------------------------------------------|------------------------------|---------------------|------------------------------------------------------|---------------------------------------|----------------------|-------------------------------------|---------------------------|-------------------------|------------------------------------|--------------------------------------------------------------------------------------------|-------------------------------------------|---------------------------------------------|-----------------------------------------|---------|
|         |                       |                                                                                |                       |                                                | Length (In km)               | Amount of (In Lakh) | Initial Rectification with Surface Renewal (In Lakh) | 5 Years Routine Maintenance (In Lakh) |                      |                                     |                           |                         |                                    |                                                                                            |                                           |                                             |                                         |         |
| 1       | 2                     | 3                                                                              | 4                     | 5                                              | 6                            | 7                   | 8                                                    | 9                                     | 10                   | 11                                  | 12                        | 13                      | 14                                 | 15                                                                                         | 16                                        | 17                                          | 18                                      | 19      |
|         | RM/BH/BHA/24/0001     | PMGSY Kasimpur (Fazilpur) to Grotiya Village via Paswan tola bajrangbali sthan | 20703212014           | Vide Letter No.6120 dt. 04.12.2024             | 2.490                        | 147.352             | 86.61724                                             | 18.36313                              | 45-MBD/2023-24       | 15.12.2024                          |                           | 2775                    | 25                                 | 5                                                                                          | 0.000000                                  | 0.000000                                    | 80.000000                               |         |
| Total   |                       |                                                                                |                       |                                                | 2.490                        | 147.35200           | 86.61724                                             | 18.36313                              |                      |                                     |                           |                         |                                    |                                                                                            |                                           | 0                                           |                                         |         |

For  
26.08.2024  
AE

26/08/24

Executive Engineer,  
RWD Work Division Bhagalpur

**FORM GFR 19-A**

(See Government of India's Decision (I) below Rule-150)

Form of Utilization Certificate up to the month – July - 2024

MR-3054 Bihar Rural Road Maintenance policy -2018

PIU – R.W.D. Works Division Bhagalpur.

| SL. No. | Name of Scheme                                    | Sanction No. & Date with Amount (in lacs Rs.) | Amount Received (in Lacs Rs.) | Particulars                                                                                                                                                                                                                                                                      |
|---------|---------------------------------------------------|-----------------------------------------------|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.      | MR-3054 Bihar Rural Road Maintenance policy -2018 | Letter-No.74 Dated 03.06.2024                 | 143.80850 Lacs                | Certified that Rs 16319.30105 Lacs received upto 23-24 in favour of E.E .RWD (W). Division Bhagalpur Bihar & sum of Rs 16187.58801 lacs given in the margin for which it was sanctioned and that balance of Rs 131.71304 .lacs remaining unutilized at the end of period under . |
|         | Total                                             |                                               |                               |                                                                                                                                                                                                                                                                                  |

2. Certified that I have satisfied may self that the conditions on which the grants in aid was sanctioned have been duly fulfilled/ are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kinds of Checks exercised-

- Works have been supervised by Executive Engineer/Superintending Engineer
- Periodical inspection has been conducted by Executive engineer/Superintending Engineer
- Construction materials have been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer / Executive Engineer
- All other codal formalities have been observed.

3. Physical Progress achieved-

- Construction of Road Works
- Construction of C.D. Works

*M. K. S. S.*  
D.A.O.  
6.8.24

Works Division  
Rural Work Department, Bhagalpur

*Om*  
6/08/24

Executive Engineer  
Works Division  
Rural Work Department, Bhagalpur

**OFFICE OF THE EXECUTIVE ENGINEER  
RWD WORKS DIVISION  
BHAGALPUR**

---


Name of Road :- PMGSY Kasimpur (Fazilpur) to Grotiya Village via Paswan tola bajrangbali  
sthan  
Name of Scheme :- MR-3054 (New Maintenance Policy-2018)  
Name of Contractor/Agency :- Ravindra kumar  
Length of Road :- 2.49  
Project ID :- 20703212014  
PKG No/Batch No.. :- RM/BH/BHA/24/0001  
Name of Block :- Gauradih

Certified that all item wise 100%  
Measurement has been taken  
by me



Junior Engineer  
RWD ,Work Section Gauradih  
Works Division Bhagalpur

Certified that all item wise 50%  
Measurement has been Checked  
by me



Assistant Engineer  
RWD ,Work Sub Division Gauradih  
Works Division Bhagalpur

Certified that all item wise 10%  
Measurement has been Checked  
by me



Executive Engineer  
RWD ,Work Division  
Bhagalpur

Name of Customer: Ravindra Kumar

Name of Road :PMGSY Kasimpur (Fazilpur) to Grotiya Village via Paswan tola bajrangbali sthan

| Date   | Time    | Section No. | Length in km | Bumps in mm | Speed Rate | OR mm/km | IRI mm/km | CATEGORY ROAD | Latitude | Longitude | Event  |
|--------|---------|-------------|--------------|-------------|------------|----------|-----------|---------------|----------|-----------|--------|
| 4/8/24 | 8:18:6  | 37          | 0.1          | 280         | 0          | 2800     | 2787 G    |               | 25.14504 | 87.0176   | Normal |
| 4/8/24 | 8:18:16 | 37          | 0.1          | 290         | 40.4       | 2900     | 2884 G    |               | 25.145   | 87.01754  | Normal |
| 4/8/24 | 8:18:37 | 37          | 0.1          | 310         | 40.4       | 3100     | 3078 G    |               | 25.14477 | 87.01761  | Normal |
| 4/8/24 | 8:18:47 | 37          | 0.1          | 210         | 30.3       | 2100     | 2109 G    |               | 25.14451 | 87.01765  | Normal |
| 4/8/24 | 8:18:57 | 37          | 0.1          | 260         | 30.3       | 2600     | 2593 G    |               | 25.14312 | 87.01748  | Normal |
| 4/8/24 | 8:19:7  | 37          | 0.1          | 380         | 20.2       | 3800     | 3756 G    |               | 25.14291 | 87.01755  | Normal |
| 4/8/24 | 8:19:17 | 37          | 0.1          | 210         | 30.3       | 2100     | 2109 G    |               | 25.14271 | 87.01731  | Normal |
| 4/8/24 | 8:19:27 | 37          | 0.1          | 260         | 30.3       | 2600     | 2593 G    |               | 25.14259 | 87.01735  | Normal |
| 4/8/24 | 8:19:38 | 37          | 0.1          | 380         | 20.2       | 3800     | 3756 G    |               | 25.14252 | 87.01739  | Normal |
| 4/8/24 | 8:19:47 | 37          | 0.1          | 220         | 30.3       | 2200     | 2206 G    |               | 25.14243 | 87.01741  | Normal |
| 4/8/24 | 8:20:7  | 37          | 0.1          | 370         | 20.2       | 3700     | 3659 G    |               | 25.14221 | 87.01748  | Normal |
| 4/8/24 | 8:20:18 | 37          | 0.1          | 280         | 20.2       | 2800     | 2787 G    |               | 25.14218 | 87.01745  | Normal |
| 4/8/24 | 8:20:27 | 37          | 0.1          | 250         | 30.3       | 2500     | 2497 G    |               | 25.14152 | 87.01728  | Normal |
| 4/8/24 | 8:20:37 | 37          | 0.1          | 260         | 30.3       | 2600     | 2593 G    |               | 25.14099 | 87.01748  | Normal |
| 4/8/24 | 8:20:47 | 37          | 0.1          | 300         | 40.4       | 3000     | 2981 G    |               | 25.14023 | 87.01774  | Normal |
| 4/8/24 | 8:21:7  | 37          | 0.1          | 210         | 30.3       | 2100     | 2109 G    |               | 25.13785 | 87.01635  | Normal |
| 4/8/24 | 8:21:18 | 37          | 0.1          | 380         | 20.2       | 3800     | 3756 G    |               | 25.13776 | 87.01633  | Normal |
| 4/8/24 | 8:21:27 | 37          | 0.1          | 220         | 30.3       | 2200     | 2206 G    |               | 25.13767 | 87.01628  | Normal |
| 4/8/24 | 8:21:47 | 37          | 0.1          | 370         | 20.2       | 3700     | 3659 G    |               | 25.13628 | 87.01539  | Normal |
| 4/8/24 | 8:22:17 | 37          | 0.1          | 280         | 20.2       | 2800     | 2787 G    |               | 25.13538 | 87.01458  | Normal |
| 4/8/24 | 8:22:27 | 37          | 0.1          | 300         | 40.4       | 3000     | 2981 G    |               | 25.13319 | 87.01261  | Normal |
| 4/8/24 | 8:22:38 | 37          | 0.1          | 210         | 30.3       | 2100     | 2109 G    |               | 25.1311  | 87.0126   | Normal |
| 4/8/24 | 8:22:47 | 37          | 0.1          | 260         | 30.3       | 2600     | 2593 G    |               | 25.13074 | 87.01249  | Normal |

Total IRI

69387

Average IRI

2775.48

Signature  
4/8/24  
S.E

Signature  
6/8/24  
S.E

Signature  
6/8/24  
S.E

$$Y = 0 \cdot X^4 + 2 \cdot 0.969 \cdot X + 74.60$$

$$X = 2600$$

$$Y = 2593$$

(R) RURAL ROAD

Good Average Poor

<4000 4001-5000 >5001

| Lab Job number :37                                                                                    |                            |                               |               |
|-------------------------------------------------------------------------------------------------------|----------------------------|-------------------------------|---------------|
| Date :04-08-2024                                                                                      |                            |                               |               |
| Name of Customer :Ravindra Kumar                                                                      |                            |                               |               |
| Name of Work/ Road :PMGSY Kasimpur (Fazilpur) to Grotiya Village<br>via Paswan tola bajrangbali sthan |                            |                               |               |
| Sr.no                                                                                                 | Location of<br>test(in km) | Corrected U.I<br>value(mm/km) | Road catagory |
| 1                                                                                                     | 0.1                        | 2787                          | G             |
| 2                                                                                                     | 0.2                        | 2884                          | G             |
| 3                                                                                                     | 0.3                        | 3078                          | G             |
| 4                                                                                                     | 0.4                        | 2109                          | G             |
| 5                                                                                                     | 0.5                        | 2593                          | G             |
| 6                                                                                                     | 0.6                        | 3756                          | G             |
| 7                                                                                                     | 0.7                        | 2109                          | G             |
| 8                                                                                                     | 0.8                        | 2593                          | G             |
| 9                                                                                                     | 0.9                        | 3756                          | G             |
| 10                                                                                                    | 1                          | 2206                          | G             |
| 11                                                                                                    | 1.1                        | 3659                          | G             |
| 12                                                                                                    | 1.2                        | 2787                          | G             |
| 13                                                                                                    | 1.3                        | 2497                          | G             |
| 14                                                                                                    | 1.4                        | 2593                          | G             |
| 15                                                                                                    | 1.5                        | 2981                          | G             |
| 16                                                                                                    | 1.6                        | 2109                          | G             |
| 17                                                                                                    | 1.7                        | 2593                          | G             |
| 18                                                                                                    | 1.8                        | 3756                          | G             |
| 19                                                                                                    | 1.9                        | 2206                          | G             |
| 20                                                                                                    | 2                          | 2206                          | G             |
| 21                                                                                                    | 2.1                        | 3659                          | G             |
| 22                                                                                                    | 2.2                        | 2787                          | G             |
| 23                                                                                                    | 2.3                        | 2981                          | G             |
| 24                                                                                                    | 2.4                        | 2109                          | G             |
| 25                                                                                                    | 2.49                       | 2593                          | G             |

*[Signature]*  
4/8/24  
J.E

*[Signature]*  
06/08/2024  
AR

*[Signature]*  
6/08/24  
EE

Name of Customer : Ravindra Kumar  
Name of Work/ : S Pawan kumar by road athen  
Road :  
Lab Job number : 37  
Date : 04-08-2024  
Section No. : 37


Test Date : 04-08-2024  
Road Name : PMGSY Kasimpur (Fazilpur) to  
Machine No : 382  
Road Type : (R) RURAL ROAD  
Start S No :  
Side :  
Start E No :  
Interval :  
Weather :  
U/V Range : 1109 To 5000 mm/km  
Start Location : 037 87.017603  
Dist Range : 0 To 2.6 0.1 1000 m  
End Location : 743 87.012491  
Equation :  $Y = 0 * X^2 + 0.969 * X + 74.60$

Print Generate Report and Graph

Redraw Graph

Map View

File : E:\bump report by it manager\ravindra kumar\02031162.Xls. Section No. : 37. Eqn :  $Y = 0 * X^2 + 0.969 * X$   
Name of Customer : Ravindra Kumar. Name of Work/ Road : PMGSY Kasimpur (Fazilpur) to Grotiya Village via



Signature  
04/08/24  
5/16

Signature  
06/08/2024

Signature  
06/08/24  
EE